Ft. Peck Petition for Review 1021a RC - MT, EAST POPLAR OIL FIELD MARATHON OIL CO. PETITION FOR REVIEW (FOLDER 3 OF 5) Folder ID: 75641 2001 Privileged 75641 - R8 FRED Releas in Ful

RECEIVED
U.S. COURT OF APPEALS
10TH CIRCUIT

01 NOV 20 PM 2:35

UNITED STATES COURT OF APPEALS FOR THE TENTH CIRCUIT

MARATHON OIL COMPANY,)
Petitioner,)
v.) PETITION FOR REVIEW
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY,	01 DEC
Respondent.	
	5 Page 1

Marathon Oil Company hereby petitions the Court for review of the First Amended Emergency Administrative Order of the United States Environmental Protection Agency, Region VIII ("EPA"), Docket No. SDWA-08-2001-33, filed on October 3, 2001. The First Amended Emergency Administrative Order substantially modifies EPA's Emergency Administrative Order, filed on September 20, 2001.

Respectfully submitted,

John D. Fognani, Esq., Colo. Reg. # 8280

Lauren C. Buehler, Esq., Colo. Reg. # 29286

FOGNANI GUIBORD HOMSY & ROBERTS, LLP

555 – 17th Street, 26th Floor

Denver, CO 80202

Telephone: (303) 382-6200 Facsimile: (303) 382-6210

ATTORNEYS FOR MARATHON OIL COMPANY

CERTIFICATE OF SERVICE

I hereby certify that a true and correct copy of the foregoing Petition for Review was served via certified mail, return receipt requested, upon the following counsel of record who are admitted to participate in the agency proceedings on this Adday of November 2001.

Elizabeth E. Mack, Esq. Locke Liddell & Sapp LLP 2200 Ross Avenue, Suite 2200 Dallas, TX 75201-6776

Steve Leifer, Esq.
Baker & Botts LLP
The Warner
1299 Pennsylvania Ave., N.W.
Washington, DC 20004-2400

James E. Baine Murphy Exploration & Production Co. 200 Peach Street El Dorado, AK 71730

Jim Eppers
U.S. Environmental Protection Agency
Region 8
999 – 18th Street, Suite 300
Denver, CO 80202-2466

Hon. Christine Todd Whitman EPA Administrator U.S. Environmental Protection Agency Ariel Rios Building 1200 Pennsylvania Avenue, N.W. Washington, DC 20460

John Cruden, Esq.
Acting Assistant Attorney General
Environment & Natural Resources Division
U.S. Department of Justice
950 Pennsylvania Avenue
Room 2143
Washington, DC 20530

General Counsel
Correspondence Control Unit
Office of the General Counsel (2311)
U.S. Environmental Protection Agency
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460

David A. Carson
United States Department of Justice
Environment and Natural Resources Div.
999 – 18th Street, North Tower, Suite 945
Denver, CO 80202

Barbara E. Hawk

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 8

01 007 -3 PM 12: 52

IN THE MATTER OF

EPA REGION VIII HEARING CLERK

Docket No. SDWA-08-2001-33

Marathon Oil Company,

Murphy Exploration and Production Company,

Pioneer Natural Resources USA)
Incorporated, and

Samson Hydrocarbons Company,

Respondents

East Poplar Oil Field Fort Peck Indian Reservation Montana

Proceedings under Section 1431(a) of the Safe Drinking Water Act, 42 U.S.C. §300g-i(a) FIRST AMENDED EMERGENCY
ADMINISTRATIVE ORDER

THE PERSON OF TH

DESCRIPTION

This Order amends the Emergency Administrative Order Docket No. SDWA-08-2001-33, which was first issued September 20, 2001. This amendment makes only the changes listed in the following paragraphs and makes no other changes to the existing Order. This amendment is made because Respondents have requested and have shown

East Poplar Oil Field Page 2 of 16

a basis for modifying deadlines and deliverables which were required in the Order issued on September 20, 2001. In addition, at the request of counsel for Samson Investment Company, Samson Investment Company is removed without prejudice from the list of named Respondents.

The existing Order continues in full effect except for the changes set forth hereunder.

CHANGES TO ORDER DOCKET No. SDWA-08-2001-33

- 1. The caption of the Order issued on September 20, 2001 is changed to reflect the removal of Samson Investment Company as a Respondent. The caption of Order Docket No. SDWA-08-2001-33 will now appear as it does on the first page of this First Amended Emergency Administrative Order.
- 2. Section VIII, Paragraph 81 of the September 20, 2001, Order is deleted in its entirety and replaced by the following paragraph:

"Approval Process: For each PLAN requiring EPA approval under this Order, the following submission and approval process shall occur. (a) Respondents shall submit an initial draft of the Plan to EPA at the address in Paragraph 91 of this Order. (b) EPA shall, within 30 days of receipt of said Plan, either approve the Plan

East Poplar Oil Field Page 3 of 16

or submit written comments on the Plan to Respondents. (c) Respondents, shall, within 30 days of receipt of EPA's comments on the Plan or approval of the Plan, address EPA's comments or implement the Plan accordingly. If a deadline passes due to EPA's failure to timely submit comments, Respondents shall not be held accountable for such time beyond the deadline accrued due to EPA's failure to timely submit comments. If a deadline passes due to Respondents' failure or refusal to address one or more EPA comment, as determined solely by EPA, Respondents shall be considered to be in violation of this Order.) EPA shall not substitute a completely different PLAN of its own if an alternative PLAN, favored by Respondents has been submitted for approval and meets all requirements of this Order. Given the emergency nature of this case, if Respondents do not ultimately and in a timely fashion submit an approvable PLAN, EPA may issue a new Order, amend an existing Order, or take other actions necessary to abate the emergency issues identified in this Order".

3. Section VIII, Paragraph 82 of the September 20, 2001, Order is deleted in its entirety and replaced by the following paragraph (including Table 1):

East Poplar Oil Field Page 4 of 16

"Respondents shall submit to EPA within 14 days of the effective date of this Order, a written proposal with an aggressive schedule for studying options to deliver complete replacement water to the homesites listed in Table 1 of this paragraph. The options studied shall be such that, when implemented, the homesites listed in Table 1 of this paragraph shall have water conveyed to them which meets all primary drinking water standards (40 C.F.R. Part 141, Subpart G) in the amount of at least 125 gallons per person residing at each homesite per day. Taking into consideration the emergency nature of this case, and stemming from Respondents' proposed schedule for studying options, Respondents shall submit to EPA at the address in Paragraph 91 a written DOMESTIC USE HOMESITE WATER REPLACEMENT PLAN containing Respondents' favored option, the implementation of which shall convey water meeting all primary drinking water standards (40 C.F.R. Part 141, Subpart G) to the addresses in Table 1 in this paragraph. On a weekly basis after submission of the proposed schedule for studying options, Respondents shall provide updates to Nathan Wiser, by facsimile (303) 312-6409, which summarize progress made toward finalization of the DOMESTIC USE HOMESITE WATER

East Poplar Oil Field Page 5 of 16

REPLACEMENT PLAN. The DOMESTIC USE HOMESITE WATER REPLACEMENT PLAN shall include provisions that ensure that each homesite in Table 1 in this paragraph will have water delivered, for domestic use, directly to the piping in each home for at least five (5) years, such that all pipes in use inside the home shall convey this alternative water, including, as found, water pipes in the homes' kitchens, bathrooms, work rooms, utility rooms, laundry rooms, basements, and outside spigots. The DOMESTIC USE HOMESITE WATER REPLACEMENT PLAN shall ensure that alternative water so delivered will be routed through the homes' water heater. Except as allowed for in Paragraph 83, the DOMESTIC USE HOMESITE WATER REPLACEMENT PLAN shall ensure that the yield of domestic use water at each home is, at a minimum, 125 gallons per person residing at each homesite per day. If the current residents at each homesite shown in Table 1 in the paragraph have changed, that shall not affect Respondents' obligation to deliver the replacement water. For at least five (5) years, while Respondents are implementing the DOMESTIC USE HOMESITE WATER REPLACEMENT PLAN, no homesite owner and/or resident shall be required to pay for any portion of this water replacement. Modifications extending

East Poplar Oil Field Page 5 of 16

deadlines in this paragraph shall be permissible only with EPA written approval."

TABLE 1						
Current Resident	City	Sinte	Residence Address	Sec	Тwp	Res
Kohl, Danny	Poplar	МТ	5097 Road 251	15	29N	51E
Lien Birdell	Poplar	МТ	4849 Road 2050	20	29N	5,3 E
Zimmerman, Bill	Poplar	MLL	5448 Road 251	01	28N	51E
Abbott, Joc	Poplar	мт	5540 Road 75	04	28N	51E
Kirn. Audrey	Poplar	MT	5584 Road 75	08	28N	SIE
Kirn, Michael	Poplar	МТ	5532 Road 75	98	28N	51E
Gray Hawk, Rachel	Poplar	мгг	5647 Road 75	16	28N	51E
Trottier, Tim & Donna	Poplar	MT	5713 Road 75	16	28N	51E
Lockman, Lyle	Poplar	мт	5715 Road 75	16	28N	51E
Pour Bears, Charles	Poplar	мт	5678 Road 75	17	28N	51E
Martell, Rene & Josi	Poplar	МТ	5666 Road 75	17	28N	SIE
Ricker Sr., George & Holon	Poplar	мт	5712 Road 75	17	28N	51E
Bleazard Ross & Loura	Popiar	мт	3866 Road 130	29	28N	51E
Whitmer, Warren & Donna	Poplar	мт	58702 Road 75	29	28N	SIE
Loegering, Mavis	Poplar	мт	5910 Road 150	29	28N	51E
Kim Sr., Jesse	Popiar	MT	6037 Road 150	32	28N	51E
Grandchamp, Denise	Poplar	мт	5947 Road 75	33	28N	SIE
Grainger, Trivian	Poplar	мт	5957 Road 75	33	28N	SIE
Grainger, Iva	Poplar	MT ·	5128 Road 251	15	29N	51E
Ranf Marie and Come, Warren	Poplar	MT	5743 Road 251	13	28N	SIE

4. Section VIII, Paragraph 84 of the September 20, 2001, Order is deleted in its entirety and replaced by the following paragraph:

"Initial implementation of the DOMESTIC USE HOMESITE WATER REPLACEMENT PLAN shall occur within 30 days of

East Poplar Oil Field Page 7 of 16

> its final approval by EPA. Initial implementation, for the purpose of this paragraph, means that one homesite in Paragraph 82, Table 1 shall be fully equipped with domestic use replacement water. Final implementation of the DOMESTIC USE HOMESITE WATER REPLACEMENT PLAN shall occur within 90 days of its approval by EPA/ Final implementation, for the purpose of this paragraph, means that all homesites in Paragraph 82, Table 1, have been fully equipped with domestic use replacement water. Final implementation also means that water is conveyed to the homesites in Paragraph 82, Table 1, at no cost to them / Modifications extending the schedule in this paragraph shall be permissible only with EPA written approval furthermore, weather-related conditions precluding the timely implementation of the final EPA-approved PLAN shall automatically constitute a legitimate basis to extend this schedule / Subtractions from the list of homesites found in Paragraph 82, Table 1 shall be permissible only with EPA written approval. Additions to Paragraph 82, Table 1 shall take place at the discretion of EPA, upon learning that additional homesites found in and around the East Poplar Oil Field with private water supply wells drawing from the

East Poplar Oil Field Page 8 of 16

Quaternary deposits aquifer have been or are likely to become contaminated with oil field brine and/or hydrocarbons associated with oil and gas production from the East Poplar Oil Field. Additions to the list of homesites found in Paragraph 92, Table 1 will take place as follows: (a) EPA shall write to Respondents with the name and location of the additional homesite(s). (b) Respondents shall, within 30 days receipt of EPA's written notice, ensure that the homesite(s) added shall have replacement water meeting the standards and in the abundance set forth in Paragraph 82."

5. Section VIII, Paragraph 85 of the September 20, 2001, Order is deleted in its entirety and replaced by the following paragraph (including Table 2):

"Respondents shall, within 14 days of the effective date of this Order, submit to EPA at the address in Paragraph 91 a written proposal with an aggressive schedule to study and assess the threat that the groundwater contamination in the East Poplar Oil Field poses to the City of Poplar's PWS wells. Taking into consideration the emergency nature of this case, and stemming from Respondents' proposed schedule for studying and assessing the threat to the City of

East Poplar Oil Field Page 9 of 16

Poplar's PWS wells, Respondents shall submit to EPA at the address in Paragraph 91 for approval, a PWS WELL THREAT STUDY PLAN, the implementation of which shall assess the degree to which all public water supply (PWS) wells used by persons in and around the City of Poplar are threatened by migration of the contaminants at the East Poplar Oil Field. On a weekly basis after submission of the proposed schedule for studying and assessing the threat to the City of Poplar's PWS wells, Respondents shall provide updates to Nathan Wiser, by facsimile (303) 312-6409, which summarize progress made toward finalization of the PWS WELL THREAT STUDY PLAN. The PWS WELL THREAT STUDY PLAN shall include, at a minimum, the following elements: (a) electro-magnetic study, or other remote sensing methods, to identify and locate the leading edges of the contaminant plume closest to PWS wells in and around the City of Poplar, (b) groundwater samples, collected quarterly for a minimum of five (5) years, from either existing wells or newly drilled wells screened in the Quaternary deposits aguifar located between the contaminant plume leading edge as mapped by the USGS in 1997 (T28N, R51E, S28) and the City of Poplar, and (c) a calculation of the direction of groundwater flow in the area studied,

East Poplar Oil Field Page 10 of 16

a calculation of the rate of groundwater movement in the area studied, and a calculated estimate of the amount of time that will pass before the first PWS well will become contaminated along with the name and location of that public water supply well. electro-magnetic study or other remote sensing method employed shall be able to distinguish between contaminated and uncontaminated groundwater sufficiently precisely that contour lines can be drawn with the total dissolved solids content of the groundwater mapped in gross detail, distinguishing between uncontaminated, mildly contaminated, and very contaminated groundwater. Respondents shall submit a report of the electro-magnetic study or other remote sensing method employed to EPA at the address in Paragraph 91. This report shall include maps of the results, including contoured lines showing the leading edges of the plume and its closest approach to the City of Poplar. The number of groundwater monitoring wells to be used in the PWS WELL THREAT STUDY PLAN shall be a minimum of six (6) wells, with the final count, location, and depth to be approved by EPA. Analysis of samples collected from each groundwater monitoring well shall include, at a minimum, static water level, pH,

East Poplar Oil Field Page 11 of 16

TDS, dissolved chloride, dissolved sodium, dissolved calcium, dissolved potassium, dissolved carbonate, dissolved bicarbonate, dissolved magnesium, dissolved sulfate, benzene, toluene, ethylbenzene and total xylenes. Methods used to analyze the samples shall meet or exceed the method detection limits specified in Paragraph 85, Table 2. While implementing the PWS WELL THREAT STUDY PLAN, Respondents shall submit to EPA at the address in Paragraph 91 the analytical results of samples collected at each groundwater monitoring well within 60 days of each sampling event, as well as a report discussing the results of sampling."

TABLE 2				
Analyte Parameter	Method Detection Limit	Units		
Static water level .	0.1	foot		
рН	0.1	pH unit		
TDS	10	mg/l		
CI	10	wã∖		
Na	10	mg/l		
Mg	10	mg/l		
K	10	mg/I		
CO3	10	mg/l		
HCO3	10	mg/l		
SO4	10	mR\J		
Ca	10	mg/l		
Benzene	0.05	mg/i		

East Poplar Oil Field Page 12 of 16

Analyte Parameter	Method Detection Limit	Units	
Tolucne	0.05	mg/l	
Ethylbenzene	0.05	mg/l	
Total xylenes	0.05	mg/l	

6. Section VIII, Paragraph 86 of the September 20, 2001, Order is deleted in its entirety and replaced by the following paragraph:

"Initial implementation of the PWS WELL THREAT STUDY shall occur within 30 days of its final approval by Initial implementation, for the purpose of this paragraph, means the electro-magnetic or other remote sensing technique shall have been initiated on the ground, with data collection underway, excluding groundwater monitoring. Intermediate implementation of the PWS WELL THREAT STUDY shall occur within 90 days of its final approval by EPA or by June 30, 2002, whichever comes earlier. Intermediate implementation, for the purpose of this paragraph, means that the complete collection of all electro-magnetic data or other remotely sensed data, and the first set of water samples from groundwater monitoring wells, shall be completed, with the data results submitted to EPA at the address in Paragraph 91. Final implementation of

East Poplar Oil Field Page 13 of 16

the PWS WELL THREAT STUDY shall occur within five (5) years of its final approval by EPA or by June 30, 2007, whichever comes earlier. Final implementation, for the purpose of this paragraph, means that all intermediate implementation has occurred and at least five (5) years' worth of quarterly samples have been completed and submitted to EPA as well as a final report summarizing the results of all work done under the EPA-approved PWS WELL THREAT STUDY. Modifications extending the schedule in this paragraph shall be permissible only with EPA written approval; furthermore, weather-related conditions precluding the timely implementation of the final EPA-approved PLAN shall automatically constitute a legitimate basis to extend this schedule."

7. Section VIII, Paragraph 87(a) of the September 20, 2001, Order is deleted in its entirety and replaced by the following paragraph:

"All groundwater monitoring sample results, groundwater monitoring wellbore descriptions, diagrams of groundwater monitoring wells, or maps of groundwater monitoring wells from locations in (1) T28N, R50E; (2) T29N, R50E; (3) T28N, R51E; (4) T29N, R51E; (5) T27N, R50E; and (6) T27N, R51E."

East Poplar Oil Field Page 14 of 16

8. Section VIII, Paragraph 88 of the September 20, 2001,
Order is deleted in its entirety and replaced by the
following paragraph (including Table 3):
"Paragraph 88, Table 3 summarizes the requirements and
schedule for the three actions set forth in Paragraphs
82 through \$7."

	·		TABLE 3				
Paragraph No.	Minimum Requirements	Implementation Schedule					
(Date First Deliverable Due)		Initial	Minimum Requires menus	intermediate	Minimum Requ ire- ments	Final	Minimum Require- mems
Paragraph 82 Domestic Use Homestie Water Replacement Plan Proposed schedule to study options for water replacement due 14 days from effective date of this First Amended Order	-125 gaillons per person per day per homesite, except if delivered in which case equilibrate water usage with water delivery; - Water meets all primary drinking water standards (40 C.F.R. Par 141, Subpart G); -Water effectively replaces all water in each home for five (5) years	30 days from EPA upproval of l'ian	At least one homesite has had its water completely replaced	Not applicable	Not applicable	90 days from EPA approval of Plan (except that water must be supplied for at least five (5) years	All homesites in Paragraph 82. Table 1 have had water completely replaced
Paragraph 85 PWS Well Threat Study Plan Proposed schedule to study and assess threat to City of Poplar's PWS well due 14 days from effective date of this First Amended Order	·Use electro-magnetic or other remote sensing method to detect contamination; ·Electro-magnetic or other remote sensing method must be capable of distinguishing levels of contamination; ·Minimum of six (6) groundwater monitoring wells; ·Five (5) years of quarterly water samples from groundwater monitoring wells; ·Calculation of groundwater movement direction, rate of movement, and time until nearest FWS well is impacted by contamination	30 days from EPA approval of Plan	Electro- magnetic or other remote sensing method underway with data being collected in the field, excluding groundwater monitoring	90 days from EPA approval of Plan or Junc 30, 2002, whichsver is earlier	All electromagnetic or other remote sensing method data has been collected and a report submitted to EPA: 1 set of quarterly water samples has been collected from all groundwater monitoring wells in the Plan and submitted to EPA	Five (5) years from EPA approval of Plan or June 30, 2007, whichever is earlier	All electromagnetic or other remote sensing method data has been collected and report submitted to EPA; 20 sets of quartert water samples have been collected from all groundwater monitoring wells in the Plan and submitted to EPA with a final report
Paragraph 87 Document Submission Documents due 90 days from the effective date of this First Amended Order	*Existing groundwater monitoring results from areas specified *Science survey information specified *Well, tank, pit, pipeline data from areas specified	Not applicable	Not applicable	Not applicable	Not applicable	90 days from the effective date of this First Amended Order	Submit a single copy to EPA of cach applicable record

East Poplar Oil Field Page 16 of 16

Section IX, Paragraph 97 of the September 20, 2001,
Order is deleted in its entirety and replaced by the following paragraph:

"The effective date of this First Amended Order shall be three (3) business days from the date of issuance, not including the day of issuance."

Issued this 3RD day of October, 2001.

County E Wears

Connally E. Mears, Director
Technical Enforcement Program
Office of Enforcement, Compliance,
and Environmental Justice
United States Environmental Protection Agency,
Region 8

Michael T. Risher, Director

David J. Janik, Supervisory Attorney


Legal Enforcement Program

Office of Enforcement, Compliance,

and Environmental Justice

United States Environmental Protection Agency,

Region 8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 3

IN THE MATTER OF))
) Docket No.
Marathon Oil Company,)
Murphy Exploration and Production Company,))
Pioneer Natural Resources USA Incorporated,) EMERGENCY) ADMINISTRATIVE ORDER
Samson Investment Company,)
Samson Hydrocarbons Company,)
Respondents)
)
East Poplar Oil Field / Fort Peck Indian Reservation Montana)))
Proceedings under Section 1431(a))
of the Safe Drinking Water Act, 42 U.S.C. §300g-i(a))
Acc, 42 0.5.C. 9500g-1(a))

DESCRIPTION

This Order requires Respondents to deliver adequate water to replace the contaminated water supply at several homesites in the East Poplar Oil Field and to collect new

data to ascertain the groundwater contamination threat to public water supply wells in and around the City of Poplar, Montana. It also requires submission of records.

I STATUTORY AUTHORITY

The following Findings are made and Order issued under the authority vested in the Administrator of the U.S.

Environmental Protection Agency (EPA) by Section

1431(a) of the Safe Drinking Water Act (the Act), 42

U.S.C. §300i(a). The authority to take this action has been properly delegated to the undersigned EPA program supervisors.

II LOCATION

2. This matter takes place on lands within the exterior boundary of the Fort Peck Indian Reservation in Roosevelt County in the State of Montana.

III DESCRIPTION OF RESPONDENTS

3. Marathon Oil Company is an Ohio corporation and therefore a "person" within the meaning of 40 C.F.R. §141.2 and §144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12). TXO Production Corp. a Delaware

corporation, merged with Marathon Oil Company. TXO

Production Corp was a trade name for Texas Oil & Gas

Corp. a Delaware corporation.

- 4. Murphy Exploration & Production Company is a Delaware corporation doing business in the State of Montana and therefore is a "person" within the meaning of 40 C.F.R. §141.2 and §144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12).
- Pioneer Natural Resources USA, Inc. is a Delaware corporation and therefore a "person" within the meaning of 40 C.F.R. §141.2 and §144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12). Pioneer Natural Resources USA, Inc. acquired the assets of Mesa Petroleum Co. Mesa Petroleum Co. did business in the state of Montana.
- Samson Investment Company is a Nevada corporation and therefore a "person" within the meaning of 40 C.F.R. \$141.2 and \$144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12). Samson Hydrocarbons Company, a subsidiary of Samson Investment Company, is a Delaware corporation and therefore a "person" within the meaning of 40 CFR §141.2 and §144.2 and Section

1401(12) of the Safe Drinking Water Act, 42 U.S.C. §300f(12): By 1961, C.C. Thomas, an original oil operator on the East Poplar Oil Field, transferred the lease to produce oil from the "Huber" property to Emile A. Polumbus. Emile A. Polumbus later formed the Polumbus Petroleum Corporation ("Polumbus"). Polumbus did business in the state of Montana. Polumbus later merged with W.R. Grace & Co. (a Connecticut corporation) to become Grace Petroleum Corporation in 1976. Grace Petroleum Corporation did business in the state of Montana. On or about January 21, 1993, Samson Investment Company acquired all issued and outstanding stock of Grace Petroleum Corporation and became that company's successor in interest. On or about that same day, Samson Investment Company changed the name of Grace Petroleum Corporation to Samson Natural Gas Company. Samson Natural Gas Company then changed its name to SNG Production Company on or about April 19, 1993. Then, on or about December 28, 1994, SNG Production Company changed its name to Samson Hydrocarbon's Company.

7. Respondents own and/or operate or did own and/or

operate oil and gas production facilities, including but not limited to oil or gas production wells, produced brine disposal wells, secondary recovery injection wells, drilled and abandoned dry holes, production and waste pits, storage tanks, oil/water separators, and distribution pipelines and pumping facilities, in the East Poplar Oil Field located within the following locations: Township 28 North, Range 51 East; Township 29 North, Range 50E; Township 29 North, Range 51E, on the Fort Peck Indian Reservation in Roosevelt County in the State of Montana.

IV FINDINGS: GEOLOGY, EXTENT OF CONTAMINATION, HYDROLOGY

8. The uppermost geologic deposits found in the East

Poplar Oil Field and within about 3 miles to southwest

of the East Poplar Oil Field are Quaternary-aged (less

than 2 million years old). These Quaternary-aged

deposits, herein after referred to as "Quaternary

deposits," consist of several different units, known

and mapped as the Wiota Gravel, Sprole Silt, Glacial

Till, and several unnamed distinct deposits, called

alluvium, fan alluvium, colluvium, lake and pond deposits, and outwash deposits (see for instance "Geologic Map of the Poplar Quadrangle, Roosevelt, Richland and McCone Counties, Montana, " U.S. Geological Survey, Map I-367, Roger B. Colton, 1963). Lithologic logs from monitoring wells and test wells in the area show thicknesses of the Quaternary deposits ranging from 22 to 153 feet. Based on hydraulic head measurements from wells, groundwater in the Quaternary deposits east of the Poplar River generally moves westward toward the Poplar River, where it merges with south-ward flowing groundwater in the Poplar River Valley. Water in the Quaternary deposits in and around the East Poplar Oil Field is recharged by infiltration of precipitation, and movement of water from up-gradient areas. Groundwater flow in the Quaternary deposits should have a horizontal component because its downward movement is bounded by the underlying, relatively impermeable Bearpaw Shale, and is forced to move laterally. Depth to the water table below land surface in this area generally ranges from about 5 to 139 feet in the

Quaternary deposits. Several rural residential homes in and around the East Poplar Oil Field derive their drinking water from the Quaternary deposits aquifer. Past sampling from private groundwater wells in and around the East Poplar Oil Field area showed, at the time, total dissolved solids (TDS) content ranging from 427-2,680 milligrams per liter (mg/l).

The Quaternary deposits form an unconfined aquifer 9. which contains a sufficient quantity of groundwater to supply a public water system. A public water system (PWS), as defined by 40 C.F.R. § 141.2, means a system for the provision to the public of piped water for human consumption, if such system has at least fifteen service connections or regularly serves an average of at least twenty-five individuals daily at least 60 days out of the year. The City of Poplar derives its drinking water from the Quaternary deposits aquifer through the use of three public water supply wells. On a daily basis, the wells collectively service an estimated 4000 people through about 1000 service connections. The water production rate at the wells varies from about 450 gallons per minute (gpm) during the winter to about 900 cpm during the summer. The wells

operate about 5-1/2 hours each day. The total daily estimated water volume produced by the City of Poplar's water wells ranges from about 1.5 million gallons during the winter to about 3 million gallons during the summer.

- of groundwater for the PWS for the City of Poplar, Montana, the tribally-owned PWS for the Poplar Head Start Center, and for private resident wells in and around the East Poplar Oil Field.
- The Quaternary Deposits are an underground source of drinking water (USDW). A USDW, as defined under 40 C.F.R. § 144.3, means an aquifer or its portion which (a)(1) supplies any PWS, or (2) contains a sufficient quantity of groundwater to supply a public water system and either (i) currently supplies drinking water for human consumption or (ii) contains fewer than 10,000 mg/l TDS; and (b) is not exempted pursuant to 40 C.F.R. §§ 144.7(b) and 146.4. The Quaternary deposits aquifer has not been exempted pursuant to 40 C.F.R. §§ 144.7(b) and 146.4.
- 12. Between 1989 and 1996, the United States Geological Survey ("USGS") has conducted an extensive groundwater investigation of saline-water contamination in and around

the East Poplar Oil Field. The USGS reviewed groundwater and surface water quality data from existing private water wells, new monitoring wells, oil wells, brine-injection wells, and the Poplar River in the East Poplar Oil Field area. Additionally, the USGS completed an electromagnetic geophysical survey, by measuring the electromagnetic apparent conductivity corrected for local anomalies (wells, pipelines, etc.), over a 21.6 square mile area in a partial effort to delineate the extent of the saline-water contamination plumes. Groundwater in the area determined by the USGS to be contaminated contained total dissolved solid levels as high as 91,100 mg/l.

Between January 1999 and September 2000, EPA collected water samples at 21 home sites with private water wells in the contamination area to determine if contamination by oil field brine and associated hydrocarbon by-products, or other organic chemical compounds was a concern. EPA also sampled the three wells that supply the City of Poplar's public drinking water, located approximately 3 miles from the closest point studied by the USGS, a point which was then a known contaminant plume, and from one water well supplying water to the Fort Peck Indian Government offices

also located in the City of Poplar. EPA found TDS levels at the 21 home sites to range between 433 and 17,000 mg/l. EPA found a total of 81 detections of 10 different organic chemical compounds ranging in concentration between 0.00028 and 193.0 mg/l. A summary of all of EPA's sample results is attached to this Order as Exhibit 1.

In September, 2000, EPA took samples of brine prior to its injection at two current injection well locations in the East Poplar Oilfield for the purpose of characterizing the brine injected. The two locations were the EPU #1-D injection well in Section 30,

Township 29 North, Range 51 East and the Huber #5-D injection well in Section 10, Township 28 North, Range 51 East. The sample results showed several remnants of hydrocarbons. These analyzed results are summarized in the following table.

INJECTATE SAMPLES

Sample date	Constituent detected	Concentration range (mg/l)		
9/29/00	Total Dissolved Solids	85,900 to 120,000		
9/29/00	Benzene	1.67 to 1.76		
9/29/00	Ethylbenzene	0.115 to 0.181		
9/29/00	Toluene	1.53 to 1.86		
9/29/00	Xylenes (total)	0.146 to 0.546		

9/29/00	Total Extractable Hydrocarbons	39.0 to 67.0
9/29/00	Diesel Range Organics	28.0 to 51.0
9/29/00	Naphthalene	0.023 to 0.036
9/29/00	Isopropylbenzene	0.0066 to 0.011
9/29/00	n-Propylbenzene	0.012 to 0.019
9/29/00	1,2,4-Trimethylbenzene	0.056 to 0.087
9/29/00	1,3,5-Trimethylbenzene	0.019 to 0.028
9/29/00	bis(2-ethylhexyl)phthalate	0.049 to 0.053

- 15. Samples taken by both EPA at the existing home sites and USGS at several monitoring wells showed benzene contamination. A sample taken at one home site had benzene contamination between 0.058 and 0.078 mg/l, while other samples taken at USGS monitoring wells in the field were between 0.00158 and 0.00486 mg/l.
- 16. Under the Primary Drinking Water Standards, the maximum contaminant level ("MCL") for benzene, as set forth in 40 C.F.R. §141.61, is 0.005 mg/l. Under the Secondary Drinking Water Standards, as set out in 40 C.F.R. §143.3, the standard for total dissolved solids is 500 mg/l. Water from private water wells in and around the East Poplar Oil Field contain contaminants in excess of these drinking water standards.

Benzene is a known human carcinogen. A causal 17. relationship between benzene exposure and leukemia has been clearly established. EPA, in its consensus position on toxicological effects, the Integrated Risk Information System ("IRIS"), uses human occupational data to estimate the added risk of contracting cancer from exposure to benzene. Epidemiologic studies and case studies provide clear evidence of a causal association between exposure to benzene and acute nonlymphocytic leukemia and also suggest evidence for chronic nonlymphocytic leukemia and chronic lymphocytic leukemia. Other neoplastic conditions that are associated with an increased risk in humans are hematologic neoplasms, blood disorders such as preleukemia and aplastic anemia, Hodgkin's lymphoma, and myelodysplastic syndrome. These human data are supported by animal studies. The experimental animal data add to the argument that exposure to benzene increases the risk of cancer in multiple species at multiple organ sites (hematopoietic, oral and nasal, liver, forestomach, preputial gland, lung, ovary, and mammarv cland). See (1) Ross, D., 1996, "Metabolic

basis of benzene toxicity" Eur. J. Haematol 57:

(suppl): pp. 111-118, and (2) Latriano, L. Goldstein,

B.D., Witz, G., (1986) "Formation of muconaldenyde, an

open ring metabolite of benzene, in mouse liver

microsomes: an additional pathway of toxic

metabolites" Proc Natl Acad Sci USA 83: pp. 8356-8360.

According to IRIS, dated January 2000, EPA estimates

that consumption of drinking water containing 0.078

mg/l benzene is associated with an added risk of

cancer of between 1 in 10,000 people and 1 in 100,000

people.

- 18. Therefore, the presence and entry of benzene at levels as high as 0.078 mg/l in the drinking water wells in the Quaternary deposits USDW presents an imminent and substantial endangerment to the health of persons.
- In 1999, EPA toxicologist Dr. Robert Benson stated that water with a TDS concentration in excess of 1,000 to 2,000 mg/l is unpalatable and will not be voluntarily consumed by individuals. If an individual has no other source of water and is forced to consume water with TDS levels over 10,000 mg/l, the adverse health effects include severe osmotic diarrhea and

severe dehydration. Continued consumption after the onset of the above conditions may result in death.

As indicated previously, TDS levels as high as 17,000

mg/l have been found at private water wells in and around the East Poplar Oil Field and TDS levels have been found in the Quaternary deposits aquifer as high as 91,000 mg/l. This constitutes an imminent and substantial endangerment to the health of persons.

V FINDINGS: SOURCES OF CONTAMINATION

20.

-MURPHY EXPLORATION AND PRODUCTION COMPANY-

21. The East Poplar Oil Field was discovered in early
1952, when Murphy Oil Corporation, the predecessor to
Murphy Exploration and Production Company, drilled the
Murphy #1 well, located in Section 2 of Township 28 North,
Range 51 East (the conventional description for this
location is T28N, R51E, S2). Within 3 years of the
discovery well, 35 active oil production wells had been
drilled by Murphy Oil Corporation. For at least the first
4 years during which the East Poplar Oil Field was active,
the disposal method for produced brine water was to dump it
in unlined earthen pits near the oil production wells. At

least 1 million barrels (42 million gallons) of produced brine water was disposed of in this manner between 1951 and 1955. The produced produced brine water contained high levels of total dissolved solids, including chloride ion.

- On December 8 and 9, 1954, The Montana Oil and Gas
 Conservation Commission held a hearing to consider the
 development of the East Poplar Oil Field. During that
 hearing, R. J. Sweeney, of Murphy Oil Corporation's
 Reservoir Engineering Section, explained, among other
 things, that about 700,000 barrels of produced brine
 water had been produced from the East Poplar Oil Field
 as of that date. R. J. Sweeney also stated at the
 hearing that it was his estimation that the oil
 reserves of the East Poplar Oil Field were
 approximately 200,000,000 barrels.
- On February 7 and 8, 1955, the Montana Oil and Gas

 Conservation Commission held a hearing to again

 consider the development of the East Poplar Oil Field.

 Attorneys were present who represented the following

 companies doing business at the time in the East

 Poplar Oil Field: Murphy Oil Corporation, Empire State

 Oil Company, Wagner-Christianson Company, C.C. Thomas,

and Ashland Oil Company. During this hearing, the attorneys representing these companies made their company's respective recommendations regarding the spacing of additional oil wells and the consideration by the Montana Oil and Gas Conservation Commission to unitize the East Poplar Oil Field.

- On March 7, 1955, The Montana Oil and Gas Conservation Commission issued an order requiring each operator in the East Poplar Oil Field to develop a plan to dispose of the produced brine water from the oil production in the East Poplar Oil Field. The Montana Oil and Gas Conservation Commission's order was issued out of concern that the management of produced brine water at the time was a hazard to the Town of Poplar's water supply.
- On July 8, 1955, the Montana Oil and Gas Conservation

 Commission held a hearing to discuss disposal of

 produced brine water in the East Poplar Oil Field.

 During that hearing, Murphy Oil Corporation suggested

 use of injection wells to dispose of their produced

 brine water. It was first estimated that the first

 injection well would be the Murphy #46 well, which

would inject 2500 barrels of produced brine water per day. Murphy Oil Corporation estimated that the ultimate injection capacity would be 23,000 barrels of produced brine water injected into several injection wells.

- On June 29, 1956, two 1000-barrel produced brine water tanks in the East Poplar Oil Field, operated by Murphy Oil Corporation, exploded and caught fire and were a total loss. In a July 31, 1956 internal memorandum, Murphy Oil Corporation states that produced brine water is a carrier of hydrocarbons, and this led to the produced brine water's flammability. In addition, it is logical to assume that the contents of the two 1000-barrel produced brine water tanks spilled onto the ground.
- On July 3, 1957, Murphy Corporation applied to the Montana Oil and Gas Conservation Commission for approval to construct a new well and inject into it its excess produced brine water, produced from the deeper Madison Formation for injection into the Dakotasandstone formation at one well located at T29N, R51E, Section 30, SE 1/4, SE 1/4, SE 1/4. Murphy

Corporation estimated that the injection rate into this injection well would be 7000 barrels of water per day.

- On July 29, 1957, the Montana Oil and Gas Conservation Commission held a hearing during which it approved, on an emergency basis, the July 3, 1997, proposal from Murphy with regard to disposal of produced brine water through a well.
- 29. On September 24, 1957, the Montana Oil and Gas
 Conservation Commission held a hearing to discuss
 Poplar River water sampling results which showed that
 levels of chloride ion in the river were as high as
 1500 mg/l. During the hearing, the Montana Oil and
 Gas Conservation Commission reported that, during July
 1957, 370,154 barrels of produced brine water having a
 total dissolved solids content of 180,000 mg/l was
 disposed in earthen pits, by operators Crescent Oil
 and Gas Corporation, Empire State Oil Company,
 Richfield Oil Corporation, C.C. Thomas, Wagner
 Christianson, and Murphy Corporation. The hearing
 concluded with an order requiring all oil operators,
 except C.C. Thomas, to submit by March 1, 1958, a

suitable plan for disposal of produced brine water that would eliminate the danger to the fresh water supplies of the City of Poplar.

- On September 24, 1957, Murphy Corporation reported by letter to the Montana Oil and Gas Conservation

 Commission, that in the previous one year, it had injected 1.25 million barrels of produced produced brine water into the Dakota sandstone formation through Wells #46 and #59. Murphy Corporation reported that the first water injected occurred on September 26, 1956.
- On October 10, 1960, Hillary A. Oden, Acting District
 Engineer for the U.S. Geological Survey, sent a letter
 to Murphy Corporation advising of the results of a
 September 28, 1960 inspection by the Commission. In
 the letter, reference was made to large amounts of oil
 leaked or spilled around some well sites in the East
 Poplar Oil Field. The same letter also referred to
 Murphy Corporation's intention to inject 100% of its
 produced brine water into injection wells as the only
 reasonable means to arrest then-present surface salt
 water problems. Therefore, Murphy Corporation was not

yet injecting 100% of its produced brine water. The common practice of the day was to allow the produced brine water to evaporate in earthen pits. It is logical to assume that since not all of Murphy's produced brine water was being injected and that the common practice at the time was to use earthen pits for produced brine water not injected, that some percentage of Murphy's produced brine water would have been disposed of in earthen pits.

- On May 25, 1961, Hillary A. Oden, Acting District
 Engineer for the U.S. Geological Survey, issued a
 memorandum to the Regional Oil and Gas Supervisor in
 Casper, Wyoming, in which he reported that Mr. James,
 of the Murphy Corporation, had called him earlier that
 day to advise him that several injection wells had
 been inactivated (e.g. "shut in") while Murphy
 investigated water break outs at some of their wells.
 Water break outs indicate that produced brine water
 came to the surface and spilled on the ground around
 the wellhead.
- On June 29, 1961, the Montana Oil and Gas Conservation

 Commission held a public hearing for the purpose of

considering Murphy Corporation's proposal to utilize
Well #59 for injection purposes. During the hearing,
the Commission found that Murphy Corporation used
evaporation pits to dispose of excess produced
produced brine water and that the new well would be
able to accommodate up to 17,000 barrels of water
injected per day.

On July 6, 1961, Hillary A. Oden, District Engineer 34. for the U.S. Geological Survey, issued a memorandum to the Regional Oil and Gas Supervisor in Casper, Wyoming, in which he described testimony presented at the June 29, 1961 Montana Oil and Gas Conservation Commission hearing held in Helena, Montana given by representatives of Murphy Corporation, C.C. Thomas and Richfield Oil Company. Mr. Oden stated that Murphy Corporation admitted that at least one water supply well (the Akers well) had been contaminated by earthen pits and wanted more time to study the problem. Polumbus, representing C.C. Thomas's lease, stated that the disposal of 1000 barrels of produced brine water each day onto the surface "was not hurting anyone." Richfield Oil Company's testimony was that

their use of earthen pits was not harmful.

- 35. On June 29, 1961, Hillary A. Oden, District Engineer for the U.S. Geological Survey, read a statement at the June 29, 1961 public hearing convened by the Montana Oil and Gas Conservation Commission, in Helena, Montana. He stated that the previous seven years' produced brine water disposal practice of dumping into earthen pits has damaged fresh water supplies and the land. Mr. Oden stated that there had been too many violations of Section 221.32 of the Code of Federal Regulations, which states in part, "The lessee shall not pollute streams or damage the surface or pollute the underground water of the leased or other lands."
- Testimony given at the June 29, 1961 public hearing convened by the Montana Oil and Gas Conservation

 Commission revealed that at least 24 earthen pits were in operation by six operators in East Poplar Oil Field as of June 15, 1961. The testimony stated that the six operators are (1) Murphy Corporation, (2) Ajax Oil, (3) Crescent Oil Company, (4) Richfield Oil Company, (5) Wagner-Christiansen Company, and (6) E.

A. Polumbus (formerly C.C. Thomas). The testimony introduced a map showing the locations of the 24 earthen pits, and six private water wells in and around the East Poplar Oil Field. The testimony provided calculation that the earthen pits were leaking produced brine water into the gravel strata underlying them and so endangering fresh water supplies. The testimony further provided that water samples taken from the Akers private water well showed total dissolved solids content of 80,060 mg/l and 34,632 mg/l chloride ion, located in T29N, R51E, S21, SE 1/4. The testimony indicated that during January 1961, a total of 642,000 barrels of produced brine water was produced in the East Poplar Oil Field, and that 158,000 barrels of that amount was disposed of into earthen pits. The testimony also shows that the earthen pits in use in East Poplar Oil Field were unlined.

On June 9, 1964, J.F. Otero, Acting Superintendent of the Bureau of Indian Affairs, in Poplar Montana, issued a memorandum to the District Engineer at the U.S. Geological Survey, in Billings, Montana. The

memorandum stated that during a recent field inspection about 4 acres of crop and/or pasture land was damaged from seepage and overflow of produced brine water from multiple pits. The lands damaged were described as about 3 acres in T28N, R51E, S3, S1/2, NW 1/4, and 1 acre in T28N, R51E, S3, N1/2 SW 1/4. A June 12, 1964 follow up memorandum from Hillary A. Oden, U.S. Geological Survey to the Superintendent of the Bureau of Indian Affairs in Poplar, Montana, revealed that Murphy Oil Corporation was the operator of at least one of these pits which overflowed.

- On September 7, 1971, Virgil L. Pauli, District

 Engineer for the U.S. Geological Survey, wrote a
 letter to Murphy Oil Corporation expressing concern
 that several of their wells had the potential to
 pollute a nearby stream.
- On or about January 3, 1972, Mr. Orphey "Bud" Lien answered interrogatories in the District Court of the 15th Judicial District of the State of Montana. In his answers, Mr. Lien stated that he was the title-holder of lands located in T29N, R51E, Sections 8, 16, 17,

and 20. Mr. Lien also stated that 40 acres of land in T29N, R51E, S17 had contaminated underground water supply from a leaking pipeline he observed on December 4, 1970. He further stated that 40 acres of land in T29N, R51E, S20 had contaminated underground water supply from practices observed between 1968 and 1969. He further stated that 40 acres of land in T29N, R51E, S16 had contaminated underground water supply from practices observed between 1968 and 1969.

- 40. On December 3, 1974, Virgil L. Pauli, District

 Engineer for the U.S. Geological Survey, wrote a
 letter to Murphy Oil Corporation expressing concern
 about several environmental problems noted during a
 recent inspection, conducted November 20 22, 1974.

 The issues raised in the letter include oil spillage,
 improperly maintain pits, pits containing oil but no
 wire mesh or flagging, and general unsightliness owing
 to accumulated junk and unused equipment.
- On March 5, 1975, Virgil L. Pauli, District Engineer for the U.S. Geological Survey, wrote a letter to Murphy Oil Corporation confirming several agreed-to practices at the East Poplar Oil Field, including a

provision that earthen pits must not be used, except in emergencies, and that as soon as practicable after use, the produced brine water introduced to earthen pits must be collected and directed to underground injection wells.

- On April 17, 1975, the Montana Board of Oil and Gas
 Conservation (formerly the Montana Oil and Gas
 Conservation Commission) held a public hearing in
 Plentywood, Montana, to listen to complaints by
 landowners in and around the East Poplar Oil Field.
 During the hearing, extensive evidence was submitted
 through testimony by these landowners that oil and gas
 operators in the area violated regulations of the
 Montana Board of Oil and Gas Conservation with regard
 to disposal of produced brine water.
- On April 17, 1975, Mr. Orphey "Bud" Lien, introduced a prepared statement as testimony at the Montana Board of Oil and Gas Conservation public hearing held in Plentywood, Montana. In his statement, Mr. Lien stated that the aquifer under his land, located in the northern part of the East Poplar Oil Field, had been so contaminated with produced brine water and other

chemical leaks and spills that his drinking water supply was damaged and forced him to haul water for use in cooking and drinking. He stated that, at the time, he was suing Murphy Oil Corporation for damages to his land.

On July 28, 1975, Judson D. Sweet, Petroleum Engineer for the Montana Board of Oil and Gas Conservation, wrote a letter to Mr. Orphey Lien in which he described that Joe Simonson, a field inspector with the Board of Oil and Gas, had met with Mr. Lien and that Mr. Simonson stated that there had been numerous instances of produced brine water pipeline leaks which resulted in damage to the land surface and that improperly managed produced brine water had contaminated Mr. Lien's fresh water supply well located in T29N, R51E, S21, which was drilled in 1969.

On July 28, 1975, Judson D. Sweet, Petroleum Engineer for the Montana Board of Oil and Gas Conservation, wrote a letter to Murphy Oil Corporation requesting, among other things, that they settle claims made by Mr. Orphey Lien against Murphy Oil Corporation due to damage caused by produced brine water spills and

leaks.

- Technician, U.S. Geological Survey in Billings,

 Montana, issued a memorandum to the files documenting
 a meeting held on March 17, 1977, attended by B. Fiant
 and H. Lemm, of the U.S. Geological Survey, D.

 Allison, of the Fort Peck Bureau of Indian Affairs,
 and B. Melear of Murphy Oil Co. The memorandum stated
 that there was still a large number of earthen pits in
 the East Poplar Oil Field, most of which contained, at
 the time, some type of produced fluid. It was also
 noted that excessive damage to vegetation was present
 at the time due to leakage and leaching of the highly
 saline produced brine water.
- On March 29, 1977, Virgil L. Pauli, District Engineer for the U.S. Geological Survey, wrote a letter to Murphy Oil Corporation in which approval was given to use seven wells for disposal of produced brine water.

 The wells approved were the Mule Creek #1-D, Wetsit #1-D, Courchene #1-D, EPU #1-D, EPU #80-D, EPU #8-D, and EPU #5-D. In the approval letter, Mr. Pauli reminded Murphy Oil Corporation that Notice of Lessee

No. 2B (NTL-2B) required emergency pits to emptied of all contents within 48 hours following their use and that use of emergency pits must be reported to the U.S. Geological Survey office in Billings, Montana. On August 9, 1983, Murphy Oil Company reported on the Well EPU #1-D, located in T29N, R51E, S30, SE 1/4, SE 1/4, SE 1/4. The well was drilled and completed on September 12, 1957. This brine water injection well experienced several problems over the next several years, including the replacement of its injection

48.

tubing in October 1961, July 1962, February 1968, and December 1979. In February 1980, a 5-1/2 casing liner was cemented to the 7-inch casing because a casing leak had been found in the 7-inch casing. Also in February 1980, the 4-1/2 tubing was discovered to have parted and was replaced, indicating that the well had simultaneous leaks in its tubing and casing. At the time of this work, the well was reported by Murphy to have been injecting at a rate of 4700 barrels of produced brine water per day. The cumulative injection volume through December 1979 into this well was reported by Murphy to be 76,818,910 barrels of

produced brine water. At a minimum, this well threatened the Quaternary deposits aquifer. This well may have actually allowed injected fluid to escape to the Ouaternary deposits aquifer.

- In a letter dated June 3, 1986, sent to the Miles

 City, Montana Bureau of Land Management office, Bureau

 of Indian Affairs field technician Vina Smith reported

 that the reserve pit at Well EPU #111 in T29N, R51E,

 S12, SW 1/4, was full of water and had no berm on its

 south side. On June 27, 1986, Murphy Oil USA, Inc.

 superintendent Ray Reede reported that on June 26,

 1986, the pit's water had been pumped out and the berm

 on the south side had been repaired.
- On October 27, 1988, Larry Travis, of the Bureau of Indian Affairs, reported to the Miles City, Montana Bureau of Land Management office that an October 25, 1988 inspection revealed a leak in a Murphy Oil pipeline located in T29N, R50E, S13, N 1/2.
- A June 1, 1988, report prepared by Charles A. Norman and Randall Fetterolf entitled, "Report on Trust Royalties on the East Poplar Unit, Montana May 1952 through May 1987," revealed that over 40 million

- barrels of oil had been produced from the East Poplar Oil Field since its inception through May 1987.
- On September 18, 1989, the Bureau of Indian Affairs, reported to the Miles City, Montana Bureau of Land Management office that a September 15, 1989 inspection revealed a leak in a Murphy Oil pipeline located between the Iron Bear #4 well in T29N, R50E, S12, NW 1/4, NE 1/4, and a tank battery.
- On October 31, 1996, the Miles City, Montana Bureau of Land Management office issued a written order to Murphy Exploration and Production Company. The order cited an inspection conducted on October 29, 1996, which revealed a pit, located at Well EPU #110 in T29N, R51E, S29, NW 1/4, SW 1/4, that was in a state of disrepair and contained oil. The order required Murphy to either apply for permission to keep the pit, or close the pit. It also required that Murphy repair the pit to keep out livestock. It is not known to EPA whether or not the pit was lined.
- In a letter dated July 1, 1997, Murphy Exploration and Production Company stated that they conducted a 3-dimensional seismic profile over the East Poplar Oil

Field during the winter of 1995. This work likely used either subsurface detonation of dynamite, or vehicles that induced seismic shock waves into the subsurface. Such shock waves could have fractured the Bear Paw Shale, which, located approximately between 50 and 700 feet below ground surface, forms the geologic formation directly below the Quaternary deposits aguifer. A fractured Bear Paw Shale would impede its natural protection of the underground source of drinking water from contamination originating in deeper formations such as the Judith River formation, Dakota formation, or Madison formation. This is particularly the case since the Judith River formation, located immediately below the Bear Paw Shale, was known to be highly pressurized due to its heavy use as an injection zone.

On October 27, 1998, Ray Reede, of Murphy Exploration and Production Company, called the Miles City, Montana Bureau of Land Management to report a casing leak discovered in the oil well EPU #16 in T29N, R51E, S33, SW 1/4, SE 1/4. The leak was discovered at a depth of 3375 feet below ground surface. At a minimum, this

leak threatened the Quaternary deposits aquifer since contaminant fluids could have flowed toward the surface from the leak via an uncemented pathway from 3375 feet depth to the aquifer. This leak may have actually allowed fluids from the well to escape into the Quaternary deposits aquifer.

- On August 31, 1999, EPA issued a notice of noncompliance to Murphy Exploration and Production Company for exceeding the maximum allowable injection pressure at the Well #5-D (EPA ID No. MT2021-00021), located at T29N, R51E, S19, SE 1/4, SE 1/4, following an inspection of the well on July 13, 1999. Exceeding the maximum allowable injection pressure can result in injected produced brine water breaking through the natural geologic confinement and migrating vertically into the Quaternary deposits aquifer.
- On May 31, 2001, EPA issued a second notice of noncompliance to Murphy Exploration and Production Company for again exceeding the maximum allowable injection pressure at the Well #5-D (EPA ID No. MT2021-00021), located at T29N, R51E, S19, SE 1/4, SE 1/4, following an inspection of the well on May 8,

- 2001. Exceeding the maximum allowable injection pressure can result in injected produced brine water breaking through the natural geologic confinement and migrating vertically into the Quaternary deposits aguifer.
- A list of 76 spills reported by Murphy Exploration and Production Company in the East Poplar Oil Field is included as Exhibit 2 to this Order, along with the actual spill reports themselves. Cumulatively, these 76 spill reports amass a total of 666 barrels of oil and 965 barrels of produced brine water that were spilled onto the ground between February 1, 1976 and April 29, 2001, at various locations around the East Poplar Oil Field. Some, but not all, of these pollutants were left on the ground and threatened or contaminated the Quaternary deposits aquifer.

-PIONEER NATURAL RESOURCES USA INC.-

During April and May, 2000, Pioneer Natural Resources

USA, Inc. drilled several groundwater monitoring wells

around the location of the Biere #1-22 well, a well

formerly operated as an oil well which was plugged in

September 1984, located in T28N, R51E, S22, NW 1/4, SW 1/4.

Upon sampling these groundwater monitoring wells, and coupled with the results of the U.S. Geological Survey studies cited in Paragraph 13, Pioneer Natural Resources USA, Inc. acknowledged that the Biere #1-22 well was leaking contamination into the Quaternary deposits aquifer. On August 21, 2001, an EPA-issued Emergency Administrative Order upon Consent with Respondent Pioneer Natural Resources USA, Inc. became effective. The Order requires Pioneer to stop the leak from the Biere #1-22 well within 90 days of that Order's effective date. The Biere #1-22 well was originally drilled as an oil production well in 1970, and first plugged in 1984. Within several months of its plugging, the water broke out at the surface of the well and, in 1985, it was plugged again by injecting cement into a nearby "relief" well. This second plugging appears to have worked for a while, but as early as 1993 the Biere #1-22 well began leaking produced brine water brine into the Quaternary deposits aquifer.

- -SAMSON INVESTMENT COMPANY-
- 60. Among the first oil operators in the East Poplar Oil Field was C.C. Thomas, whose Huber lease located in T28N, R51E, S10, was not ultimately included in the unitization

of the East Poplar Oil Field. C.C. Thomas operated at least four oil wells, starting at least as early as December 1954. By June 29, 1961, this lease had been transferred to E.A. Polumbus, who later formed the Polumbus Petroleum Corporation. The Polumbus Petroleum Corporation merged with W.R. Grace & Company - Conn. to form Grace Petroleum Corporation. On July 1, 1986, Grace Petroleum Corporation transferred their interest in the Huber #1, Huber #2, Huber #3, Huber #4 and Huber #5 wells to Murphy Oil USA, Inc. Samson Investment Company acquired the Grace Petroleum Corporation in a stock acquisition. The method of disposing of produced brine water during the early days of the East Poplar Oil Field's history was to dump it in earthen pits. C.C. Thomas, and later E.A. Polumbus utilized this method of produced brine water disposal in and around the oil wells on the Huber lease from at least December 9, 1954 to June 29, 1961.

During the period between October 1954 and May 1955,

C.C. Thomas produced 62,917 barrels of produced brine water

that was dumped on the ground as disposal. At a public

hearing convened by the Montana Oil and Gas Conservation

Commission on February 8, 1955, attorney Winston Howard,

representing C.C. Thomas, testified that C.C. Thomas' water production rate was 367 barrels of produced brine water per day.

- In a July 6, 1961 memorandum from Hillary A. Oden,
 District Engineer for the U.S. Geological Survey, to The
 Regional Oil and Gas Supervisor for the U.S. Geological
 Survey, it was stated that, at a June 29, 1961 Montana Oil
 and Gas Conservation Commission hearing, Mr. E.A. Polumbus
 stated that he was disposing of about 1000 barrels of
 produced brine water from four oil wells each day onto the
 land surface.
- Commission sundry notice signed by the Grace Petroleum
 Corporation indicates that the Huber #4 brine water
 disposal well located in T28N, R51E, S10, had water
 surfacing at its wellhead, and that the cause of this water
 surfacing was through either the Huber #4A salt water
 disposal well or the 50-foot offset Huber #4 oil well or a
 combination of both. At a minimum, this leak threatened
 the Quaternary deposits aquifer. This leak may have
 actually allowed fluids from the well to escape into the
 Quaternary deposits aquifer.

- located in T28N, R51E, S10 shows a total of 23 casing leaks between the depths of 1136 and 4763 feet below ground surface and a casing patch at 428 feet below ground surface. At a minimum, these leaks, if present, threatened the Quaternary deposits aguifer since contaminant fluids could have flowed toward the surface from the leaks. The leaks may have actually allowed fluids from the well to escape into the Quaternary deposits aguifer.
- sundry notice signed by Murphy Exploration and Production

 Company indicates that the Huber #4A oil well, located in

 T28N, R51E, S10, had casing leaks at 121 feet and 1300 feet

 depth. At a minimum, these casing leaks threatened the

 Quaternary deposits aguifer. The leaks may have actually

 allowed fluids from the well to escape into the Quaternary

 deposits aguifer.

-MARATHON OIL COMPANY-

During the 1981 construction of the Buckles SWD #1

well, located in T28N, R51E, S22, the TXO Production

Company had difficulties. Twice during construction, TXO

Production Company, in daily drilling reports dated May 28

- 30, 1981, reported that water from the Judith River
 Formation at around 880 feet below ground surface flowed up
 the wellbore to the surface, breaking through the newly
 placed cement behind the casing. This could have resulted
 in a permanent channel behind the casing allowing movement
 of injected water from the Judith River formation into the
 Quaternary deposits aquifer. At a minimum, this threatened
 the Quaternary deposits aquifer. This may have actually
 allowed fluids from the well to escape into the Quaternary
 deposits aquifer.
- On August 20, 1982, TXO Production Corporation issued an internal memorandum from R.A. Varela to E.J. Quinlan III. In the memorandum it is stated that the Buckles A #1 well located in T28N, R51E, S22 had been shut in since May 9, 1982 due to leaks in the produced brine water pipeline leading to the salt water injection well.
- on October 19, 1982, TXO Production Company issued a spill report. The report stated that 200 barrels of oil overflowed tanks located at T28N, R51E, S22 and spilled onto the ground inside the tank battery. The report further stated that a vacuum truck picked up 190 barrels of oil and returned it to the tank, thereby leaving about 10

barrels on the ground.

- On February 24, 1984, TXO Production Company issued an internal memorandum from R.E. Dashner to P.A. Kriz. The memorandum recommended plugging and abandoning the Buckles "A" #1, Buckles "B" #1 and Buckles SWD wells, all of which were located in T28N, R51E, S22. The reason stated in the memorandum is that the wells had been plagued by leaks in pipes due to the corrosive nature of the produced brine water. At a minimum, these leaks threatened the Quaternary deposits aguifer. The leaks may have actually allowed fluids from the well to escape into the Quaternary deposits aguifer.
- Margaret Abbott, George Ricker, and Helen Ricker, EPA inspector Nathan Wiser was told that a seismic survey was conducted in the East Poplar Oil Field sometime during the middle 1980's. This work likely used either subsurface detonation of dynamite, or vehicles that induced seismic shock waves into the subsurface. Such shock waves could have fractured the Bear Paw Shale, which, located approximately between 50 and 700 feet below ground surface, forms the geologic formation directly below the Quaternary

deposits aguifer. A fractured Bear Paw Shale would impede its natural protection of the underground source of drinking water from contamination originating in deeper formations such as the Judith River formation, Dakota formation, or Madison formation. This is particularly the case since the Judith River formation, located immediately below the Bear Paw Shale, was known to be highly pressurized due to its heavy use as an injection zone.

71. In a telephone conversation with a representative of Pioneer Natural Resources USA, Inc. on or about August 28, 2001, EPA representative Nathan Wiser was told that TXO Production Company conducted this seismic survey during the 1980's.

VI FINDINGS OF IMMINENT AND SUBSTANTIAL ENDANGERMENT TO THE QUATERNARY DEPOSITS AQUIFER

72. Respondents or their predecessors have engaged in dumping at least 1,000,000 barrels of produced brine into unlined pits in and around the East Poplar Oil Field.

Respondents or their predecessors have operated oil production related appurtenances which leaked. Respondents or their predecessors have spilled oil and produced brine onto the ground surface. These oil production activities

resulted in groundwater contamination either from direct emplacement of oil field brine into the Quaternary deposits aquifer or from infiltration of oil field brine into the Quaternary deposits aquifer. Contaminants, including total dissolved solids and benzene are present in, entering, and are likely to continue to enter the Quaternary deposits aquifer.

- The Quaternary deposits aguifer is a USDW as defined at 40 C.F.R. §144.3. EPA has collected samples of water from water wells at private homes revealing total dissolved solids and benzene contaminants that pose a threat to human health. The USGS has investigated portions of the East Poplar Oil Field and has found wide-spread contamination in the Quaternary deposits aguifer.
- 74. Based upon hydrological and geologic data, the direction of groundwater flow in the affected area is toward the City of Poplar and its public water supply wells, thereby threatening any PWS used by persons in and around the City of Poplar, Montana.
- 75. EPA has determined that Respondents' oil production practices and/or equipment have caused or contributed and/or are continuing to cause or contribute to the

endangerment of a USDW.

76. There is an imminent and substantial endangerment to persons in and around the East Poplar Oil Field and in the City of Poplar, Montana.

VII OTHER PREREQUISITES TO ISSUE AN EMERGENCY ADMINISTRATIVE ORDER UNDER THE SAFE DRINKING WATER ACT SECTION 1431

- 1. EPA consulted with local authorities, the Assiniboine and Sioux Tribes of the Fort Peck Reservation, prior to issuing this Order. The Tribes have not taken an action to address the issues identified in this Order and support this action.
- 1. The State of Montana has been consulted by EPA. The State has not taken an action to address the issues identified in this Order.
- 2. EPA, therefore, finds that the actions ordered below are authorized under Section 1431 of the Act, 42 U.S.C. §300(i), and are necessary in order to protect the health of persons.

VIII EMERGENCY ADMINISTRATIVE ORDER

3. Based upon the foregoing findings of fact, Respondents

are hereby ordered, (a) for a minimum of five (5) years from the effective date of this Order, to provide complete domestic use home replacement water meeting primary drinking water standards to homesites listed in Paragraph 82, Table 1, at no cost to the owners and/or residents in each such homesite, in an amount of at least 125 gallons per person per day, except the volume may be different as provided for in Paragraph 83, (b) to identify and monitor the leading edge(s) of the contaminant plume and assess the threat to any PWS used by persons in and around the City of Poplar, Montana, and (c) to submit documents specified below. In order to achieve these outcomes, Respondents are ordered to complete the three actions described in the ensuing Paragraphs and shall do so according to the schedule and following the procedures set forth in the ensuing Paragraphs.

Approval Process: For each PLAN requiring EPA approval under this Order, the following submission and approval process shall occur. (a) Respondents shall submit an initial draft of the Plan to EPA at the address in Paragraph 91 of this Order. (b) EPA shall,

within 30 days of receipt of said Plan, either approve the Plan or submit written comments on the Plan to Respondents. (c) Respondents, shall, within 30 days of receipt of EPA's comments on the Plan or approval of the Plan, address EPA's comments or implement the Plan accordingly. If a deadline passes due to EPA's failure to timely submit comments, Respondents shall not be held accountable for such time beyond the deadline accrued due to EPA's failure to timely submit comments. If a deadline passes due to Respondents' failure or refusal to address one or more EPA comment, as determined solely by EPA, Respondents shall be considered to be in violation of this Order.

ACTION 1. DOMESTIC USE WATER REPLACEMENT AT HOME SITES

Respondents shall submit to EPA within 7 days of the effective date of this Order, a commitment to a conceptual plan which, when implemented, shall convey water meeting all primary drinking water standards (40 C.F.R. Part 141, Subpart G) to the addresses in Table 1 in this paragraph. Further, within 30 days of the effective date of this Order, Respondents shall submit to EPA for approval, at the address found in Paragraph

91, a DOMESTIC USE HOMESITE WATER REPLACEMENT PLAN. the implementation of which shall convey water meeting all primary drinking water standards (40 C.F.R. Part 141, Subpart G) to the addresses in Table 1 in this paragraph. The DOMESTIC USE HOMESITE WATER REPLACEMENT PLAN shall include provisions that ensure that each homesite in Table 1 in this paragraph will have water delivered, for domestic use, directly to the piping in each home for at least five (5) years, such that all pipes in use inside the home shall convey this alternative water, including, as found, water pipes in the homes' kitchens, bathrooms, work rooms, utility rooms, laundry rooms, basements, and outside spigots. The DOMESTIC USE HOMESITE WATER REPLACEMENT PLAN shall ensure that alternative water so delivered will be routed through the homes' water heater. Except as allowed for in Paragraph 83, the DOMESTIC USE HOMESITE WATER REPLACEMENT PLAN shall ensure that the yield of domestic use water at each home is, at a minimum, 125 gallons per person per day. If the current residents at each homesite shown in Table 1 in the paragraph have changed, that shall not

affect Respondents' obligation to deliver the replacement water. For at least five (5) years, while Respondents are implementing the DOMESTIC USE HOMESITE WATER REPLACEMENT PLAN, no homesite owner and/or resident shall be required to pay for any portion of this water replacement. Modifications extending deadlines in this paragraph shall be permissible only with EPA written approval.

TABLE I						
Current Resident	City	State	Residence Address	Sec	Twp	Rge
Kohl, Danny	Poplar	МТ	5097 Road 251	15	29N	51E
Lien, Birdell	Poplar	мт	4849 Road 2050	20	29N	SIE
Zimmerman, Bill	Poplar	MT	5448 Road 251	01	28N	SIE
Abbott, Jos	Poplar	мт	5540 Road 75	04	28N	51E
Kim, Audrey	Poplar	MT	5584 Road 75	08	28N	51E
Kim, Michael	Poplar	МТ	5632 Road 75	08	28N	SIE
Gray Hawk, Rachel	Poplar	мт	5647 Road 75	16	28N	SIE
Trottier. Tim & Donna	Poplar	мт	5713 Road 75	16	28N	SIE
Lockman, Lyle	Poplar	мт	5715 Road 75	16	28N	51E
Four Bears, Charles	Poplar	МТ	5678 Road 75	17	28N	SIE
Martell, Rene & Josi	Poplar	MT	5666 Road 75	17	28N	SIE
Ricker Sr., George & Helen	Poplar	МТ	5712 Road 75	17	28N	51E
Bleazard, Ross & Laura	Poplar	мт	5866 Road 150	29	28N	51E
Whitmer, Warren & Donna	Poplar	МТ	58702 Road 75	29	28N	SIE
Loegering, Mavis	Popiar	МТ	5910 Road 150	29	28N	SIE
Kim Sr., Jesse	Poplar	мт	6037 Road 150	32	28N	51E
Grandchamp, Denise	Poplar	мт	5947 Road 75	33	28N	51E
Grainger, Trivian	Poplar	MT	5957 Road 75	33	28N	51E
Grainger, Iva	Poplar	мт	5128 Road 251	15	298	51E

Ranf, Marie and Come, Warren	Poplar	мт	5743 Road 251	13	28N	51E
1 <u></u>			I			

- REPLACEMENT PLAN method for water replacement involves periodic delivery by truck or other remote conveyance (i.e. not a pipeline from a PWS), Respondents shall adjust the water delivery volume to each homesite as each homesite's domestic use water needs become known to Respondents. This shall include adjustments made as seasons change and domestic water use patterns change, and shall include adjustments made in response to any change in the number of inhabitants at each homesite.
- 7. Initial implementation of the DOMESTIC USE HOMESITE
 WATER REPLACEMENT PLAN shall occur within 30 days of
 its final approval by EPA. Initial implementation,
 for the purpose of this paragraph, means that one
 homesite in Paragraph 82, Table 1 shall be fully
 equipped with domestic use replacement water. Final
 implementation of the DOMESTIC USE HOMESITE WATER
 REPLACEMENT PLAN shall occur within 90 days of its

approval by EPA. Final implementation, for the purpose of this paragraph, means that all homesites in Paragraph 82, Table 1, have been fully equipped with domestic use replacement water. Final implementation also means that water is conveyed to the homesites in Paragraph 82, Table 1, at no cost to them. Modifications extending this schedule shall be permissible only with EPA written approval. Subtractions from the list of homesites found in Paragraph 82, Table 1 shall be permissible only with EPA written approval. Additions to Paragraph 82, Table 1 shall take place at the discretion of EPA, upon learning that additional homesites found in and around the East Poplar Oil Field with private water supply wells drawing from the Quaternary deposits aquifer have been or are likely to become contaminated with oil field brine and/or hydrocarbons associated with oil and gas production from the East Poplar Oil Field. Additions to the list of homesites found in Paragraph 82, Table 1 will take place as follows. (a) EPA shall write to Respondents with the name and location of the additional homesite(s). (b)

Respondents shall, within 30 days receipt of EPA's written notice, ensure that the homesite(s) added shall have replacement water meeting the standards and in the abundance set forth in Paragraph 82.

ACTION 2. PUBLIC WATER SUPPLY (PWS) WELL THREAT STUDY PLAN

8. Respondents shall, within 14 days of the effective date of this Order, submit to EPA at the address in Paragraph 91 for approval, a PWS WELL THREAT STUDY PLAN, the implementation of which shall assess the degree to which all public water supply (PWS) wells used by persons in and around the City of Poplar are threatened by migration of the contaminants at the East Poplar Oil Field. The PWS WELL THREAT STUDY PLAN shall include, at a minimum, the following elements: (a) electro-magnetic study, or other remote sensing methods, to identify and locate the leading edges of the contaminant plume closest to PWS wells in and around the City of Poplar, (b) groundwater samples, collected quarterly for a minimum of five (5) years, from either existing wells or newly drilled wells screened in the Quaternary deposits aquifer located between the contaminant plume leading edge as mapped

by the USGS in 1997 (T28N, R51E, S28) and the City of Poplar, and (c) a calculation of the direction of groundwater flow in the area studied, a calculation of the rate of groundwater movement in the area studied, and a calculated estimate of the amount of time that will pass before the first PWS well will become contaminated along with the name and location of that public water supply well. The electro-magnetic study or other remote sensing method employed shall be able to distinguish between contaminated and uncontaminated groundwater sufficiently precisely that contour lines can be drawn with the total dissolved solids content of the groundwater mapped in gross detail, distinguishing between uncontaminated, mildly contaminated, and very contaminated groundwater. Respondents shall submit a report of the electromagnetic study or other remote sensing method employed to EPA at the address in Paragraph 91. This report shall include maps of the results, including contoured lines showing the leading edges of the plume and its closest approach to the City of Poplar. The number of groundwater monitoring wells to be used in the PWS

WELL THREAT STUDY PLAN shall be a minimum of six (6) wells, with the final count, location, and depth to be determined during EPA's approval of said PLAN. Analysis of samples collected from each groundwater monitoring well shall include, at a minimum, static water level, pH, TDS, dissolved chloride, dissolved sodium, dissolved calcium, dissolved potassium, dissolved carbonate, dissolved bicarbonate, dissolved magnesium, dissolved sulfate, benzene, toluene, ethylbenzene and total xylenes. Methods used to analyze the samples shall meet or exceed the method detection limits specified in Paragraph 85, Table 2. While implementing the PWS WELL THREAT STUDY PLAN, Respondents shall submit to EPA at the address in Paragraph 91 the analytical results of samples collected at each groundwater monitoring well within 60 days of each sampling event, as well as a report discussing the results of sampling.

TABLE 2				
Analyte Parameter	Method Detection Limit	Units		
Static water level	0.1	foot		

TABLE 2				
рН	0.1	pH unit		
TDS	10	mg/l		
CI	10	mg/l		
Na	10	mg/l		
Mg	10	mg/l		
К	10	mg/l		
CO3	10	mg/l		
нсоз	10	mg/l		
SO4	10	mg/l		
Ca	10	mg/l		
Benzene	0.05	mg/l		
Toluene	0.05	mg/l		
Ethylbenzene	0.05	mg/l		
Total xylenes	0.05	mg/l		

9. Initial implementation of the PWS WELL THREAT STUDY shall occur within 30 days of its final approval by EPA. Initial implementation, for the purpose of this paragraph, means the electro-magnetic or other remote

sensing technique shall have been initiated on the ground, with data collection underway, excluding groundwater monitoring. Intermediate implementation of the PWS WELL THREAT STUDY shall occur within 90 days of its final approval by EPA or by June 30, 2002, whichever comes earlier. Intermediate implementation, for the purpose of this paragraph, means that the complete collection of all electro-magnetic data or other remotely sensed data, and the first set of water samples from groundwater monitoring wells, shall be completed, with the data results submitted to EPA at the address in Paragraph 91. Final implementation of the PWS WELL THREAT STUDY shall occur within five (5) years of its final approval by EPA or by June 30, 2007, whichever comes earlier. Final implementation, for the purpose of this paragraph, means that all intermediate implementation has occurred and at least five (5) years' worth of quarterly samples have been completed and submitted to EPA as well as a final report summarizing the results of all work done under the EPA-approved PWS WELL THREAT STUDY.

Modifications extending this schedule shall be

permissible only with EPA written approval.

ACTION 3. DOCUMENT SUBMISSION

- 10. Respondents shall, within 90 days of the effective date of this Order, submit to EPA at the address in Paragraph 91, a single copy of all documents in their possession relating to the following:
 - a. All groundwater monitoring sample results, wellbore descriptions, diagrams of wells, or maps of wells from locations in (1) T28N, R50E; (2) T29N, R50E; (3) T28N, R51E; (4) T29N, R51E; (5) T27N, R50E; and (6) T27N, R51E.
 - b. All records related to seismic surveys using
 either detonated explosives or machines to induce
 seismic propagating waves between 1951 and the
 present. This includes, but shall not be limited
 to, all permits obtained for such a survey, all
 permit applications for such a survey, depth of
 any holes dug or drilled for detonating
 explosives, locations of such holes, amount of
 explosive charge used in each hole, and the
 amount of energy imparted to the earth during the
 seismic survey. Interpretations of the seismic

- Location of pipeline (identify as surface or subsurface)
- Construction material used in pipeline (i.e. steel, fiberglass, etc.)
- 3. Diameter of pipeline
- 4. Use of pipeline (i.e. what was transmitted through the pipeline)
- 5. Present condition of the pipeline
 - A. Is the pipeline present?
 - B. Is the pipeline buried or above-ground?
 - C. Are there leaks in the pipeline?
- 6. Information on any leaks or spills from pipelines leading to and from the tanks and wells
- 7. Information on pipeline failures on the surface and subsurface.

Pits:

For each pit used for (i) well construction, (ii) oil and gas production, (iii) well workovers, (iv) product and waste storage, or (v) evaporation and disposal of fluid products and wastes, submit

- 1. The location of each pit,
- 2. Usage of each pit,
- Construction details of pit, including (i) capacity, (ii) height, width, and depth dimensions, (iii) liner used, (iv) other material used in the construction,
- 4. Date pit was constructed,
- 5. Date(s) pit was in use,
- 6. Date pit was abandoned,
- 7. Volume of material placed in pit over its life.
- 8. The type and character of material placed in each pit.
- 11. Paragraph 88, Table 3 summarizes the requirements and schedule for the three actions set forth in Paragraphs 82 through 87.

- results, to the extent they are considered proprietary, need not be submitted.
- c. For any current or former wells of any kind, current or former tanks, current or former pipelines, or current or former pits located in T28N, R51E, Sections 5, 6, 7, 8, 17, 18, 19, 20, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, and 36, and located in T27N, R51E, Sections 1, 2, 3, 4, 5, and 6 the following information:

Wells:

For each well, submit

- 1. Well name and API identification number
- 2. Well location
- 3. Current well status for each well.
- 4. Well construction information
 - A. Date well drilled
 - B. Date well completed
 - C. Total depth
 - D. Plug back depth
 - E. Drilling record
 - F. Completion record (include diagram)
 - G. Cementing record (including estimated cement tops with assumptions for calculations and cement bond logs)
- 5. Well rework information
 - A. Date of well rework
 - B. Reason for rework (If due to casing leak, location of leak if known)
 - C. Records of well logs and tests performed
 - D. Record of rework
 - E. Date well recommenced injection or production

- 6. Temporarily abandoned (TA) or Shut-in wells information
 - A. Date(s) well shut-in or TA
 - B. Reason for TA or shut-in of well
 - C. Was well shut-in or TA'd with the equipment in the well?
 - D. If not, what equipment was removed and when, (Provide a record of work if possible)
 - E. Is the well capable of resuming injection or production without a rework?
- 7. Well conversion information
 - A. Date(s) well converted from production to injection
 - B. Date(s) well converted from injection to production
 - C. Record of conversion activity
- 8. Plugging and abandonment information
 - A. Plug and abandonment plan
 - B. Plugging record
 - C. Were any problems experienced during the plugging process, involving such things as pulling of equipment, setting plugs, water flow to surface?

Tanks:

For each tank, include:

- 1. Location of tank
- 2. Tank size (volume) and construction (above ground, below ground, etc.)
- 3. Duration of tank use
- 4. Information on leaking tank bottoms or any other type of tank integrity failure(s)
- 5. Information on spill incidents at or near the tanks and tank batteries, including those from unloading transport trucks into the tanks.

Pipelines:

For each pipeline, submit

East Poplar Oil Field Page 59 of 64

TABLE 3

Paragraph No.	Minimum Requirements			Implemen	tation Schedule		
Plan Name (Date First Draft Due)		Initial	Minimum Require- ments	Intermediate	Minimum Require- ments	Fioal	Minimum Requirements
Paragraph 82 Domestic Use Homesite Water Replacement Plan Conceptual commitment due 7 days from effective date of this Order and detailed Plan due 30 days from effective date of this Order	•125 gallons per person per day per homesite, except if delivered in which case equilibrate water usage with water delivery: • Water meets all primary drinking water standards (40 C.F.R. Part 141. Subpart G): •Water effectively replaces all water in each home for five (5) years	30 days from EPA approval of Plan	At least one homesite has had its water completely replaced	Not applicable	Not applicable	90 days from EPA approval of Plan (except that water must be supplied for at least five (5) years	All homesites in Paragraph 82, Table I have had water completely replaced
Paragraph 85 PWS Well Threat Study Plan First draft duel 4 days from effective date of this Order	Use electro-magnetic or other remote sensing method to detect contamination: Electro-magnetic or other remote sensing method must be capable of distinguishing levels of contamination: Minimum of six (6) groundwater monitoring wells: Five (5) years of quarterly water samples from groundwater monitoring wells: Calculation of groundwater movement direction, rate of movement, and time until nearest PWS well is impacted by contamination	30 days from EPA approval of Plan	Electro- magnetic or other remote sensing method underway with data being collected in the field, excluding groundwater monitoring	90 days from EPA approval of Plan or June 30, 2002, whichever is earlier	•All electro- magnetic or other remote sensing method data has been collected and a report submitted to EPA: •1 set of quarterly water samples has been collected from all groundwater monitoring wells in the Plan and submitted to EPA	Five (5) years from EPA approval of Plan or June 30, 2007. whichever is earlier	-All electromagnetic or other remote sensing method data has been collected and a report submitted to EPA: -20 sets of quarterly water samples have been collected from all groundwater monitoring wells in the Plan and submitted to EPA with a final report

I age of of	0-1						
			TABLE 3				
				Impleme	ntation Schedule		
Paragraph 87 Document Submission No first draft applicable	Existing groundwater monitoring results from areas specified Seismic survey information specified Well, tank, pit, pipeline data from areas specified	Not applicable	Not applicable	Not applicable	Not applicable	90 days from the effective date of this Order	Submit a single copy to EPA of each applicable record

89. Respondents shall, within 2 days of the effective date of this Order, telephone EPA at the address in Paragraph 91 and acknowledge receipt of this Order and shall follow up this acknowledgment in writing within 5 days of receipt of this Order.

IX GENERAL PROVISIONS

- 90. All deadlines in this Order specified as days before or after a certain event or requirement are defined as calendar days, unless otherwise stated.
- 91. Unless otherwise specified, all reports and notifications herein required shall be submitted to:

 Nathan Wiser
 U.S. Environmental Protection Agency

East Poplar Oil Field Page 62 of 64

> Office of Enforcement, Compliance and Environmental Justice Technical Enforcement Program (8ENF-T) 999 18th Street, Suite 300 Denver, Colorado 80202-2466 Telephone (303) 312-6211

- 92. The provisions of this Order shall apply to and be binding upon Respondents, their officers, directors, agents, successors and assigns. Notice of this Order shall be given to any successors in interest prior to transfer of any of the oil and gas facilities or their operation. Action or inaction of any persons, firms, contractors, employees, agents, or corporations acting under, through or for Respondents, shall not excuse any failure of Respondents to fully perform their obligations under this Order.
- 93. This Order does not constitute a waiver, suspension, or modification of the requirements of any federal statute, regulation, or condition of any permit issued thereunder, including the requirements of the Safe Drinking Water Act, which remain in full force and effect. Issuance of this Order is not a waiver by EPA to forego any additional administrative, civil, or criminal action(s) otherwise authorized under the Act.
- 94. Violation of any term of this Order may subject

East Poplar Oil Field Page 63 of 64

Respondents to an administrative civil penalty of up to \$15,000 for each day in which such violation occurs or failure to comply continues, pursuant to \$1431(b) of the Act, 42 U.S.C. \$300i(b). In addition, actions or omissions which violate any requirements of the SDWA or its implementing regulations may subject Respondents to a civil penalty of not more than \$27,500 per day per violation pursuant to \$1423 of the Act, 42 U.S.C. \$300h-2.

- 95. This Emergency Administrative Order is a final agency action by EPA.
- 96. This Emergency Administrative Order is binding on all Respondents, and each Respondent is jointly and severally liable hereunder.
- 97. The effective date of this Order shall be three (3) business days from the date of issuance, not including the day of issuance.

Issued	this		day	οĒ		2	0	0	1.	
--------	------	--	-----	----	--	---	---	---	----	--

East Poplar Oil Field Page 64 of 64

Connally E. Mears, Director
Technical Enforcement Program
Office of Enforcement, Compliance,
and Environmental Justice
United States Environmental Protection

Agency, Region 8

Michael T. Risner, Director
David J. Janik, Supervisory Attorney
Legal Enforcement Program
Office of Enforcement, Compliance,
and Environmental Justice
United States Environmental Protection

Agency, Region 8

EXHIBIT 1

Summary of Chemical Analytical Results:

East Poplar Oil Field

January 1999 through September 2000

Samples collected and analyzed under the direction of EPA

Residence Name - Sample Site	Sample Date	USGS Well Numbering System	P Address Numbering System	Target Analytical Compounds	Below Detection Limit	Results in mg/l	Laboratory where analyzed
	 -			DRO = diesel range organic cor	npounds (typical)	y C-1 through C-30)	
				dup = duplicate sample	· · · · · · · · · · · · · · · · · ·		
Í				HC = hydrocarbon		•	
	·	······		SVOC = semivolatile organic co	mpounds		
				TDS = total dissolved solids (sal			·····
		_ 	 -	TPH = total petroleum hydrocar			
				VOC = volatile organic compour			
.bbott Joe	11/09/99	M-2	5540	DRO	<	0.50000	Energy Labs
Abbott Joe	11/09/99	M-2	5540	TDS		1,170.00000	Energy Labs
Abbott Joe	11/09/99	M-2	5540	VOC	<	0.00050	Energy Labs
Abbott Joe	01/04/00	M-2	5540	TDS		1,260.00000	Region 8
Abbott Joe	01/04/00	M-2	5540	TPH	<	100.00000	Region 8
Abbott Joe	01/04/00	M-2	5540	voc	<	0.00100	Region 8
Abbott Joe	09/28/00	M-2	5540	DRO	<	0.50000	Energy Labs
Abbott Joe	09/28/00	M-2	5540	SVOC	<	0.00200	Energy Labs
Abbott Joe	09/28/00	M-2	5540	TDS		1,100.00000	Energy Labs
Abbott Joe	09/28/00	M-2	5540	VOC	<	0.00050	Energy Labs
City of Poplar Well 1	09/28/00			DRO	<	0.50000	Energy Labs
City of Poplar Well 1	09/28/00			SVOC	<	0.00200	Energy Labs
City of Poplar Well 1	09/28/00			TDS		1,050.00000	Energy Labs
City of Poplar Well 1	09/28/00			Total Extractable HC		0.47000	Energy Labs
City of Poplar Well 1	09/28/00		··-	VOC	<	0.00050	Energy Labs
City of Poplar Well 2	09/28/00			DRO	<	0.50000	Energy Labs
City of Poplar Well 2	09/28/00			SVOC	<	0.00200	Energy Labs
City of Poplar Well 2	09/28/00			TDS		1,190.00000	Energy Labs
City of Poplar Well 2	09/28/00			VOC - bromodichloromethane		0.00110	Energy Labs
City of Poplar Well 2	09/28/00			VOC - bromodichloromethane		0.00096	Energy Labs
City of Poplar Well 2	09/28/00			VOC - bromoform		0.00140	Energy Labs
City of Poplar Well 2	09/28/00		·	VOC - chlorodibromomethane		0.00160	Energy Labs
City of Poplar Well 2	09/28/00		· · · · · · · · · · · · · · · · · · ·	.VOC - chlorodibromomethane		0.00044	Energy Labs
City of Poplar Well 2	09/28/00		·	VOC - chloroform		0.00048	Energy Labs
City of Poplar Well 2	09/28/00			VOC - chloroform		0.00130	Energy Labs
City of Poplar Well 3	01/11/00			TPH		125.00000	Region 8
City of Poplar Well 3	01/11/00			TPH - dup		193.00000	Region 8
City of Poplar Well 3	01/11/00			VOC - 1,4-dichlorobenzene		0,00069	Region 8

Residence Name - Sample Site	Sample Date	USGS Well Numbering System	P Address Numbering . System	Target Analytical Compounds	Below Detection Limit	Results in mg/l	Laboratory where analyzed
City of Poplar Well 3	01/11/00			VOC - 1,4-dichlorobenzene		0.00072	Region 8
City of Poplar Well 3	01/11/00			VOC - 1,4-dichlorobenzene		0.00058	Region 8
City of Poplar Well 3	01/11/00			VOC - 1,4-dichlorobenzene		0.00098	Region 8
City of Poplar Well 3	01/11/00			VOC - bromodichloromethane		0.00140	Region 8
City of Poplar Well 3	01/11/00			VOC - bromodichloromethane		0.00140	Region 8
City of Poplar Well 3	01/11/00			VOC - bromodichloromethane		0.00080	Region 8
City of Poplar Well 3	01/11/00			VOC - bromodichloromethane		0.00090	Region 8
City of Poplar Well 3	01/11/00		· · · · · · · · · · · · · · · · · · ·	VOC - bromoform		0.00200	Region 8
City of Poplar Well 3	01/11/00			VOC - bromoform		0.00120	Region 8
City of Poplar Well 3	01/11/00		·	VOC - bromoform		0.01650	Region 8
City of Poplar Well 3	01/11/00		· · · · · · · · · · · · · · · · · · ·	VOC - bromoform		0.01720	Region 8
City of Poplar Well 3	01/11/00			VOC - chloroform		0.00070	Region 8
City of Poplar Well 3	01/11/00			VOC - chloroform		0.00070	Region 8
City of Poplar Well 3	01/11/00			VOC - chloroform		0.00060	Region 8
City of Poplar Well 3	01/11/00			VOC - dibromochloromethane		0.00300	Region 8
City of Poplar Well 3	01/11/00			VOC - dibromochloromethane		0.00140	Region 8
City of Poplar Well 3	01/11/00			VOC - dibromochloromethane		0.00310	Region 8
City of Poplar Well 3	01/11/00			VOC - dibromochloromethane		0.00110	Region 8
City of Poplar Well 3	01/11/00	<u> </u>		VOC - methylene chloride		0.00110	Region 8
City of Poplar Well 3	01/11/00			VOC - methylene chloride		0.00110	Region 8
City of Poplar Well 3	01/11/00			VOC - methylene chloride		0.00110	Region 8
City of Poplar Well 3	01/11/00			VOC - methylene chloride		0.00120	Region 8
City of Poplar Well 3	09/28/00			DRO	<	0.50000	Energy Labs
City of Poplar Well 3	09/28/00			svoc	<	0.00200	Energy Labs
City of Poplar Well 3	09/28/00			TDS		1,050.00000	Energy Labs
Corne Butch	11/22/99	M-17	5743	DRO	~ ~	0.50000	Energy Labs
Corne Butch	11/22/99	M-17	5743	TDS		2,130.00000	Energy Labs
Corne Butch	11/22/99	M-17	5743	VOC	<	0.00050	Energy Labs
Corne Butch	01/04/00	M-17	5743	TDS		2,304.00000	Region 8
Corne Butch	01/04/00	M-17	5743	TPH	<	100.00000	Region 8
Corne Butch	01/04/00	M-17	5743	VOC - 1,4-dichlorobenzene		0.00083	Region 8
Corne Butch	09/20/00	M-17	5743	DRO	<	0.50000	Energy Labs
Corne Butch	09/20/00	M-17	5743	svoc	<	0.00200	Energy Labs
Corne Butch	09/20/00	M-17	5743	TDS		2,190.00000	Energy Labs
Corne Butch	09/20/00	M-17	5743	VOC - Chloroform		0.00610	Energy Labs
Corne Butch	09/20/00	M-17	5743	VOC - Chloroform dup		0.00550	Energy Labs

Residence Name - Sample Site	Sample Date	USGS Well Numbering System	P Address Numbering System	Target Analytical Compounds	Below Detection Limit	Results in mg/l	Laboratory where analyzed
Equipment Blank w/PSA Building water - Ft. Peck Tribe	01/27/99			VOC - bromodichloromethane		0.00440	Energy Labs
Equipment Blank w/PSA Building water - Ft. Peck Tribe	01/27/99			VOC - bromodichloromethane		0.00380	Energy Labs
Equipment Blank w/PSA Building water - Ft. Peck Tribe	01/27/99			VOC - bromoform		0.00110	Energy Labs
Equipment Blank w/PSA uilding water - Ft. Peck ribe	01/27/99			VOC - bromoform		0.00099	Energy Labs
Equipment Blank w/PSA Building water - Ft. Peck Tribe	01/27/99			VOC - chlorodibromomethane		0.00280	Energy Labs
Equipment Blank w/PSA Building water - Ft. Peck Tribe	01/27/99			VOC - chlorodibromomethane		0.00330	Energy Labs
Equipment Blank w/PSA Building water - Ft. Peck Tribe	01/27/99			VOC - chloroform	,	0.00440	Energy Labs
Equipment Blank w/PSA Building water - Ft. Peck Tribe	01/27/99			VOC - chloroform		0.00440	Energy Labs
Four Bear Charles	11/09/99	M-24	5678	DRO	<	0.50000	Energy Labs
Four Bear Charles	11/09/99	M-24	5678	TDS		14,300.00000	Energy Labs
Four Bear Charles	11/09/99	M-24	5678	VOC - Chloroform		0.00037	Energy Labs
Four Bear Charles	01/03/00	M-24	5678	TPH	<	100.00000	Region 8
our Bear Charles	01/03/00	M-24	5678	VOC - 1,4dichlorobenzene		0.00068	Region 8
our Bear Charles	09/20/00	M-24	5678	DRO	<	0.50000	Energy Labs
Four Bear Charles	09/20/00	M-24	5678	SVOC	<	0.00200	Energy Labs
Four Bear Charles	09/20/00	M-24	5678	TDS		17,000.00000	Energy Labs
Four Bear Charles	09/20/00	M-24	5678	VOC	<	0.00050	Energy Labs
Grainger Iva	11/10/99	M-53	5128	DRO	<	0.50000	Energy Labs
Grainger Iva	11/10/99	M-53	5128	TDS		1,840.00000	Energy Labs
Grainger Iva	11/10/99	M-53	5128	voc	<	0.00050	Energy Labs
Grainger Iva	01/04/00	M-53	5128	TDS		1,646.00000	Region 8
Grainger Iva	01/04/00	M-53	5128	TPH	<	100.00000	Region 8
Grainger Iva	01/04/00	M-53	5128	VOC - 1,4-dichlorobenzene		0.00059	Region 8

Residence Name - Sample Site	Sample Date	USGS Well Numbering System	P Address Numbering System	Target Analytical Compounds	Below Detection Limit	Results in mg/l	Laboratory where analyzed
Grainger Iva	09/28/00	M-53	5128	DRO	<	0.50000	Energy Labs
Grainger Iva	09/28/00	M-53	5128	SVOC	<	0.00200	Energy Labs
Grainger Iva	09/28/00	M-53	5128	TDS		1,370.00000	Energy Labs
Grainger Iva	09/28/00	M-53	5128	VOC	<	0.00050	Energy Labs
Grainger Trivian	01/04/00	M-38	5957	TDS		2,790.00000	Region 8
Grainger Trivian	01/04/00	M-38	5957	TPH	<	100.00000	Region 8
Grainger Trivian	01/04/00	M-38	5957 .	VOC - 1,4-dichlorobenzene		0.00075	Region 8
Grainger Trivian	09/29/00	M-38	5957	DRO	<	0.50000	Energy Labs
Grainger Trivian	09/29/00	M-38	5957	DRO.	<-	0.50000	Energy Labs
Frainger Trivian	09/29/00	M-38	5957	SVOC	<	0.00200	Energy Labs
Grainger Trivian	09/29/00	M-38	5957	SVOC	<	0.00200	Energy Labs
Grainger Trivian	09/29/00	M-38	5957	TDS		2,740.00000	Energy Labs
Grainger Trivian	09/29/00	M-38	5957	TDS		2,660.00000	Energy Labs
Grainger Trivian	09/29/00	M-38	5957	VOC	<	0.00050	Energy Labs
Grainger Trivian	09/29/00	M-38	5957	VOC	<	0.00050	Energy Labs
Grainger Trivian	11/09 + 17/99	M-38	5957	DRO	<	0.00050	Energy Labs
Grainger Trivian	11/09 + 17/99	M-38	5957	DRO	<	0.50000	Energy Labs
Grainger Trivian	11/09 + 17/99	M-38	5957	TDS	- -	2,590.00000	Energy Labs
Grainger Trivian	11/09 + 17/99	M-38	5957	TDS		2,640.00000	Energy Labs
Grainger Trivian	11/09 + 17/99	M-38	5957	VOC	<	0.00050	Energy Labs
Grainger Trivian	11/09 + 17/99	M-38	5957	VOC - Chloroform		0.00057	Energy Labs
Grandchamp Denise	11/09/99	M-36	5947	DRO	<	0.50000	Energy Labs
Grandchamp Denise	11/09/99	M-36	5947	DRO	<	0.50000	Energy Labs
Grandchamp Denise	11/09/99	M-36	5947	TDS		2,740.00000	Energy Labs
Grandchamp Denise	11/09/99	M-36	5947	TDS	-	2,520.00000	Energy Labs
Grandchamp Denise	11/09/99	M-36	5947	VOC - Chloroform		0.00038	Energy Labs
Grandchamp Denise	11/09/99	M-36	5947	VOC - Chloroform		0.00041	Energy Labs
Grandchamp Denise	11/09/99	M-36	5947	VOC - Toluene	· 	0,00067	Energy Labs
Grandchamp Denise	01/04/00	M-36	5947	TDS		2,643.00000	Region 8
Grandchamp Denise	01/04/00	M-36	5947	TPH	<	100.00000	Region 8
Grandchamp Denise	01/04/00	M-36	5947	VOC - 1,4-dichlorobenzene		0.00070	Region 8
Grandchamp Denise	09/29/00	M-36	5947	DRO	<	0.50000	Energy Labs
Grandchamp Denise	09/29/00	M-36	5947	DRO	<	0.50000	Energy Labs
Grandchamp Denise	09/29/00	M-36	5947	svoc		0.00200	Energy Labs
Grandchamp Denise	0.9/29/00	M-36	5947	SVOC	<	0.00200	Energy Labs
Grandchamp Denise	09/29/00	M-36	5947	TDS		2,640.00000	Energy Labs
Grandchamp Denise	09/29/00	M-36	5947	TDS	 	2,690,00000	Energy Labs

Residence Name - Sample Site	Sample Date	USGS Well Numbering System	P Address Numbering System	Target Analytical Compounds	Below Detection Limit	Results in mg/l	Laboratory where analyzed
Grandchamp Denise	09/29/00	M-36	5947	VOC	<	0.00050	Energy Labs
Grandchamp Denise	09/29/00	M-36	5947	Voc	<	0.00050	Energy Labs
Hendrickson Roman	11/09/99	M-32	5866	DRO	<	0.50000	Energy Labs
Hendrickson Roman	11/09/99	M-32	5866	DRO	<	0.50000	Energy Labs
Hendrickson Roman	11/09/99	M-32	5866	TDS		1,730.00000	Energy Labs
Hendrickson Roman	11/09/99	M-32	5866	TDS		1,750.00000	Energy Labs
Hendrickson Roman	11/09/99	M-32	5866	VOC	<	0.00050	Energy Labs
Hendrickson Roman	11/09/99	M-32	5866	VOC	<	0.00050	Energy Labs
Hopkins Shannon	11/09/99	M-15	5647	DRO	. <	0.50000	Energy Labs
Hopkins Shannon	11/09/99	M-15	5647	TDS		8,350.00000	Energy Labs
topkins Shannon	11/09/99	M-15	5647	VOC - Chloroform		0.00036	Energy Labs
Hopkins Shannon	11/09/99	M-15	5647	VOC - Naphthalene		0.00042	Energy Labs
Hopkins Shannon	01/03/00	M-15	5647	TPH	<	100.00000	Region 8
Hopkins Shannon	09/20/00	M-15	5647	DRO	<	0.50000	Energy Labs
Hopkins Shannon	09/20/00	M-15	5647	SVOC	<	0.00200	Energy Labs
Hopkins Shannon	09/20/00	M-15	5647	TDS		9,850.00000	Energy Labs
Hopkins Shannon	09/20/00	M-15	5647	VOC - Naphthlalene		0.00039	Energy Labs
Injection Well - Huber #5D	09/29/00			DRO		28.00000	Energy Labs
Injection Well - Huber #5D	09/29/00			DRO		38.00000	Energy Labs
Injection Well - Huber #5D	09/29/00		1	SVOC	<	0.04000	Energy Labs
Injection Well - Huber #5D	09/29/00	1. V V		SVOC	<	0.04000	Energy Labs
Injection Well - Huber #5D	09/29/00			TDS		87,500.00000	Energy Labs
Injection Well - Huber #5D	09/29/00			TDS		85,900.00000	Energy Labs
Injection Well - Huber #5D	09/29/00			Total Extractable HC		39.00000	Energy Labs
Injection Well - Huber #5D	09/29/00			Total Extractable HC		53.00000	Energy Labs
Injection Well - Huber #5D	09/29/00			VOC - 1,2,4-trimethylbenzene		0.07000	Energy Labs
Injection Well - Huber #5D	09/29/00			VOC - 1,2,4-trimethylbenzene		0.08700	Energy Labs
ijection Well - Huber #5D	09/29/00			VOC - 1,3,5-trimethylbenzene		0.02800	Energy Labs
Injection Well - Huber #5D	09/29/00			VOC - 1,3,5-trimethylbenzene		0.02200	Energy Labs
Injection Well - Huber #5D	09/29/00			VOC - benzene		1.76000	Energy Labs
Injection Well - Huber #5D	09/29/00			VOC - benzene		1.75000	Energy Labs
Injection Well - Huber #5D	09/29/00			VOC - ethylbenzene		0.15000	Energy Labs
Injection Well - Huber #5D	09/29/00		· 	VOC - ethylbenzene		0.18100	Energy Labs
Injection Well - Huber #5D	09/29/00			VOC - isopropylbenzene		0.01100	Energy Labs
Injection Well - Huber #5D	09/29/00			VOC - isopropylbenzene	 -	0.00840	Energy Labs
Injection Well - Huber #5D	09/29/00		<u> </u>	VOC - n-propylbenzene		0.01500	Energy Labs
Injection Well - Huber #5D	09/29/00			VOC - n-propylbenzene		0.01900	Energy Labs

Residence Name - Sample Site	Sample Date	USGS Well Numbering System	P Address Numbering System	Target Analytical Compounds	Below Detection Limit	Results in mg/l	Laboratory where analyzed
Injection Well - Huber #5D	09/29/00			VOC - naphthalene		0.03600	Energy Labs
Injection Well - Huber #5D	09/29/00			VOC - naphthalene		0.03400	Energy Labs
Injection Well - Huber #5D	09/29/00			VOC - toluene		1.83000	Energy Labs
Injection Well - Huber #5D	09/29/00			VOC - toluene		1.86000	Energy Labs
Injection Well - Huber #5D	09/29/00			VOC - xylene total		0.54600	Energy Labs
Injection Well - Huber #5D	09/29/00			VOC - xylene total		0.46500	Energy Labs
Injection Well - Murphy # 1D	·09/29/00	Murphy 1D		DRO		49.00000	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		DRO		51.00000	Energy Labs
ijection Well - Murphy # 1D	09/29/00	Murphy 1D		SVOC - bis(2-ethylhexyl) phthalate		0.05300	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		SVOC - bis(2-ethylhexyl) phthalate		0.04900	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		TDS		120,000.00000	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		TOS		120,000.00000	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		Total Extractable HC		65.00000	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		Total Extractable HC		67.00000	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - 1,2,4-trimethylbenzene		0.05600	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - 1,3,5-trimethylbenzene		0.01900	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - 1,3,5-trimethylbenzene		0.01900	Energy Labs
ijection Well - Murphy # .D	09/29/00	Murphy 1D		VOC - benzene		1.71000	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - benzene		1.67000	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - ethylbenzene		0.11500	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - ethylbenzene		0.12200	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - isopropylbenzene		0.00710	Energy Labs

Residence Name - Sample Site	Sample Date	USGS Well Numbering System	P Address Numbering System	Target Analytical Compounds	Below Detection Limit	Results in mg/l	Laboratory where analyzed
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - isopropylbenzene		0.00660	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - n-propylbenzene		0.01300	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - n-propylbenzene		0.01200	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - naphthalene		0.02300	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - naphthalene		0.02300	Energy Labs
ijection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - toluene		1.53000	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - toluene		1.53000	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - xylene total		0.39600	Energy Labs
Injection Well - Murphy # 1D	09/29/00	Murphy 1D		VOC - xylene total		0.14600	Energy Labs
Kirn Audrey	11/02/99	M-3	5584	DRO	<	0.50000	Energy Labs
Kirn Audrey	11/02/99	M-3	5584`	DRO	<	0.50000	Energy Labs
Kirn Audrey	11/02/99	M-3	5584	TDS		2,390.00000	Energy Labs
Kirn Audrey	11/02/99	M-3	5584	TDS		2,460.00000	Energy Labs
Kirn Audrey	11/02/99	M-3	5584	VOC	<	0.00050	Energy Labs
Kirn Audrey	11/02/99	M-3	5584	VOC - 1,4 Dichlorobenzene		0.00082	Energy Labs
Kirn Audrey	11/02/99	M-3	5584	VOC - 1,4 Dichlorobenzene dup		0.00094	Energy Labs
Kirn Audrey	01/04/00	M-3	5584	TDS		2,520.00000	Region 8
Kirn Audrey	01/04/00	M-3	5584	TPH	<	100.00000	Region 8
(irn Audrey	01/04/00	M-3	5584	VOC - 1,4-dichlorobenzene	·	0.00119	Region 8
Kirn Audrey	.09/21/00	M-3	5584	DRO	<	0.50000	Energy Labs
Kirn Audrey	09/21/00	M-3	5584	DRO	<	0.50000	Energy Labs
Kirn Audrey	09/21/00	M-3	5584	SVOC	<	0.00200	Energy Labs
Kirn Audrey	09/21/00	M-3	5584	svoc ·	<	0.00200	Energy Labs
Kirn Audrey	09/21/00	M-3	5584	TDS		2,460.00000	Energy Labs
Kirn Audrey	09/21/00	M-3	5584	TDS		2,470.00000	Energy Labs
Kirn Audrey	09/21/00	M-3	5584	voc	<	0.00050	Energy Labs
Kirn Audrey	09/21/00	M-3	5584	voc	< .	0.00050	Energy Labs
Kirn Jesse	11/10/99	M-34	6037	DRO		0.50000	Energy Labs

Residence Name - Sample Site	Sample Date	USGS Well Numbering System	P Address Numbering System	Target Analytical Compounds	Below Detection Limit	Results in mg/l	Laboratory where analyzed
Kirn Jesse	11/10/99	M-34	6037	TDS		761.00000	Energy Labs
Kirn Jesse	11/10/99	M-34	6037	voc	<	0.00050	Energy Labs
Kirn Jesse	11/22/99	M-34	6037	DRO	<	0.50000	Energy Labs
Kirn Jesse	11/22/99	M-34	6037	TDS		770.00000	Energy Labs
Kirn Jesse	01/03/00	M-34	6037	TPH	<	100.00000	Region 8
Kirn Jesse	09/20/00	M-34	6037	DRO	<	0.50000	Energy Labs
Kirn Jesse	09/20/00	M-34	6037	SVOC	<	0.00200	Energy Labs
Kirn Jesse	09/20/00	M-34	6037	TDS		785.00000	Energy Labs
Kirn Jesse	09/20/00	M-34	6037	VOC	<	0.00050	Energy Labs
'irn Michael	11/02/99	M-13	5632	DRO	<	0.50000	Energy Labs
irn Michael	11/02/99	M-13	5632	DRO	<	0.50000	Energy Labs
Kirn Michael	11/02/99	M-13	5632	TDS		5,120.00000	Energy Labs
Kirn Michael	11/02/99	M-13	5632	TDS		4,900.00000	Energy Labs
Kirn Michael	11/02/99	M-13	5632	VOC	<	0.00050	Energy Labs
Kirn Michael	11/02/99	M-13	5632	VOC	<	0.00050	Energy Labs
Kirn Michael	01/04/00	M-13	5632	TDS		5,058.00000	Region 8
Kirn Michael	01/04/00	M-13	5632	TPH	<	100.00000	Region 8
Kirn Michael	01/04/00	M-13	5632	TPH - dup	<	100.00000	Region 8
Kirn Michael	01/04/00	M-13	5632	VOC - 1,4-dichlorobenzene		0.00050	Region 8
Kirn Michael	09/21/00	M-13	5632	DRO	<	0.50000	Energy Labs
Kirn Michael	09/21/00	M-13	5632	DRO	<	0.50000	Energy Labs
Kirn Michael	09/21/00	M-13	5632	SVOC	<	0.00200	Energy Labs
Kirn Michael	09/21/00	M-13	5632	SVOC	<	0.00200	Energy Labs
Kirn Michael	09/21/00	M-13	5632	TDS		5,070.00000	Energy Labs
Kim Michael	09/21/00	M-13	5632	voc	<	0.00050	Energy Labs
Kirn Michael	09/21/00	M-13	5632	TDS		5,860.00000	Energy Labs
Yirn Michael	09/21/00	M-13	5632	VOC	<	0.00050	Energy Labs
ırn Michael	09/21/00	M-13	5632	VOC - dup	<	0.00050	Energy Labs
Kohl Danny	11/02/99	M-52	5097	DRO	<	0.50000	Energy Labs
Kohl Danny	11/02/99	M-52	5097	TDS		1,610.00000	Energy Labs
Kohl Danny	11/02/99	M-52	5097	voc	<	0.00050	Energy Labs
Kohl Danny	01/04/00	M-52	5097	TPH	<	100.00000	Region 8
Kohl Danny	01/04/00	M-52	5097	VOC - 1,4-dichlorobenzene		0.00061	Region 8
Kohl Danny	09/20/00	M-52	5097	DRO	<	0.50000	Energy Labs
Kohl Danny	09/20/00	M-52	5097	svoc	<	0.00200	Energy Labs
Kohl Danny	09/20/00	M-52	5097	TDS		1,580.00000	Energy Labs
Kohl Danny	09/20/00	M-52	5097	voc	<	0.00050	Energy Labs

Residence Name - Sample Site	Sample Date	USGS Well Numbering System	P Address Numbering System	Target Analytical Compounds	Below Detection Limit	Results in mg/l	Laboratory where analyzed
Lien Birdell	11/09/99	W-3	4849	DRO	<	0.50000	Energy Labs
Lien Birdell	11/09/99	W-3	4849	TDS		820.00000	Energy Labs
Lien Birdell	11/09/99	W-3	4849	VOC - Chloroform		0.00051	Energy Labs
Lien Birdell	11/22/99	W-3	4849	DRO	<	0.50000	Energy Labs
Llen Birdell	11/22/99	W-3	4849	TDS		850.00000	Energy Labs ·
Lien Birdell	11/22/99	W-3	4849	VOC	<	0.00050	Energy Labs
Lien Birdell	01/04/00	W-3	4849	TDS		971.00000	Region 8
Lien Birdell	01/04/00	W-3	4849	TPH	<	100.00000	Region 8
Lien Birdell	01/04/00	W-3	4849	VOC - 1,4-dichlorobenzene		0.00060	Region 8
· len Birdell	09/20/00	W-3	4849	DRO	<	0.50000	Energy Labs
en Birdell	09/20/00	W-3	4849	DRO	<	0.50000	Energy Labs
Lien Birdell	09/20/00	W-3	4849	SVOC	<	0.00200	Energy Labs
Lien Birdell	09/20/00	W-3	4849	svoc	<	0.00200	Energy Labs
Lien Birdell	09/20/00	W-3	4849	TDS		849.00000	Energy Labs
Lien Birdell	09/20/00	W-3	4849	TDS		878.00000	Energy Labs
Llen Birdell	09/20/00	W-3	4849	VOC	<	0.00050	Energy Labs
Llen Birdell	09/20/00	W-3	4849	VOC	<	0.00050	Energy Labs
Lockman Lyle 'Curly'	11/09/99	M-30	5715	DRO	<	0.50000	Energy Labs
Lockman Lyle 'Curty'	11/09/99	M-30	5715	DRO	<	0.50000	Energy Labs
Lockman Lyle 'Curly'	11/09/99	M-30	5715	TDS		1,630.00000	Energy Labs
Lockman Lyle 'Curly'	11/09/99	M-30	5715	TDS		1,770.00000	Energy Labs
Lockman Lyle 'Curly'	11/09/99	M-30	5715	voc	<	0.00050	Energy Labs
Lockman Lyle 'Curly'	11/09/99	M-30	5715	VOC - Chloroform		0.00030	Energy Labs
Lockman Lyle 'Curly'	01/03/00	M-30	5715	TDS		1,915.00000	Region 8
Lockman Lyle 'Curly'	01/03/00	M-30	5715	TDS		1,828.00000	Region 8
Lockman Lyle 'Curly'	01/03/00	M-30	5715	TPH	<	100.00000	Region 8
Lockman Lyle 'Curly'	01/03/00	M-30	5715	TPH ·	<	100,00000	Region 8
ockman Lyle 'Curly'	01/03/00	M-30	5715	VOC - 1,4-dichlorobenzene		0.00057	Region 8
Lockman Lyle 'Curly'	09/20/00	M-30	5715	DRO	<	0.50000	Energy Labs
Lockman Lyle 'Curly'	09/20/00	M-30	5715	DRO	<	0.50000	Energy Labs
Lockman Lyle 'Curly'	09/20/00	M-30	5715	SVOC	<	0.00200	Energy Labs
Lockman Lyle 'Curly'	09/20/00	M-30	5715 .	SVOC	<	- 0.00200	Energy Labs
Lockman Lyle 'Curly'	09/20/00	M-30	5715	TDS		1,710.00000	Energy Labs
Lockman Lyle 'Curly'	09/20/00	M-30	5715	TDS	-	1,880.00000	Energy Labs
Lockman Lyle 'Curly'	09/20/00	M-30	5715	voc	<	0.00050	Energy Labs
Lockman Lyle 'Curly'	09/20/00	M-30	5715	voc	<	0.00050	Energy Labs
Loegering Mavis	11/09/99	M-33	5910	DRO	<	0.50000	Energy Labs

Residence Name - Sample Site	Sample Date	USGS Well Numbering System	P Address Numbering System	Target Analytical Compounds	Below Detection Limit	Results in mg/l	Laboratory where analyzed
Loegering Mavis	11/09/99	M-33	5910	TDS		435.00000	Energy Labs
Loegering Mavis	11/09/99	M-33	5910	VOC	<	0.00050	Energy Labs
Loegering Mavis	01/03/00	M-33	5910	TDS		467.00000	Region 8
Loegering Mavis	01/03/00	M-33	5910	TPH	<	100.00000	Region 8
Loegering Mavis	01/03/00	M-33	5910	VOC - 1,4-dichlorobenzene		0.00072	Region 8
Loegering Mavis	09/21/00	M-33	5910	DRO	<	0.50000	Energy Labs
Loegering Mavis	09/21/00	M-33	5910	SVOC	<	0.00200	Energy Labs
Loegering Mavis	09/21/00	M-33	5910	TDS		433.00000	Energy Labs
Loegering Mavis	09/21/00	M-33	5910	. VOC	<	0.00050	Energy Labs
Martell Rene Youpee Josi	11/09/99	M-22	5666	DRO	<	0.50000	· Energy Lahs
. Jartell Rene Youpee Josi	11/09/99	M-22	5666	TDS		14,600.00000	Energy Labs
Martell Rene Youpee Josi	11/09/99	M-22	5666	VOC - Chloroform		0.00028	Energy Labs
Martell Rene Youpee Josi	01/03/00	M-22	5666	TPH	<	100.00000	Region 8
Martell Rene Youpee Josi	01/03/00	M-22	5666	VOC - 1,4-dichlorobenzene		0.00058	Region 8
Martell Rene Youpee Josi	09/20/00	M-22	5666	DRO	<	0.50000	Energy Labs
Martell Rene Youpee Josi	09/20/00	M-22	5666	SVOC	<	0.00200	Energy Labs
Martell Rene Youpee Josi	09/20/00	M-22	5666	TDS		16,100.00000	Energy Lahs
Martell Rene Youpee Josi	09/20/00	M-22	5666	VOC	<	0.00050	Energy Labs
PSA Building raw water - Ft . Peck Tribe	01/2/199			VOC - 1,4-dichlorobenzene		0.00049	Energy Labs
PSA Building raw water - Ft . Peck Tribe	01/27/99			VOC - 1,4-dichlorobenzene		0.00046	Energy Labs
PSA Building raw water - Ft . Peck Tribe	01/2//99			VOC - bromodichloromethane		0.00420	Energy Labs
PSA Building raw water - Ft . Peck Tribe	01/27/99			VOC - bromodichloromethane		0.00390	Energy Labs
PSA Building raw water - Ft Peck Tribe	01/27/99	·		VOC - bromoform	<u>.</u>	0.00140	Energy Labs
→SA Building raw water - Ft . Peck Tribe	01/27/99			VOC - bromoform		0.00120	Energy Labs
PSA Building raw water - Ft . Peck Tribe	01/27/99			VOC - chlorodibromomethane		0.00290	Energy Labs
PSA Building raw water - Ft . Peck Tribe	01/27/99			VOC - chlorodibromomethane		0.00300	Energy Labs
PSA Building raw water - Ft . Peck Tribe	01/27/99			VOC - chloroform		0.00420	Energy Labs
PSA Building raw water - Ft . Peck Tribe	01/27/99			VOC - chloroform		0.00400	Energy Labs

Residence Name - Sample Site	Sample Date	USGS Well Numbering System	P Address Numbering System	Target Analytical Compounds	Below Detection Limit	Results in mg/l	Laboratory where analyzed
QAQC	01/04/00		5632	VOC - 1,4-dichlorobenzene		0.00061	Region 8
QAQC Blank	12/02/99		· · · · · · · · · · · · · · · · · · ·	TDS	<	5.00000	Region 8
QAQC Trip Blank	01/28/99			VOC	<	0.00050	Energy Labs
QAQC Trip Blank	11/02/99		·	VOC	<	0.00050	Energy Labs
QAQC Trip Blank	12/23/99			VOC	<	0.00100	Energy Labs
QAQC Trip Blank	09/20/00			VOC	<	0.00050	Energy Labs
QAQC Trip Blank Huber # 5D	09/29/00			voc	<	0.00050	Energy Labs
QAQC Trip Blank Murphy #	09/29/00			voc	<	0.00050	Energy Labs
chards Trish Travis	11/17/99		5021	DRO	<	0.50000	Energy Labs
Richards Trish Travis	11/17/99		5021	DRO	<	0.50000	Energy Labs
Richards Trish Travis	11/17/99		5021 .	TDS		1,860.00000	Energy Labs
Richards Trish Travis .	11/17/99		5021	TDS	<	0.00050	Energy Labs
Richards Trish Travis	11/17/99		5021	TDS		1,990.00000	Energy Labs
Richards Trish Travis	11/17/99		5021	VOC	<	0.00050	Energy Labs
Richards Trish Travis	01/04/00		5021	TDS		1,986.00000	Region 8
Richards Trish Travis	01/04/00		5021	TPH	<	100.00000	Region 8
Richards Trish Travis	01/04/00		5021	VOC - 1,4-dichlorobenzene		0.00058	Region 8
Ricker George Helen	03/11/99	M-25	5712	DRO	<	0.50000	Energy Labs
Ricker George Helen	06/30/99	M-25	5712	DRO	<	0.50000	Energy Labs
Ricker George Helen	06/30/99	M-25	5712	TDS		4,890.00000	Energy Labs
Ricker George Helen	06/30/99	M-25	5712	VOC	<	0.00050	Energy Labs
Ricker George Helen	11/09/99	M-25	5712	DRO	<	0.50000	Energy Labs
Ricker George Helen	11/09/99	M-25	5712	TDS		4,450.00000	Energy Labs
Ricker George Helen	11/09/99	M-25	5712	VOC	<	0.00050	Energy Labs
Ricker George Helen	01/03/00	M-25	5712	TPH	<	100.00000	Region 8
'cker George Helen	01/03/00	M-25	5712	VOC - 1,4-dichlorobenzene		0.00056	Region 8
rkicker George Helen	09/21/00	M-25	5712	DRO .	<	0.50000	Energy Labs
Ricker George Helen	09/21/00	M-25	5712	SVOC	<	0.00200	Energy Labs
Ricker George Helen	09/21/00	M-25	5712	SVOC - dup	<	0.00200	Energy Labs
Ricker George Helen	09/21/00	M-25	5712	TDS		5,840.00000	Energy Labs
Ricker George Helen	09/21/00	M-25	5712	voc	<	0.00050	Energy Labs
Trottier Tim	01/27/99	M-29	5713	Benzene		0.07800	Energy Labs
Trottier Tim	01/27/99	M-29	5713	Benzene		0.05800	Energy Labs
Trottier Tim	01/27/99	M-29	5713	Methylene chloride		0.00170	Energy Labs
Trottier Tim	01/27/99	M-29	5713	Methylene chloride	<u> </u>	0.00180	Energy Labs

Residence Name - Sample Site	Sample Date	USGS Well Numbering System	P Address Numbering System	Target Analytical Compounds	Below Detection Limit	Results in mg/l	Laboratory where analyzed
Trottier Tim	03/11/99	M-30	5712	DRO	<	0.50000	Energy Labs
Trottier Tim	03/11/99	M-30	5712	VOC	<	0.00050	Energy Labs
Trottier Tim	06/30/99	M-30	5712	DRO	<	0.50000	Energy Labs
Trottier Tim	06/30/99	. M-30	5712	TDS		1,850.00000	Energy Labs
Trottier Tim	06/30/99	M-30	5712	VOC	<	0.00050	Energy Labs
Trottier Tim	11/09/99	M-30	5713	Chloroform		0.00036	Energy Labs
Trottier Tim	11/09/99	M-30	5713	DRO	<	0.50000	Energy Labs
Trottier Tim	11/09/99	M-30	5713	DRO	<	0.50000	Energy Labs
Trottier Tim	11/09/99	M-30	5713	TDS		1,840.00000	Energy Labs
rottler Tim	11/09/99	M-30	5713	TDS		1,820.00000	Energy Labs
rottier Tim	11/22/99	M-30	5713	DRO	<	0.50000	Energy Labs
Trottier Tim	11/22/99	M-30	5713	TDS		1,620.00000	Energy Labs
Trottier Tim	11/22/99	M-30	5713	VOC	<	0.00050	Energy Labs
Trottier Tim	01/03/00	M-30	5713	TDS		1,767.00000	Region 8
Trottier Tim	01/03/00	M-30	5713	TDS		1,964.00000	Region 8
Trottier Tim	01/03/00	M-30	5713	TPH	<	100,00000	Region 8
Trottier Tim	01/03/00	M-30	5713	TPH	<	100,00000	Region 8
Trottier Tim	01/03/00	M-30	5713	VOC - 1,4-dichlorobenzene		0.00101	Region 8
Trottier Tim	09/29/00	M-30	5713	DRO	<	0.50000	Energy Labs
Trottier Tim	09/29/00	M-30	5713	DRO	<	0.50000	Energy Labs
Trottier Tim	09/29/00	M-30	5713	SVOC	<	0.00200	Energy Labs
Trottier Tim	09/29/00	M-30	5713	SVOC	<	0.00200	Energy Labs
Trottier Tim	09/29/00	M-30	5713	TDS ·		1,760.00000	Energy Labs
Trottier Tim	09/29/00	M-30	5713	TDS		1,820.00000	Energy Labs
Trottier Tim	09/29/00	M-30	5713	VOC	<	0.00050	Energy Labs
Trotlier Tim	09/29/00	M-30	5713	VOC	<	0.00050	Energy Labs
'Whitmer Donna Warren	03/11/99		58702	DRO	<	0.50000	Energy Labs
Vhitmer Donna Warren	03/11/99		58702	VOC	<	0.00050	Energy Labs
Whitmer Donna Warren	06/30/99	•	58702	DRO	<	0.50000	Energy Labs
Whitmer Donna Warren	06/30/99		58702	TDS		1,950,00000	Energy Labs
Whitmer Donna Warren	06/30/99		58702	VOC	<	0.00050	Energy Labs
Whitmer Donna Warren	11/09/99		58702	DRO	<	0.50000	Energy Labs
Whitmer Donna Warren	11/09/99		58702	TDS		1,920.00000	Energy Labs
Whitmer Donna Warren	11/09/99		58702	VOC - Chloroform		0.00040	Energy Labs
Whilmer Donna Warren	11/09/99		58702	VOC - Chloroform		0.00028	Energy Labs
Whitmer Donna Warren	01/03/00		58702	TDS		1,970.00000	Region 8
Whitmer Donna Warren	01/03/00		58702	TPH	<	100.00000	Region 8

Residence Name - Sample Site	Sample Date	USGS Well Numbering System	P Address Numbering System	Target Analytical Compounds	Below Detection Limit	Results in mg/l	Laboratory where analyzed
Whitmer Donna Warren	01/03/00		58702	VOC - 1,4-dichlorobenzene		0.00067	Region 8
Whitmer Donna Warren	09/20/00		58702	DRO	<	0.50000	Energy Labs
Whitmer Donna Warren	09/20/00		58702	SVOC	<	0.00200	Energy Labs
Whitmer Donna Warren	09/20/00		58702	TDS		2,120.00000	Energy Labs
Whitmer Donna Warren	09/20/00		58702	VOC	<	0.00050	Energy Labs
Zimmerman Bill	09/28/00	M-1	5448	DRO	<	0.50000	Energy Labs
Zimmerman Bill	09/28/00	M-1	5448	SVOC	<	0.00200	Energy Labs
Zimmerman Bill	09/28/00	M-1	5448	TDS		2,870.00000	Energy Labs
Zimmerman Bill	09/28/00	M-1	5448	VOC	<	0.00050	Energy Labs

EXHIBIT 2

Summary of Spills:

East Poplar Oil Field

February 1976 through April 2001

Owner	Source of Spill	Township	Range	Section	Oil Spilled (barrels)	Salt Water Spilled (barrels)	Date of Spill	Date Spill Reported
Murphy Exploration and Production Co.	Flowline developed a leak caused by external corrosion	28N	51 E	3	1.00	0.0	02/01/76	02/12/76
Murphy Exploration and Production Co.	Leak from a flowline due to external corrosion	28N	51 E	3	1.00	0.0	02/01/76	02/12/76
Murphy Exploration and Production Co.	Flow line from well EPU #12 to "F" Battery developed a leak caused by external corrosion	28N	51E	3	1.00	0.0	02/01/76	02/10/76
Murphy Exploration and Production Co.	Oil spilled from a corrosion hole in a 3-1/2 inch tank battery shipping line	29N	51 E	29	8.00	0.0	02/19/76	03/01/76
Murphy Exploration and Production Co.	Corrosion ate a hole in 3 -1/2 inch "J" Battery shipping Line	29N	51E	29	8.00	0.0	02/19/76	02/20/76
Murphy Exploration and Production Co.	Flowline leak on well EPU #15 flowline	·28N	51E	11	1.00	8.0	03/20/76	03/20/76
Murphy Exploration and Production Co.	Flowline leak on EPU # 15 well, 150 yards east	28N	51 E	11	1.00	8.0	03/20/76	03/25/76
Murphy Exploration and Production Co.	Salt water disposal pump broke down causing water to go to pit and pit overflowed	28N	51 E	10	0.00	9.5	11/23/76	11/26/76
Murphy Exploration and Production Co.	Saltwater Disposal emergency pit overflowed	28N	51 E	10	0.00	9.5	11/23/76	11/24/76

Owner	Source of Spill	Township	Range	Section	Oil Spilled (barrels)	Salt Water Spilled (barrels)	Date of Spill	Date Spill Reported
Murphy Exploration and Production Co.	Leak in connections at wellhead EPU No. 1	28N	51 E	2	2.50	0.5	12/03/76	12/03/76
Murphy Exploration and Production Co.	Leak in Wellhead connections	28N	51 E	2	1.00	2.0	12/03/76	12/06/76
Murphy Exploration and Production Co.	Pin hole leak in gathering line	29N	51 E	30	0.50	5.0	12/28/76	12/29/76
.Aurphy Exploration	Pinhole leak in 3" steel	29N	51 E	30	0.50	5.0	12/28/76	12/30/76
and Production Co. Murphy Exploration and Production Co.	gathering line EPU #39 3" flow line, "F" battery	28N	51 E	3	0.50	7.5	03/11/77	03/11/77
Murphy Exploration and Production Co.	Spill occurred when when corrosion caused a leak in a 3" flowline at the tank battery	28N	51 E	3	0.50	7.5	03/11/77	03/14/77
Murphy Exploration and Production Co.	Discharge from 2" flowline at the joint of well EPU #105 to tank battery	29N	51 E	30	1.00	0.0	03/24/77	03/24/77
Murphy Exploration and Production Co.	Oil spilled from a glued connection from a 2" flowline	29N	51 E	30	1.00	0.0	03/24/77	03/25/77
Murphy Exploration and Production Co.	Fire at EPU #8 salt water disposal station	28N	51E	10	0.00	0.0	01/07/85	01/08/85
Murphy Exploration and Production Co.	"A" Battery on 85 Pig trap	28N	51E	2	0.02	2.0	09/05/91	09/05/91
Murphy Exploration and Production Co.	Well EPU #39 flowline	28N	51 E	32	0.10	4.9	09/05/91	09/06/91

Owner	Source of Spill	Township	Range	Section	Oil Spilled (barrels)	Salt Water Spilled (barrels)	Date of Spill	Date Spill Reported
Murphy Exploration and Production Co.	Well EPU #39 flowline	28N	51 E	32	0.75	0.8	09/06/91	09/06/91
Murphy Exploration and Production Co.	West of Well EPU#101 on "H" Battery	29N	51E	14	0.12	5.9	09/14/91	09/14/91
Murphy Exploration and Production Co.	"H" Battery 5-1/2 inch gathering line	29N	51E	14	0.07	6.9	09/16/91	09/16/91
Murphy Exploration .nd Production Co.	Well EPU #39 Flowline	28N	51 E	32	0.04	2.0	09/25/91	09/25/91
Murphy Exploration and Production Co.	Huber lease heater treater	28N	51E	10	0.03	3.0	10/14/91	10/14/91
Murphy Exploration and Production Co.	Sidewall split in 20,000 barrel oil tank	29N	51E	30	500.00	0.0	12/05/91	12/13/91
Murphy Exploration and Production Co.	200 yards north of "F" Battery on Well EPÜ #39 flowline	28N	51E	3	4.00	4.0	02/10/92	02/12/92
Murphy Exploration and Production Co.	Well EPU#85 Flowline	29N	51E	33	0.50	0.5	06/17/92	06/17/92
Murphy Exploration and Production Co.	Well EPU#12 flowline700' north from well EPU #11 on well EPU#12 & #39 flowline in road ditch	28N	51E	3	0.00	9.0	11/30/92	11/30/92
Murphy Exploration and Production Co.	Well EPU #85 Flowline	29N	51E	33	2.00	2.0	01/18/93	01/18/93
Murphy Exploration and Production Co.	Well EPU #85 Flowline	29N	51E	33	2.50	2.5	01/19/93	01/19/93
Murphy Exploration and Production Co.	30' east on Huber Battery on Huber #1 flowline	28N	51E	10	3.00	3.0	01/23/93	01/23/93

Owner	Source of Spill	Township	Range	Section .	Oil Spilled (barrels)	Salt Water Spilled (barrels)	Date of Spill	Date Spill Reported
Murphy Exploration	Well EPU#18 Flowline	28N	51 E	2	0.25	0.3	01/25/93	01/25/93
and Production Co. Murphy Exploration	South Central oil	28N	51E	10	4.00	0.0	01/30/93	01/30/93
and Production Co. Murphy Exploration and Production Co.	dumpline 300' north from "H" Batttery on 5-1/2 inch	28N	51E	14	2.50	2.5	02/01/93	02/01/93
Murphy Exploration	line Well EPU #15 flowline	28N	51 E	11	0.12	0.1	02/04/93	02/04/93
and Production Co. Murphy Exploration	Well EPU #15 flowline	28N	51 E	11	0.75	0.8	02/05/93	02/05/93
and Production Co. Murphy Exploration	Well EPU #15 flowline	28N	51 E	11	0.50	0.5	02/06/93	02/06/93
and Production Co. Murphy Exploration	Huber #1 flowline 150	28N	51E	10	2.50	2.5	02/06/93	02/06/93
and Production Co. Murphy Exploration	SE from Huber Battery Well EPU #18 Flowline	28N	51 E	2	2.50	2.5	03/08/93	03/08/93
and Production Co. Murphy Exploration	Well EPU #85 Flowline	29N	51E	33	1.50	1.5	03/11/93	02/11/93
and Production Co. Murphy Exploration and Production Co.	Flowline on #85 Pig Trap at "A" Battery	28N	51E	2	3.00	3.0	03/25/93	03/25/93
Murphy Exploration and Production Co.	Flowline on Well Huber # 4-A 350' from Huber Treater	28N	· 51E	10	4.50	4.5	08/14/93	08/14/93
Murphy Exploration and Production Co.	Salt water line	28N	51 E	10	0.00	0.5	10/08/93	10/08/93
Murphy Exploration and Production Co.	Well EPU #80-D salt water line	28N	51 E	10	0.00	10.0	11/18/93	11/18/93

Owner	Source of Spill	Township	Range	Section	Oil Spilled (barrels)	Salt Water Spilled (barrels)	Date of Spill	Date Spill Reported
Murphy Exploration and Production Co.	Well EPU #39	28N	51 E	- 32	0.71	8.0	01/11/94	01/13/94
Murphy Exploration	"H" Battery gathering	28N	51 E	10	2.00	9.0	01/21/94	01/21/94
and Production Co. Murphy Exploration	line Well EPU #6	28N	51 E	10	0.50	1.0	01/21/94	01/21/94
and Production Co. Murphy Exploration	Well EPU #57 check	29N	51E	27	2.00	170.0	03/08/95	03/10/95
and Production Co. Murphy Exploration	valve Not Specified	28N	51 E	10	0.00	10.0	05/06/95	06/12/95
and Production Co. Murphy Exploration	EPU #5 & #18 "C"	28N	51 E	2	0.00	1.2	05/30/95	05/31/95
and Production Co. Murphy Exploration	battery Salt water line to 80-D	28N	51 E	10	0.00	0.2	06/08/95	06/12/95
and Production Co. Murphy Exploration	Salt water line to well	28N	51 E	10	0.00	10.0	06/15/95	06/20/95
and Production Co.	EPU #80-D Well EPU #39	28N	51 E	3	0.24	0.7	06/22/95	06/23/95
Murphy Exploration and Production Co.			51 E	14	0.10	0.1	09/02/95	09/05/95
Murphy Exploration and Production Co.	Wells EPU #55 & #104	28N			0.95	0.0	04/08/96	04/09/96
Murphy Exploration and Production Co.	EPU	28N	51 E	10	0.95	0.0	04/00/30	0,,,,,,,,
Murphy Exploration	North Central Battery	29N	51E	30	80.00	0.0	04/29/96	04/28/96
and Production Co. Murphy Exploration and Production Co.	Micro Switch failure "H" battery gathering line (wells EPU #100, 20, 104, 55, 101, 9)	28N	51 E	11	0.95	6.0	06/01/96	06/05/96

Owner	Source of Spill	Township	Range	Section	Oil Spilled (barrels)	Salt Water Spilled (barrels)	Date of Spill	Date Spill Reported
Murphy Exploration and Production Co.	Wells EPU #104 & 55	28N	51 E	14	0.01	1.0	06/17/96	07/19/96
Murphy Exploration	Corroded 5-1/2 inch	29N	51E	19	10.00	200.0	07/07/96	07/08/96
and Production Co. Murphy Exploration	pipeline Wells EPU #104 & 55	28N	51 E	14	0.07	4.0	07/22/96	07/22/96
and Production Co. Murphy Exploration	Well EPU #100	28N	51 E	11	0.50	3.0	12/20/97	12/20/97
and Production Co. Murphy Exploration	Well EPU #100	28N	51 E	11	0.50	5.0	12/21/97	12/24/97
and Production Co. Murphy Exploration	"C" battery salt water line	28N	51 E	2	0.00	2.0	12/29/97	12/29/97
and Production Co. Murphy Exploration	South Central 6-inch line	28N	51 E	3	0.00	5.0	01/03/98	01/03/98
and Production Co. Murphy Exploration	west of well EPU#12 "F" battery	28N	51 E	3	0.00	3.0	01/06/98	01/06/98
and Production Co. Murphy Exploration	"F" battery locations	28N	51 E	3	0.00	8.0	01/09/98	01/09/98
and Production Co. Murphy Exploration	Salt water line from well	28N	51 E	10	0.00	30.0	01/22/99	01/25/99
and Production Co. Murphy Exploration	EPU #8-D to #80-D Salt water line from well	28N	51 E	10	0.00	10.0	01/25/99	01/25/99
and Production Co. Aurphy Exploration	EPU #8-D to #80-D Well EPU #111 Flow line	29N	50 E	13	1.00	5.0	03/09/00	03/17/00
and Production Co. Murphy Exploration and Production Co.	Well EPU #111 Flow line	29N	50 E	13	0.00	1.0	03/14/00	03/17/00
Murphy Exploration	Corroded 3-inch pipeline	29N	51E	7	0.50	7.0	03/17/00	03/22/00
and Production Co. Murphy Exploration and Production Co.	at well EPU #7 Well EPU #7	29N	51 E	7	0.50	7.0	03/17/00	03/17/00

Spill Report Summary

Owner	Source of Spill	Township	Range	Section	Oil Spilled (barrels)	Salt Water Spilled (barrels)	Date of Spill	Date Spill Reported
Murphy Exploration	Deteriorated 4-inch pipeline at "C" battery	28N	51E	3	0.00	20.0	08/19/00	.08/21/00
and Production Co. Murphy Exploration and Production Co.	Well EPU # 80-D	28N	51 E	3	2.00	300.0	04/29/01	04/29/01

CERTIFICATE OF SERVICE Docket No.

I hereby certify that the original and a true copy of this Emergency Administrative Order was hand-carried to the Regional Hearing Clerk, EPA Region 8, 999 18th Street, Denver, Colorado, and that a true copies of the same were sent via Certified Mail Return Receipt Requested to:

Murphy Exploration & Production Company
CT Corporation System
40 West Lawrence, Suite A
Post Office Box 1166
Helena, Montana 59624-1166;

Pioneer Natural Resources USA, Inc.
CT Corporation System
40 West Lawrence, Ste A
Post Office Box 1166
Helena, Montana 59624-1166;

Marathon Oil Company
CT Corporation System
40 West Lawrence, Suite A
Post Office Box 1166
Helena, Montana 59624-1166;

Samson Hydrocarbons Company Prentice-Hall Corporation System, Inc. 1013 Centre Road Wilmington, DE 19805; and

Samson Investment Company Corporation Trust Company of Nevada 6100 Neil Road #500 Reno, NV 89511.

Dated:	9/	20/01	By: Judith Mc Teman
			Judith McTernan

IN THE UNITED STATES COURT OF APPEALS FOR THE TENTH CIRCUIT

MARATHON OIL COMPANY,)	
Petitioner,)	
v.)	No. 01-9543
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY,)	
Respondent.)))	

PETITION FOR REVIEW OF
FIRST AMENDED EMERGENCY ADMINISTRATIVE ORDER
ISSUED BY THE ENVIRONMENTAL PROTECTION AGENCY
Docket No. SDWA-08-2001-33

MEMORANDUM BRIEF IN SUPPORT OF THIS COURT'S JURISDICTION

FOGNANI GUIBORD HOMSY & ROBERTS, LLP John D. Fognani Lauren C. Buehler 555 – 17th Street, 26th Floor Denver, CO 80202 (303) 382-6200 Attorneys for Petitioner Marathon Oil Company

CORPORATE DISCLOSURE STATEMENT

Pursuant to Federal Rule of Appellate Procedure 26.1, Petitioner Marathon Oil Company ("Marathon") hereby submits this Corporate Disclosure Statement.

Marathon is a wholly owned subsidiary of Marathon Oil Corporation, a Delaware corporation. Prior to January 1, 2002, Marathon Oil Corporation was known as USX Corporation.

TABLE OF CONTENTS

		<u> </u>	Page		
Rule	26.1 C	Corporate Disclosure Statement	i		
Table of Contents ii					
Table	of Au	thorities	iii		
I.	STAT	TEMENT OF BASIS FOR JURISDICTION	1		
	A.	Statement of Basis for Agency's Subject Matter Jurisdiction	1		
	B.	Statement of Basis for Jurisdiction in the Court of Appeals	1		
II.	STAT	TEMENT OF ISSUES PRESENTED FOR REVIEW	2		
III.	STAT	TEMENT OF FACTS	2		
IV.	SUM	MARY OF ARGUMENT	2		
V.	ARGUMENT		3		
	A.	Pursuant to EPA's Longstanding Regulations, the EAO Was Issued Two Weeks After It Was Signed	3		
	B.	Even if the Court Were to Find That the EAO Explicitly Provides an Issuance Date, Marathon's Petition for Review Would Still Be Timely	7		
	C.	Due Process Requires That This Court Accept Jurisdiction of Marathon's Petition for Review	7		
VI.	CON	CLUSION	8		
INDEX TO APPENDIX OF PETITIONER MARATHON OIL COMPANY Petr. App. i					

TABLE OF AUTHORITIES

Table of Cases

<u>Page</u>					
Disabled American Veterans v. Gober, 234 F.3d 682, 690 (Fed. Cir. 2000), cert. denied, 121 S. Ct. 1605 (2001) 5, 6, 7					
Brandt v. Hickel, 427 F.2d 53, 57 (9 th Cir. 1970)					
Statement of Prior/Related Appeals					
Samson Investment Company and Samson Hydrocarbons Company filed a Petition for Review in this Court of a related Emergency Administrative Order issued by the United States Environmental Protection Agency in 1999. Pursuant to the Tenth Circuit Mediation Office's recommendation, this case has been stayed until September 6, 2002. See Samson Investment Co. & Samson Hydrocarbons Co. v. United States Envtl. Protection Agency, Case No. 01-9500.					
Statutes and Other Authorities					
5 U.S.C. § 702					
28 U.S.C. § 2112					
42 U.S.C. § 300i					
42 U.S.C. § 300j-7					
40 C.F.R. § 23.7					
50 Fed. Reg. 7268					
53 Fed. Reg. 29320					

I. STATEMENT OF BASIS FOR JURISDICTION

A. Statement of Basis for Agency's Subject Matter Jurisdiction

The United States Environmental Protection Agency ("EPA") asserts subject matter jurisdiction pursuant to 42 U.S.C. § 300i. Marathon does not concede that EPA has jurisdiction in this matter and has raised this as an issue to be addressed in its Petition for Review.

B. Statement of Basis for Jurisdiction in the Court of Appeals

Section 1448 of the Safe Drinking Water Act ("SDWA"), 42 U.S.C. § 300j-7, provides the basis for this Court's jurisdiction. On November 20, 2001, Marathon filed a Petition for Review of EPA's First Amended Emergency Administrative Order ("EAO"), Docket No. SDWA-08-2001-33. Petr. App. at 004-005. Section 1448 states that a Petition for Review "may be filed in the circuit in which the petitioner resides." 42 U.S.C. § 300j-7. Petr. App. at 002. Marathon is registered to do business in the State of Colorado, and therefore, resides within this Circuit.

Section 1448 further provides that a Petition for Review must be filed within 45 days of "issuance of the order." As explained more fully below, Marathon's Petition for Review was timely filed within 45 days of the EAO's issuance.

II. STATEMENT OF ISSUES PRESENTED FOR REVIEW

- 1. Whether the EAO was "issued" two weeks after it was signed on October 3, 2001, as clearly provided for in EPA's longstanding regulations.
 - 2. Alternatively, whether the EAO was "issued" on its effective date.
- 3. Whether any ambiguity in the EAO's issuance date must be resolved in Marathon's favor to ensure its right to due process of law.

III. STATEMENT OF FACTS

On September 20, 2001, EPA entered an order against Marathon and four other Respondents pursuant to Section 1431 of the SDWA. Petr. App. at 006-092. On October 3, 2001, EPA entered the EAO, which substantially modified the initial order (for convenience, both orders will be referred to collectively as the "EAO"). Petr. App. at 093-109. Marathon filed a Petition for Review of the EAO on November 20, 2001. Petr. App. at 005-005. Thereafter, on December 21, 2001, this Court ordered the parties to submit memorandum briefs addressing the timeliness of Marathon's Petition for Review.

IV. SUMMARY OF ARGUMENT

Marathon's Petition for Review was timely filed. An EPA regulation provides that for purposes of a Petition for Review filed under 42 U.S.C. § 300j-7,

an order is deemed issued at 1:00 p.m. Eastern Time, two weeks after it is signed, unless the Administrator explicitly provides otherwise. *See* 40 C.F.R. § 23.7. Petr. App. at 111. In this case, EPA has not explicitly provided for an alternative issuance time and date for purposes of judicial review under 42 U.S.C. § 300j-7. Thus, by regulation, the EAO was issued on October 17, 2001 – two weeks after it was signed on October 3, 2001. Marathon timely filed its Petition for Review 34 days later, on November 20, 2001.

Even if the Court were to find that the EAO explicitly provides for an alternative issuance time and date because the EAO provides for an "effective date," this Court would still have jurisdiction because Marathon filed its Petition for Review 43 days after the earliest possible effective date. Finally, at a minimum, EPA's regulation designating a later "issuance date" and the EAO's designation of an "effective date" create an ambiguity concerning the commencement of the 45-day period in which to file a Petition for Review. In order to ensure Marathon's due process rights under the U.S. Constitution, this ambiguity must be resolved in Marathon's favor.

V. ARGUMENT

A. Pursuant to EPA's Longstanding Regulations, the EAO Was Issued Two Weeks After It Was Signed.

EPA promulgated 40 C.F.R. Part 23 in 1985. The summary of the final rule explains that its purpose is to "fix[] a definitely ascertainable time when [EPA

actions] would be considered issued for purposes of judicial review" in order to "bring greater fairness to 'races to the courthouse." 50 Fed. Reg. 7268 (Feb. 21, 1985). Petr. App. at 113. EPA recognized that numerous EPA-administered statutes, including 42 U.S.C. § 300j-7, encouraged so-called "races to the courthouse," whereby petitioners endeavored to file a challenge to an administrative action in one Court of Appeals before other petitioners could file in a different court. See id. The first-filing petitioner could thereby ensure that any subsequent petitions filed in a different court would be transferred to its choice of forum pursuant to 28 U.S.C. § 2112. To ensure that all petitioners at least had an equal opportunity to file their petitions, EPA specified in 40 C.F.R. Part 23 when the "starting gun" would be fired for purposes of judicial review under EPAadministered statutes. See 53 Fed. Reg. 29320, 29321 (Aug. 3, 1988). Petr. App. at 126. In this way, EPA "helped to ensure that all interested parties could compete in a courthouse race on a fair and equal basis, since no party could win the race merely by knowing of an imminent agency action before the others." Id.

For purposes of judicial review of an SDWA order, EPA's regulation specifies that the time and date of issuance shall be 1:00 p.m. Eastern Time, two weeks after the order is signed, unless the Administrator otherwise explicitly provides. 40 C.F.R. § 23.7. Petr. App. at 111. Here, the EAO does not explicitly provide an alternative time and date of issuance for purposes of judicial review.

While the signature block of the EAO indicates that it was issued and signed on October 3, 2001, the EAO does not specifically provide that October 3 is the issuance date for purposes of judicial review under 42 U.S.C. § 300j-7, nor does it provide a time of issuance. Petr. App. at 108. Thus, EPA has not "otherwise explicitly provided" for a time and date of issuance, as required by 40 C.F.R. § 23.7. Moreover, to find that the 45-day period for filing a Petition for Review commenced on October 3 would negate the purpose of 40 C.F.R. § 23.7 – to provide an equal opportunity to all parties to file a Petition for Review. The "race to the courthouse" would be left to the vagaries of the U.S. Postal Service, as the party who first received the order in the mail would be the party first able to file. 40 C.F.R. § 23.7 was promulgated for the express purpose of avoiding this result. See 50 Fed. Reg. 7268 (Feb. 21, 1985). Petr. App. at 113-123.

In addition, a finding that the period for filing a Petition for Review commenced on October 3, 2001 would run afoul of the well-settled "ripeness doctrine," as the EAO would have been reviewable before it was "effective" and at a time when no party could have been aggrieved thereby. Under the Administrative Procedure Act ("APA"), only a party that is adversely affected or aggrieved by an agency action can challenge that action. See 5 U.S.C. § 702. "A petitioner cannot be affected by a rule or regulation until, at the very least, the rule or regulation has gone into effect." Disabled American Veterans v. Gober, 234

F.3d 682, 690 (Fed. Cir. 2000), cert. denied, 121 S. Ct. 1605 (2001). Likewise, a party cannot be harmed by an order until its effective date. Therefore, to meet both the SDWA's timeliness requirement and the APA's ripeness requirement, the time and date of "issuance" for purposes of judicial review cannot precede the date the order is effective. If this Court were to hold otherwise, an agency could make an order effective after the time for filing a petition has expired, thus eliminating any opportunity to file a Petition for Review (because the appeal would not be "ripe" until after the period for review expired). The court in Disabled American Veterans recognized this illogical and draconian result and remedied the potential problem by defining "issuance" for the purpose of judicial review as the date a rule becomes effective. Id. at 690-91 (holding that "issuance must be defined as the date a rule becomes effective" to allow a "controversy to become ripe" and meet harm requirements).

Thus, because the EAO did not explicitly provide for a time and date of issuance for purposes of judicial review, and because an issuance date of October 3 contradicts the intent of EPA's regulations, as well as the ripeness doctrine, the EAO's issuance date was two weeks after signature, or October 17, 2001, and Marathon's Petition for Review was timely filed 34 days thereafter.

B. Even if the Court Were to Find That the EAO Explicitly Provides an Issuance Date, Marathon's Petition for Review Would Still Be Timely.

The EAO provides that the "effective date" of the EAO "shall be three (3) business days after the date of issuance." Petr. App. at 108. Thus, as discussed above, an appeal of the EAO was not ripe for judicial review until this effective date. See Disabled American Veterans, 234 F.3d at 690. Even if the Court were to determine that this "effective date" started the period for filing a Petition for Review, Marathon's petition would still be timely. Under any interpretation of the EAO, the effective date could not have been earlier than October 8, 2001— three (3) business days after the EAO was signed. Because Marathon's petition was filed 43 days after this date, it still would have been timely filed even if the Court determined that the 45-day period commenced on this date.

C. Due Process Requires That This Court Accept Jurisdiction of Marathon's Petition for Review.

The EPA regulation at 40 C.F.R. § 23.7 unequivocally sets the date of issuance for purposes of judicial review as two weeks after the date of signature. Petr. App. at 111. The EAO states that it is not "effective" until three (3) business days after the "issuance date," and provides an issuance date in the signature block. Petr. App. at 108. As discussed above, the specific mandate at 40 C.F.R. § 23.7 should govern the commencement of the period to file a Petition for Review. At the very least, however, the date on which the period is to commence is

ambiguous. To interpret this ambiguity in a way that denies Marathon an effective right to appeal would deprive Marathon of its right to due process of law. *See Brandt v. Hickel*, 427 F.2d 53, 57 (9th Cir. 1970) (holding that an ambiguity concerning the finality of agency action denies aggrieved party of effective right to appeal and deprives due process of law). Therefore, the Court must accept Marathon's Petition for Review in this case.

VI. CONCLUSION

For the reasons stated herein, Marathon respectfully requests that this Court find that Marathon's Petition for Review was timely filed and, thus, that the Court has jurisdiction pursuant to 42 U.S.C. § 300j-7.

Dated:

January 18, 2002

Respectfully submitted,

John D. Fognani, Esq., Colo. Reg. # 8280

Lauren C. Buehler, Esq., Colo. Reg. # 29286

FOGNANI GUIBORD HOMSY & ROBERTS, LLP

555 – 17th Street, 26th Floor

Denver, CO 80202

Telephone: (303) 382-6200 Facsimile: (303) 382-6210

ATTORNEYS FOR MARATHON OIL

COMPANY

CERTIFICATE OF SERVICE

I hereby certify that on the 18th day of January 2002, a true and correct copy of the foregoing **MEMORANDUM BRIEF IN SUPPORT OF THIS COURT'S JURISDICTION** was served via first-class mail, postage prepaid, upon the following:

Elizabeth E. Mack, Esq. Locke Liddell & Sapp LLP 2200 Ross Avenue, Suite 2200 Dallas, TX 75201-6776

Steve Leifer, Esq.
Baker & Botts LLP
The Warner
1299 Pennsylvania Ave., N.W.
Washington, DC 20004-2400

James E. Baine, Esq. Murphy Exploration & Production Co. 200 Peach Street El Dorado, AK 71730 David A. Carson, Esq.
United States Department of Justice
Environment and Natural Resources Div.
999 – 18th Street, North Tower, Suite 945
Denver, CO 80202

Jim Eppers, Esq.
U.S. Environmental Protection Agency
Region 8
999 – 18th Street, Suite 300
Denver, CO 80202-2466

Barbara E. Hawk

IN THE UNITED STATES COURT OF APPEALS FOR THE TENTH CIRCUIT

MARATHON OIL COMPANY,)	
Petitioner,)	
v.	.)	No. 01-9543
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY,)	
Respondent.)))	

PETITION FOR REVIEW OF FIRST AMENDED EMERGENCY ADMINISTRATIVE ORDER ISSUED BY THE ENVIRONMENTAL PROTECTION AGENCY Docket No. SDWA-08-2001-33

APPENDIX OF PETITIONER MARATHON OIL COMPANY

FOGNANI GUIBORD HOMSY & ROBERTS, LLP John D. Fognani Lauren C. Buehler 555 – 17th Street, 26th Floor Denver, CO 80202 (303) 382-6200 Attorneys for Petitioner Marathon Oil Company

INDEX TO APPENDIX OF PETITIONER MARATHON OIL COMPANY

DOCUMENTS

Document No.	Title of Document	Page
1.	Section 300j-7 of the Safe Drinking Water Act, 42 U.S.C. § 1448	Petr. App. 001 – Petr. App. 003
2.	Marathon Oil Company Petition for Review	Petr. App. 004 – Petr. App. 005
3.	Emergency Administrative Order	Petr. App. 006 – Petr. App. 092
4.	First Amended Emergency Administrative Order, Docket No. SDWA-08-2001-33	Petr. App. 093 – Petr. App. 109
5.	40 C.F.R. Part 23	Petr. App. 110 – Petr. App. 112
6.	50 Fed. Reg. 7268 (Feb. 21, 1985)	Petr. App. 113 – Petr. App. 123
7.	53 Fed. Reg. 29320 (Aug. 3, 1988)	Petr. App. 124 – Petr. App. 130

Petr. App. 001

TITLES OF UNITED STATES CODE

UNITED STATES CODE ANNOTATED

1	General	Provisions.
1.	OCHULAI	I I O VISIOIIS.

- 2. The Congress.
- 3. The President.
- 4. Flag and Seal, Seat of Government, and the States.
- 5. Government Organization and Employees.
- 6. Surety Bonds (See Title 31, Money and Finance).
- 7. Agriculture.
- 8. Aliens and Nationality.
- 9. Arbitration.
- 10. Armed Forces.
- 11. Bankruptcy.
- 12. Banks and Banking.
- 13. Census.
- 14. Coast Guard.
- 15. Commerce and Trade.
- 16. Conservation.
- 17. Copyrights.
- 18. Crimes and Criminal Procedure.
- 19. Customs Duties.
- 20. Education.
- 21. Food and Drugs.
- 22. Foreign Relations and Intercourse.
- 23. Highways.
- 24. Hospitals and Asylums.
- 25. Indians.
- 26. Internal Revenue Code.
- 27. Intoxicating Liquors.

- 28. Judiciary and Judicial Procedure.
- 29. Labor.
- 30. Mineral Lands and Mining.
- 31. Money and Finance.
- 32. National Guard.
- 33. Navigation and Navigable Waters.
- 34. Navy (See Title 10, Armed Forces).
- 35. Patents.
- 36. Patriotic Societies and Observances.
- 37. Pay and Allowances of the Uniformed Services.
- 38. Veterans' Benefits.
- 39. Postal Service.
- 40. Public Buildings, Property, and Works.
- 41. Public Contracts.
- 42. The Public Health and Welfare.
- 43. Public Lands.
- 44. Public Printing and Documents.
- 45. Railroads.
- 46. Shipping.
- 47. Telegraphs, Telephones, and Radiotelegraphs.
- 48. Territories and Insular Possessions.
- 49. Transportation.
- 50. War and National Defense.

UNITED STATES CODE ANNOTATED

TITLE 42

The Public Health

and Welfare

§§ 300 to 300aaa-13

Comprising All Laws of a General and Permanent Nature
Under Arrangement of Official Code of the Laws of the United States with
Annotations from Federal and State Courts

ST. PAUL, MINN.

WEST PUBLISHING CO.

42 § 3001-7

Revision Notes and Legislative Reports 1974 Act. House Report No. 93-1185, see 1974 U.S.Code Cong. and Adm.News, p. 6454.

1977 Act. House Report No. 95-338, see 1977 U.S.Code Cong. and Adm.News, p. 3648.

References in Text

The Safe Drinking Water Amendments of 1977, referred to in subsec. (c)(1), is Pub.L. 95-190, Nov. 16, 1977, 91 Stat. 1393. For complete classification of this Act to the Code, see Short Title of 1977 Amendment note set out under section 201 of this title and Tables.

Amendments

1977 Amendment. Subsec. (a). Pub.L. 95-190, § 8(a), substituted provisions relating to compliance by Federal agencies having jurisdiction over federally owned or maintained public water systems, or engaged in underground injection activities with Federal, State, and local requirements, etc., for provisions relating to compliance by Federal agencies having jurisdiction over federally owned or maintained public water systems with national primary drinking water regulations.

Subsec. (c). Pub.L. 95-190, § 8(d), added subsec. (c).

CROSS REFERENCES

Citizen's civil action, availability of other relief, see 42 USCA § 300j-8.

Regulations for State programs, minimum requirements and restrictions, see 42

USCA § 300h.

LIBRARY REFERENCES

American Digest System

Purity of water and protection thereof from pollution or diversion, see Waters and Water Courses = 196.

Regulation of water supply and use, see Waters and Water Courses \$\infty\$202. Water pollution; federal regulation, see Health and Environment \$\infty\$25.7(3).

Encyclopedias

Pollution of, and other injuries to, water supply, see C.J.S. Waters § 232. Purity and quality of water supply to municipalities, see C.J.S. Waters § 269. Regulation of supply and use of water, see C.J.S. Waters § 280.

Water pollution; administrative powers and duties of federal agencies, see C.J.S. Health and Environment § 107.

Law Reviews

Federal facilities and environmental compliance: Toward a solution. Stan Millan, 36 Loy.L.Rev. 319 (1990).

Warrior and the Druid—the DOD and environmental law. Michael Donnelly and James G. Van Ness, 33 Fed.Bar News 37 (1986).

WESTLAW ELECTRONIC RESEARCH

Health and environment cases: 199k[add key number].
Waters and water courses cases: 405k[add key number].
See, also, WESTLAW guide following the Explanation pages of this volume.

§ 300i-7. Judicial review

(a) Courts of appeals; petition for review; actions respecting regulations; filing period; grounds arising after expiration of filing period; exclusiveness of remedy

A petition for review of-

(1) actions pertaining to the establishment of national pri-

nant level goals) may be filed only in the United States Court of Appeals for the District of Columbia circuit; and

(2) any other action of the Administrator under this chapter may be filed in the circuit in which the petitioner resides or transacts business which is directly affected by the action. Any such petition shall be filed within the 45-day period beginning on the date of the promulgation of the regulation or issuance of the order with respect to which review is sought or on the date of the determination with respect to which review is sought, and may be filed after the expiration of such 45-day period if the petition is based solely on grounds arising after the expiration of such period. Action of the Administrator with respect to which review could have been obtained under this subsection shall not be subject to judicial review in any civil or criminal proceeding for enforcement or in any civil action to enjoin enforcement.

(b) District courts; petition for review; actions respecting variances or exemptions; filing period; grounds arising after expiration of filing period; exclusiveness of remedy

The United States district courts shall have jurisdiction of actions brought to review (1) the granting of, or the refusing to grant, a variance or exemption under section 300g-4 or 300g-5 of this title or (2) the requirements of any schedule prescribed for a variance or exemption under such section or the failure to prescribe such a schedule. Such an action may only be brought upon a petition for review filed with the court within the 45-day period beginning on the date the action sought to be reviewed is taken or, in the case of a petition to review the refusal to grant a variance or exemption or the failure to prescribe a schedule, within the 45-day period beginning on the date action is required to be taken on the variance, exemption, or schedule, as the case may be. A petition for such review may be filed after the expiration of such period if the petition is based solely on grounds arising after the expiration of such period. Action with respect to which review could have been obtained under this subsection shall not be subject to judicial review in any civil or criminal proceeding for enforcement or in any civil action to enjoin enforcement.

(c) Judicial order for additional evidence before Administrator; modified or new findings; recommendation for modification or setting aside of original determination

In any judicial proceeding in which review is sought of a determination under this subchapter required to be made on the record after notice and opportunity for hearing, if any party applies to the court for leave to adduce additional evidence and shows to the satisfaction of the court that such additional evidence is material

WESTLAW ELECTRONIC RESEARCH

Health and environment cases: 199k[add key number]. Waters and water courses cases: 405k[add key number]. See, also, WESTLAW guide following the Explanation pages of this volume.

NOTES OF DECISIONS

Challenge to promulgation of program Removal 2

Venue 1

l. Venue

Jurisdictional amendment to Safe Drinking Water Act, which simply withdrew jurisdiction from Court of Appeals for District of Columbia, and in its place, vested jurisdiction over underground injection control programs in the circuit in which the petitioner resided or transacted business directly affected by the action of the Administrator of the Environmental Protection Agency, did not affect the ultimate availability of relief for claims at issue so that Court of Appeals for circuit in which oil company transacted business was proper forum to entertain oil company's petition challenging regulation promulgated by Administrator even though petition was filed before amendments. Phillips Petroleum Co. v. U.S. E.P.A., C.A.10, 1986, 803 F.2d 545.

Petition for review of regulations promulgated by Environmental Protection Agency, which established recommended maximum contaminant levels for certain volatile, synthetic organic chemicals in public water systems, was properly transferred to the Court of Appeals for the District of Columbia Circuit; as levels were national in scope, it best comported with congressional intent to require that issue be settled in District of Columbia Circuit. Halogenated Solvents Industry Alliance v. Thomas. CA.5, 1986, 783 F.2d 1262.

Court of Appeals for District of Columbia Circuit was appropriate court of venue for review petitions challenging Consolidated Permit Regulations issued by Environmental Protection Agency pursuant to Hazardous Waste Management permit program under Resource Conservalion and Recovery Act of 1976, section 6901 et seq. of this title, Underground

Injection Control permit program under this subchapter, National Pollutant Discharge Elimination System portion and Dredge or Fill permit programs under Federal Water Pollution Control Act. section 1251 et seq. of Title 33, and some procedural requirements for Prevention of Significant Deterioration program under Clean Air Act, section 7401 et seq. of this title. Natural Resources Defense Council v. U. S. Environmental Protection Agency, 1980, 673 F.2d 392, 218 U.S.App.D.C. 1, certiorari denied 103

S.Ct. 175, 459 U.S. 889, 74 L.Ed.2d 143.

2. Removal

Plaintiff's claims, alleging violations of the Safe Drinking Water Act by the Administrator of the Environmental Protection Agency improperly brought in district court, could not have been brought in Court of Appeals at the time petition was filed with district court and thus removal to Court of Appeals was not proper. Western Nebraska Resources Council v. Wyoming Fuel Co., D.Neb.1986, 641 F.Supp. 128.

3. Challenge to promulgation of pro-

Plaintiff's challenge to Administrator of Environmental Protection Agency's inclusion of aquifer exemption provision within approved Nebraska underground injection control program and failure to designate Chadron formation aquifer as an underground source of drinking water in the approved Nebraska program constituted challenge to the promulgation of the Nebraska underground injection control program rather than the Administrator's approval of the Nebraska underground injection control program revision, and thus plaintiff advanced no claim cognizable under district court's jurisdiction and review was proper in Court of Appeals. Western Nebraska Resources Council v. Wyoming Fuel Co., D.Neb.1986, 641 F.Supp. 128.

and that there were reasonable grounds for the failure to adduce such evidence in the proceeding before the Administrator, the court may order such additional evidence (and evidence in rebuttal thereof) to be taken before the Administrator, in such manner and upon such terms and conditions as the court may deem proper. The Administrator may modify his findings as to the facts, or make new findings, by reason of the additional evidence so taken, and he shall file such modified or new findings, and his recommendation, if any, for the modification or setting aside of his original determination, with the return of such additional evidence.

(July 1, 1944, c. 373, Title XIV, § 1448, as added Dec. 16, 1974, Pub.L. 93-523, § 2(a), 88 Stat. 1689, and amended June 19, 1986, Pub.L. 99-339, Title III, § 303, 100 Stat. 667.)

HISTORICAL AND STATUTORY NOTES

Revision Notes and Legislative Reports 1974 Act. House Report No. 93-1185, see 1974 U.S.Code Cong. and Adm.News. p. 6454.

1986 Act. Senate Report No. 99-56. House Conference Report No. 99-575, and Statement by President, see 1986 U.S.Code Cong. and Adm. News, p. 1566.

Amendments

1986 Amendment. Subsec. (a)(1). Pub.L. 99-339, § 303(1), substituted provision that actions pertaining to establishment of national primary drinking water regulations, including maximum contaminant level goals, be filed only in the United States Court of Appeals for the District of Columbia circuit for provision that action of the Administrator in promulgating national primary drinking water regulations under section 300g-1 of this title, under section 300g-2(b)(1) of this title, and section 300g-3(c) of this title, any regulation for State underground injection control programs under section 300h of this title, or any general regulation for administration of this subchapter be filed only in the United States Court of Appeals for the District of Columbia Clrcuit.

Subsec. (a)(2). Pub.L. 99-339, § 303(2), substituted provision that any other action of the Administrator under this subchapter be filed in the circuit in which the petitioner resides or transacts business which is directly affected by the action for provision that action of the Administrator in promulgating any other regulation, issuing any order, or making any determination under this subchapter be filed only in the United States court of appeals for the appropriate circuit.

CROSS REFERENCES

Administrative orders subject to judicial review, see 42 USCA § 300h-2.

LIBRARY REFERENCES

American Digest System

Purity of water and protection thereof from pollution or diversion, see Waters and Water Courses €196.

Regulation of water supply and use, see Waters and Water Courses ←202. Water pollution: federal regulation, see Health and Environment ←25.7(3). Encyclopedias

Federal regulation of water pollution; judicial remedies relating to administrative acts and duties, see C.J.S. Health and Environment § 111.

Federal regulation of water pollution; review of administrative acts by court of appeals, see C.J.S. Health and Environment § 112.

Pollution of, and other injuries to, water supply, see C.J.S. Waters § 232. Purity and quality of water supply to municipalities, see C.J.S. Waters § 269. Regulation of supply and use of water, see C.J.S. Waters § 280.

"RECEIVED
U.S. COURT OF APPEALS
10TH CIRCUIT

01 NOV 20 PM 2: 35

UNITED STATES COURT OF APPEALS FOR THE TENTH CIRCUIT

MARATHON OIL COMPANY,)
Petitioner,)
v .) PETITION FOR REVIEW
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY,)))
Respondent.))

Marathon Oil Company hereby petitions the Court for review of the First Amended Emergency Administrative Order of the United States Environmental Protection Agency, Region VIII ("EPA"), Docket No. SDWA-08-2001-33, filed on October 3, 2001. The First Amended Emergency Administrative Order substantially modifies EPA's Emergency Administrative Order, filed on September 20, 2001.

Respectfully submitted,

John D. Fognani, Esq., Colo. Reg. # 8280

Lauren C. Buehler, Esq., Colo. Reg. # 29286

FOGNANI GUIBORD HOMSY & ROBERTS, LLP

 $555-17^{th}$ Street, 26^{th} Floor

Denver, CO 80202

Telephone: (303) 382-6200 Facsimile: (303) 382-6210

ATTORNEYS FOR MARATHON OIL COMPANY

CERTIFICATE OF SERVICE

I hereby certify that a true and correct copy of the foregoing Petition for Review was served via certified mail, return receipt requested, upon the following counsel of record who are admitted to participate in the agency proceedings on this 200 day of November 2001.

Elizabeth E. Mack, Esq. Locke Liddell & Sapp LLP 2200 Ross Avenue, Suite 2200 Dallas, TX 75201-6776

Steve Leifer, Esq.
Baker & Botts LLP
The Warner
1299 Pennsylvania Ave., N.W.
Washington, DC 20004-2400

James E. Baine Murphy Exploration & Production Co. 200 Peach Street El Dorado, AK 71730

Jim Eppers
U.S. Environmental Protection Agency
Region 8
999 – 18th Street, Suite 300
Denver, CO 80202-2466

Hon. Christine Todd Whitman EPA Administrator U.S. Environmental Protection Agency Ariel Rios Building 1200 Pennsylvania Avenue, N.W. Washington, DC 20460

John Cruden, Esq.
Acting Assistant Attorney General
Environment & Natural Resources Division
U.S. Department of Justice
950 Pennsylvania Avenue
Room 2143
Washington, DC 20530

General Counsel
Correspondence Control Unit
Office of the General Counsel (2311)
U.S. Environmental Protection Agency
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460

David A. Carson
United States Department of Justice
Environment and Natural Resources Div.
999 – 18th Street, North Tower, Suite 945
Denver, CO 80202

Barbara E. Hawk

#15162

LOCKE LIDDELL & SAPP LLP

ATTORNEYS & COUNSELORS

2200 Ross Avenue Suite 2200 Dallas, Texas 75201-6776

Austin • Dallas • Houston • New Orleans

(214) 740-8000 FAX: (214) 740-8800 www.lockeliddell.com

DIRECT NUMBER: 214-740-8598 email: emack@lockeliddell.com

10 EDS (ven

January 8, 2001

VIA FEDERAL EXPRESS

Patrick J. Fisher, Clerk U.S. Court of Appeals -- Tenth Circuit Byron White U.S. Courthouse 1823 Stout Street Denver, CO 80257

Re: Samson Investment Company and Samson Hydrocarbons Company v. United States Environmental Protection Agency;

Dear Mr. Fisher:

Enclosed for filing in the above-referenced case please find an original and five copies of a Petition for Review. Please find enclosed also my firm check in the amount of \$100.00 to cover the filing fees. Please return all extra file-stamped copies in the enclosed postage-paid envelope.

By copy of this letter I am serving all counsel of record who are admitted to participate in the agency proceeding.

If you have any questions or need additional information, please do not hesitate to contact me.

Sincerely,

Elizabeth E. Mack

EEM cay

END TO FILE ROMPTLY AFTER ACTION HIS ITEM AUTHORIZES JACKET-IG OF FILE MATERIAL O NOT FILE IN OFFICE FILE 90-5-1-7-16208

DEPARTMENT OF JUSTICE

ENVIR

Patrick J. Fisher, Clerk January 8, 2001 Page 2

cc (w/encl.): Via Certified Mail Return Receipt Requested to All Counsel of Record

Dean R. Massey, Esq Massey, Semenoff, Stern & Schwarz, P.C. The Equitable Bldg. Suite 300 730 17th Street Denver, CO 80202

Steve Leifer, Esq.
Baker & Botts LLP
The Warner
1299 Pennsylvania Ave NW
Washington, DC 20004-2400

Candace Walker, Esq. Marathon Oil Company Law Organization P.O. Box 4813 Houston, TX 77210-4813

Hon. Carol Browner, Administrator U.S. Environmental Protection Agency Waterside Mall 401 M Street, S.W. Washington, DC 20460 Michael Webster Crowley, Haughey, Hanson, Toole & Dietrich, P.L.L.P. 490 N. 31 Street Billings, MT 59101

John W. Ross, Esq. The Brown Law Firm 315 N. 24th Street P.O. Drawer 849 Billings, Montana 59103-0849

Jim Eppers
U.S. Environmental Protection Agency
Region 8
999-18th Street, Suite 300
Denver, CO 80202-2466

Lois Schiffer
Assistant Attorney General
Environmental & Natural Resources
Division
U.S. Department of Justice
960 Pennsylvania Avenue, Room 2718
Washington, DC 20530

UNITED STATES COURT OF APPEALS FOR THE TENTH CIRCUIT

SAMSON INVESTMENT COMPANY and SAMSON HYDROCARBONS COMPANY,

PETITIONERS.

തതതതതതതതതതതത

PETITION FOR REVIEW

٧.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY.

RESPONDENT.

Samson Investment Company and Samson Hydrocarbons Company hereby petition the court for review of the Second Amended Emergency Administrative Order of the United States Environmental Protection Agency, Region VIII, Docket No. SDWA-8-99-68, filed on November 30, 2000.

Respectfully submitted,

Elizabeth E. Mack

State Bay No. 12761050

LOCKE LIDDELL & SAPP LLP

2200 Ross Avenue, Suite 2200

Dallas, Texas 75201-6776

Telephone: (214) 740-8000

Facsimile: (214) 740-8800

ATTORNEY FOR PETITIONERS SAMSON INVESTMENT COMPANY AND SAMSON HYDROCARBONS COMPANY

CERTIFICATE OF SERVICE

Dean R. Massey, Esq Massey, Semenoff, Stern & Schwarz, P.C. The Equitable Bldg. Suite 300 730 17th Street Denver, CO 80202

Steve Leifer, Esq.
Baker & Botts LLP
The Warner
1299 Pennsylvania Ave NW
Washington, DC 20004-2400

Candace Walker, Esq. Marathon Oil Company Law Organization P.O. Box 4813 Houston, TX 77210-4813

Hon. Carol Browner, Administrator U.S. Environmental Protection Agency Waterside Mall 401 M Street, S.W. Washington, DC 20460 Michael Webster Crowley, Haughey, Hanson, Toole & Dietrich, P.L.L.P. 490 N. 31 Street Billings, MT 59101

John W. Ross, Esq. The Brown Law Firm 315 N. 24th Street P.O. Drawer 849 Billings, Montana 59103-0849

Jim Eppers
U.S. Environmental Protection Agency
Region 8
999-18th Street, Suite 300
Denver, CO 80202-2466

Lois Schiffer
Assistant Attorney General
Environmental & Natural Resources
Division
U.S. Department of Justice
960 Pennsylvania Avenue, Room 2718
Washington, DC 20530

Elizabeth B. Mack



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8
999 18TH STREET - SUITE 300
DENVER, CO 80202-2466
http://www.epa.gov/region08

NOV 3 0 0000

Ref: 8ENF-T

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Samson Investment Company Corporation Trust Company of Nevada 6100 Neil Road #500 Reno, NV 89511

RE: Second Amended Emergency
Administrative Order under
Section 1431 of the SDWA
Docket No. SDWA-8-99-68

Dear Samson Investment Company:

Enclosed is a Second Amended Emergency Administrative Order issued under Section 1431 of the Safe Drinking Water Act (SDWA), 40 U.S.C.§ 300i. This Order amends the previously issued Order bearing the same docket number, first issued on September 30, 1999, and first amended on November 5, 1999. The United States Environmental Protection Agency (EPA) has learned that, in early 1993, Samson Investment Company acquired all issued and outstanding stock of Grace Petroleum Corporation, becoming its successor in interest. Accordingly, EPA has amended the Order to add Samson Investment Company (and its subsidiary Samson Hydrocarbons Company) as Respondents and remove W.R. Grace & Company-Conn. as a Respondent. All other significant aspects of the existing Order remain unchanged.

The Order continues to be based on contamination of the ground water in and around the area of the East Poplar Oil Field within the boundary of the Fort Peck Indian Reservation in Roosevelt County, Montana. EPA has identified the presence of the contaminant benzene and a substantial increase in the total dissolved solids levels in the Quaternary Deposits. The presence of these contaminants in the Quarternary Deposits, an Underground Source of Drinking Water (USDW), may present an imminent and substantial endangerment to the health of local residents who drink and use this water. EPA has also determined that the Respondents of the Order, through the operations of the oil and gas production facilities in the East Poplar Oil Field, have caused or contributed and/or are continuing to cause and contribute to the endangerment of the USDW.



5/105

2

The enclosed Order sets forth the actions that you must make to, among other things, ensure that the people served by the USDW are provided with safe drinking water. The penalties for failing to comply are set forth in the Order. The Order requires that you continue to provide temporary safe drinking water to identified residences, submit well, tank, pipeline and pit information, and submit geologic and hydrologic field information. It is also anticipated that additional Orders will be issued to the parties responsible for the historic and/or ongoing Quaternary aquifer contamination in the East Poplar Oil Field. In any such subsequent Order(s), EPA will, in a phased approach, require further study and/or plans for containment, diversion, or remediation of the Quaternary aquifer.

EPA strongly urges all Respondents to consider investigating their oil production-related appurtenances (i.e. oil well(s), injection well(s), tank(s), pipeline(s), pit(s)) as an activity to better refine the source(s) of contamination of the Quaternary aquifer. EPA believes that there may still be on-going contamination of the Quaternary aquifer. EPA will gladly assist such efforts in any way possible. Such investigation may include such activities as physical inspection, pressure testing, excavation, or ground water monitoring, depending on the appurtenance.

The issuance of this Order is consistent with EPA's goal of protecting human health and the environment, including working to ensure the provision of safe drinking water to the affected residents. With regard to this Order, please contact Nathan Wiser at (303) 312-6211 or write Mr. Wiser at the address provided above, mail code 8-ENF-T.

Sincerely,

Coully E. Mens

Connally E. Mears, Director Technical Enforcement Program Office of Enforcement, Compliance and Environmental Justice

Enclosure

cc: Arlyn Headdress, Chairman, Fort Peck Tribal Executive Board

Deb Madison, Assiniboine and Sioux Tribes Environmental Program Manager

Doug Endreson, Tribal Counsel, Assiniboine and Sioux Tribes George Hudak, Montana Board of Oil and Gas Conservation 3

bcc: Nathan Wiser, 8ENT-T Jim Eppers, 8ENF-L Wendy Thomi, 8MO Jim Boyter, 8MO

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION VIII 00 NOV 30 PM 4:4;

IN THE MATTER OF

EPA REGION VIII HEARTHO DLERK

AMARCO Resources Corporation,

Marathon Oil Company,

Murphy Exploration and Production Company,

Pioneer Natural Resources USA)
Incorporated,

Samson Investment Company,

Samson Hydrocarbons Company,

Respondents

East Poplar Oil Field Fort Peck Indian Reservation Montana

Proceedings under Section 1431(a) of the Safe Drinking Water Act, 42 U.S.C. §300g-i(a) SECOND AMENDED EMERGENCY
ADMINISTRATIVE ORDER

Docket No. SDWA-8-99-68

DESCRIPTION

This Order amends existing Order Docket #SDWA-8-99-68, which was first issued September 30, 1999, and first amended on November 5, 1999. This amendment makes only the changes listed in the following paragraphs and makes no other changes to the existing Order. These amendments are made because, on or about January 21, 1993, Samson Investment Company acquired all issued and

East Poplar Oil Field Page 2 of 6

outstanding stock of Grace Petroleum Corporation and became that company's successor in interest. On or about that same day, Samson Investment Company changed the name of Grace Petroleum Corporation to Samson Natural Gas Company. Samson Natural Gas Company then changed its name to SNG Production Company on or about April 19, 1993. Then, on or about December 28, 1994, SNG Production Company changed its name to Samson Hydrocarbons Company.

The existing Order continues in full effect except for the amendments set forth hereunder.

AMENDMENTS TO ORDER DOCKET No. SDWA-8-99-68

1. The caption of existing Order is changed to reflect the removal of W.R. Grace & Co.-Conn. as a Respondent and the addition of both Samson Investment Company and Samson Hydrocarbons Company as Respondents. The caption of Order Docket #SDWA-8-99-68 will now appear as follows: East Poplar Oil Field Page 3 of 6

IN THE MATTER OF

AMARCO Resources Corporation,

Marathon Oil Company,

Murphy Exploration and Production Company,

Pioneer Natural Resources USA)
Incorporated,)

Samson Investment Company,

Samson Hydrocarbons Company,

Respondents

East Poplar Oil Field Fort Peck Indian Reservation Montana

Proceedings under Section 1431(a) of the Safe Drinking Water Act, 42 U.S.C. §300g-i(a) Docket No. SDWA-8-99-68

SECOND AMENDED EMERGENCY ADMINISTRATIVE ORDER

2. Section III, Paragraph 5 of the November 5, 1999, Order is replaced by the following paragraph:

Samson Investment Company is a Nevada corporation and therefore a "person" within the meaning of 40 CFR §141.2 and §144.2 and Section 1401(12) of the Safe Drinking Water Act, 42 U.S.C. §300f(12). Polumbus Petroleum Corporation merged with W.R. Grace & Co. (a Connecticut corporation) to become

East Poplar Oil Field Page 4 of 6

Grace Petroleum Corporation in 1976. Samson
Investment Company acquired all issued and
outstanding stock of Grace Petroleum Corporation
in 1993, thereby becoming its successor in
interest. Polumbus did business in the State of
Montana. Grace Petroleum Corporation did business
in the State of Montana. Samson Hydrocarbons
Company, a subsidiary of Samson Investment
Company, is a Delaware corporation and therefore a
"person" within the meaning of 40 CFR §141.2 and
§144.2 and Section 1401(12) of the Safe Drinking
Water Act, 42 U.S.C. §300f(12).

3. The following sentence is added to Section VI, Paragraphs 1(B), 1(C), 1(D), and 1(E) of the November 5, 1999, Order:

Respondents Samson Investment Company and Samson Hydrocarbons Company shall submit the information ordered in this paragraph by January 31, 2001.

4. The description at the top of the seventh page of
Attachment #2 to the November 5, 1999 Order will now
appear as follows:

Samson Investment Company and Samson Hydrocarbons Company 2 West Second Street Tulsa, Oklahoma 74103

For: Polumbus Corporation/Polumbus Company/Grace Petroleum Corporation

5. The ninth page of Attachment #2 to the November 5, 1999

East Poplar Oil Field Page 5 of 6

Order is removed, correcting its inadvertent inclusion in the November 5, 1999 Order.

6. The effective date of this Second Amended Emergency
Administrative Order shall be the date of issuance.

12/105

East Poplar Oil Field Page 6 of 6

Issued this 30th day of November

Commelly E. means

Connally E. Mears, Director Technical Enforcement Program Office of Enforcement, Compliance, and Environmental Justice United States Environmental Protection Agency, Region 8

Michael T./Risher Director

David J. Janik, Supervisory Attorney

Legal Enforcement Program

Office of Enforcement, Compliance,

and Environmental Justice

United States Environmental Protection Agency,

Region 8

CERTIFICATE OF SERVICE Docket No. SDWA-8-99-68

I hereby certify that the original and a true copy of this Second Amended Emergency Administrative Order were hand-carried to the Regional Hearing Clerk, EPA Region VIII, 999 18th Street, Denver, Colorado, and that a true copy of the same was hand-carried to:

> Regional Judicial Officer EPA Region VIII 999 18th Street Denver, Colorado

and that true copies of the same were sent via Certified Mail Return Receipt Requested mail to:

AMARCO Resources Corporation S.O.S. 2920 One Main Place Dallas, TX 75250

Samson Hydrocarbons Company Prentice-Hall Corporation System, Inc. 1013 Centre Road Wilmington, DE 19805

Samson Hydrocarbons Company Attention: Environmental Services Two West Second Street, Samson Plaza Tulsa, OK 74103-3103

Samson Investment Company Attention: Environmental Services Two West Second Street, Samson Plaza Tulsa, OK 74103-3103

Samson Investment Company Corporation Trust Company of Nevada 6100 Neil Road #500 Reno, NV 89511

Dated: November 30, 2000

W.R. Grace and Company - Conn.
Prentice Hall Corporation System, Inc.
P.O. Box 1691
Helena, MT 59624-1691

Marathon Oil Company CT Corporation System 40 West Lawrence, Suite A Helena, MT 59624-1166

Murphy Exploration and Production Company
CT Corporation System
40 West Lawrence, Suite A
P.O. Box 1166
Helena, MT 59624-1166

Pioneer Natural Resources USA, Inc. CT Corporation System 40 West Lawrence, Suite A Helena, MT 59624-1166

Rv.

whith McTerna

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION VIII 99 NOV -5 AM 8: 00

IN THE MATTER OF

AMARCO Resources Corporation,

Marathon Oil Company,

Murphy Exploration and Production Company,

Pioneer Natural Resources USA)
Incorporated,)

W.R. Grace & Company-Conn.,

Respondents

East Poplar Oil Field Fort Peck Indian Reservation Montana

Proceedings under Section 1431(a) of the Safe Drinking Water Act, 42 U.S.C. §300g-i(a) EPA REGION VIII HEARING CLERK

Docket No. SDWA-8-99-68

FIRST AMENDED EMERGENCY
ADMINISTRATIVE ORDER

DESCRIPTION

This Order revokes and supercedes in its entirety the preceding Order Docket #SDWA-8-99-68 which was issued September 30, 1999.

I. STATUTORY AUTHORITY

The following Findings are made and Order issued under the authority vested in the Administrator of the U.S. Environmental Protection Agency (EPA) by Section 1431(a) of the Safe Drinking Water Act (the Act), 42 East Poplar Oil Field Page 2 of 19

U.S.C. §300i(a). The authority to take this action has been properly delegated to the undersigned EPA program supervisors.

II. ENFORCEMENT RESPONSIBILITY

1. EPA has primary enforcement responsibility for the Act on the Lands within the exterior boundary of the Fort Peck Indian Reservation in Roosevelt County in the State of Montana.

III. DESCRIPTION OF RESPONDENTS

- 1. AMARCO Resources Corporation is a Texas corporation and did business in the state of Montana and therefore is a "person" within the meaning of 40 CFR \$141.2 and \$144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12).

 AMARCO Resources Corp. is also using the trade name Westdale, Inc. in Texas.
- 2. Marathon Oil Company is an Ohio corporation and therefore a "person" within the meaning of 40 CFR \$141.2 and \$144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12). TXO Production Corp. a Delaware corporation merged with Marathon Oil Company. TXO Production Corp was a trade name for Texas Oil & Gas Corp. a Delaware corporation.
- 3. Murphy Exploration & Production Company is a Delaware corporation doing business in the State of Montana and

East Poplar Oil Field Page 3 of 19

therefore is a "person" within the meaning of 40 CFR \$141.2 and \$144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12).

- 4. Pioneer Natural Resources USA, Inc. is a Delaware corporation and therefore a "person" within the meaning of 40 CFR §141.2 and §144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12). Pioneer Natural Resources USA, Inc. acquired the assets of Mesa Petroleum Co. Mesa Petroleum Co. did business in the state of Montana.
- 5. W.R. Grace & Co. is a Connecticut corporation and therefore a "person" within the meaning of 40 CFR \$141.2 and \$144.2 and Section 1401(12) of the Act, 42 U.S.C. \$300f(12). Polumbus Petroleum Corporation in its merger with W.R. Grace & Co. became Grace Petroleum Corporation. Polumbus Petroleum Corporation merged with W.R. Grace & Co. a Connecticut corporation in 1976. Polumbus did business in the state of Montana.
- 6. Respondents own and/or operate or did own and/or operate oil and gas production facilities, including but not limited to oil or gas production wells, produced brine disposal wells, secondary recovery injection wells, drilled and abandoned dry holes, production and waste pits, storage tanks, oil/water separators, and distribution pipelines and pumping facilities, in portions of the East Poplar Oil Field

East Poplar Oil Field Page 4 of 19

located within Township 28 North, Range 51 East on the Fort Peck Indian Reservation in Roosevelt County in the State of Montana.

IV, FINDINGS

The Quaternary Deposits are the most recent geologic. 1. deposits of the Cenozoic Era, covering approximately the past 1.65 million years. These Quaternary Deposits in the East Poplar Oil Field area consist mainly of the Winota Gravel, Sprole Silt, glacial till, fan alluvium and colluvium, and alluvium. The Pleistocene Wiota Gravel, Sprole Silt, glacial till, and dune sand are referred to as "glacial deposits". Lithologic logs from the monitoring wells drilled in the area show depths ranging from of 55 to 100 feet. The Pleistocene and Holocene fan alluvium and colluvium and Holocene alluvium are referred to as "alluvium" and overlie the glacial deposits in many areas with depths ranging from 20 to 56 feet. The alluvium underlies flood plain deposits. Water in Quaternary deposits east of the Poplar River generally moves westward toward the river where it merges with southward-flowing ground water in the Poplar River valley. Downward movement of water from the Quaternary deposits is not a significant problem, the underlying Bearpaw Shale is relatively impermeable and forms a confining layer.

East Poplar Oil Field Page 5 of 19

- 2. These Quaternary glacial deposits and alluvium are the sole developed source of ground water for private resident wells in and around the East Poplar Oil Field and the Poplar, Montana and tribally-owned Poplar Head Start Center public water supply systems. Depth to the water table below land surface in this area generally ranges from about 5 to 44 feet in the alluvium and 7 to 139 feet in the glacial deposits.
- 3. The Quaternary Deposits form an unconfined aquifer which contains a sufficient quantity of ground water to supply a public water system. A public water system (PWS), as defined by 40 C.F.R. § 141.2, means a system for the provision to the public of piped water for human consumption, if such system has at least fifteen service connections or regularly serves an average of at least twenty-five individuals daily at least 60 days out of the year.
 - 4. The Quaternary Deposits are an underground source of drinking water (USDW). A USDW, as defined under 40 C.F.R. § 144.3, means an aquifer or its portion which supplies any PWS or which contains a sufficient quantity of ground water to supply a public water system; and currently supplies drinking water for human consumption or contains fewer than 10,000 mg/L total dissolved solids. Past sampling from private ground water wells in the area showed total dissolved solids

East Poplar Oil Field Page 6 of 19

content ranging from 427-2,680 mg/L (as discussed in the U.S. Geological Survey study below).

- The United States Geological Survey (USGS) has 5. conducted an extensive ground water investigation of saline-water contamination in and around the East Poplar Oil Field. The USGS reviewed ground water and surface water quality data from existing private water wells, new monitoring wells, oil wells, brine-injection wells, and the Poplar River in the East Poplar Oil Field area. Additionally, the USGS completed an electromagnetic geophysical survey, by measuring the electromagnetic apparent conductivity corrected for local anomalies (wells, pipelines, etc.), over a 21.6 square mile area to assist in the delineating the extent of the saline-water contamination plumes. Uncontaminated ground-water in the area had total dissolved solids content ranging from 427-2,680 mg/L. The areas delineated by the ground water study as part of the brine contaminated plumes contained total dissolved solid levels as high as 91,100 mg/L. In July 1999, EPA took ground water samples from the wells at private homes within the area shown by the USGS study to have brine contamination. EPA found TDS levels at these homes to range from 1850 to 4890 mg/L.
- 6. EPA collected water samples at several of the home sites in the contamination area to determine if any

East Poplar Oil Field Page 7 of 19

contamination by hydrocarbons or volatile organic compounds (VOCs) was also a concern. Brine contamination plumes associated with oil and gas production operations will have remnants of hydrocarbons from the production formation. Samples taken by both EPA at the existing home sites and USGS at several monitoring wells showed benzene contamination. A sample taken at one home site had benzene contamination between 58-78 ug/L or 0.058-0.078 mg/L, while other samples taken at USGS monitoring wells in the field were between 1.58-4.86 ug/L or 0.00158-0.00486 mg/L.

- 7. Under the Primary Drinking Water Standards, the maximum contaminant level (MCL) for benzene, as set forth in 40 C.F.R. § 141.61, is 0.005 mg/L. Secondary Drinking Water Standards, as set out in 40 C.F.R. § 143.3, for dissolved-solids is 500 mg/L.
- 8. The presence and entry of benzene at levels as high as .078 mg/L in the Quaternary Deposits USDW may present an imminent and substantial endangerment to the health of persons.
- 9. Benzene is a known human carcinogen. A causal relationship between benzene exposure and leukemia has been clearly established. Benzene exposure has also been associated with cancer of the lymph system (lymphoma), lung cancer, and bladder (urothelial)

East Poplar Oil Field Page 8 of 19

cancer. Benzene may increase the risk of cancer in humans who are exposed at lower levels over a long period of time.

- 10. The presence and entry of dissolved-solids at levels between 10,000 and 91,100 mg/L where found in the Quaternary Deposits USDW may present an imminent and substantial endangerment to the health of persons.
- 11. Total dissolved solids in excess of 1,000-2,000 mg/L is unpalatable and will not be voluntarily consumed by individuals. If an individual has no other source of water and is forced to consume water with TDS levels over 10,000 mg/L, the adverse health effects include severe osmotic diarrhea and severe dehydration.

 Continued consumption after the onset of the above conditions may result in death.
- 12. Contaminants, including dissolved-solids and benzene are present in, entering, and are likely to continue to enter the Quaternary Deposits.
- 13. Based upon the data obtained regarding the geology in the affected area, the general direction of groundwater migration in the USDW and water quality assessments from monitoring and private wells, and review of historical land use in the area, EPA has determined that Respondents' oil production practices and/or equipment have caused or contributed and/or are continuing to cause or contribute to the endangerment

East Poplar Oil Field Page 9 of 19

of a USDW.

- 14. EPA has consulted with the Assimiboine and Sioux Tribes of the Fort Peck Reservation prior to issuing this Order. The Tribes notified EPA that they have not taken an action to protect the health of persons from the contaminants that are likely to be present in the Quaternary Deposits USDW.
- 15. To date, no governmental action has been taken to protect the health of persons from the contaminants that are likely to be present in the Quaternary Deposits USDW due to Respondents' operations of their oil production operations. The State of Montana, which does not have jurisdiction in this case, has been contacted by EPA. The State notified EPA that it has not taken an action and does not intend to take an action in this case.
 - 16. EPA, therefore, finds that the actions ordered below are authorized under Section 1431 of the Act, 42 U.S.C. §300(i), and are necessary in order to protect the health of persons.

V. PURPOSE

The purpose of this order is to describe actions which EPA believes necessary to remove the imminent and substantial endangerment to the health of persons located within the areas described in this order. EPA East Poplar Oil Field Page 10 of 19

believes that the actions necessary to remove the threat include, but may not be limited to, supplying permanent alternate water, identification of all the contaminant source(s), containment of the existing and on-going contaminants, and possible remediation of the existing and on-going contaminants.

2. EPA will approach the steps outlined in paragraph 1
(above) in a phased manner. Submission of the
information required under paragraphs VI(1)(B) through
VI(1)(E) of this Order is expected to provide EPA with
more certainty regarding the specific sources of the
contaminants and will allow for an opportunity under
\$1431(a) of the Safe Drinking Water Act; to issue a
subsequent Order to the parties specifically found to
be responsible for the historic and/or on-going
Quaternary aquifer contamination in the East Poplar Oil
Field. EPA will focus any subsequent Order to include
only those parties who are found to have causation
clearly established with the present and/or on-going
contamination.

VI. EMERGENCY ADMINISTRATIVE ORDER

1. Based on the foregoing findings, taking into account the imminent and substantial endangerment to the health of persons and other such matters as justice may require, as shown by the administrative record, and

East Poplar Oil Field Page 11 of 19

under authority of §1431(i) of the Act, 42 U.S.C. §300(i), Respondents are ordered to perform the following actions:

A. PROVIDE TEMPORARY SAFE DRINKING WATER SOURCE TO IDENTIFIED RESIDENCES

The Respondents shall continue to provide an alternative source of water that meets the EPA drinking water standards (40 C.F.R. Part 142) for drinking and cooking to the residences of the contaminated area. The water shall be provided in the quantity of one gallon per person per day in each residence. This water is to be provided on a regular basis in an easily accessible manner to the residence. The residences known to have contaminated water or which have drinking water which is threatened with contamination at this time are listed below and on the attached map (Attachment #1):

Current Resident	City	State	Residence Address	Sec	Twn	Rge
Kohl, Danny	Poplar	MT	5097 Road 251	15	29N	51B
Lien, Birdell	Poplar	MI	4849 Road 2050	20	29N	51E
Zimmerman, Bill	Poplar	MT	5448 Road 251	01	28N	51E
Abbott, Joe	Poplar	MT	5540 Road 75	04	28N	51E
Kirn, Audrey	Poplar	MT	5,584 Road 75	08	28N	51E
Kirn, Michael	Poplar	MT	5632 Road 75	08	28N	518
Gray Hawk,	Poplar	MT	5647 Road 75	16	28N	51E
Rachel						

East Poplar Oil Field Page 12 of 19

George & Helen Bleazard, Ross Poplar MT 5866 Road 150 29 28N 51E & Laura Whitmer, Warren Poplar MT 58702 Road 75 29 28N 51E & Donna Loegering, Poplar MT 5910 Road 150 29 28N 51E Mavis Kirn Sr., Jesse Poplar MT 6037 Road 150 32 28N 51E Grandchamp, Poplar MT 5947 Road 75 33 28N 51E Denise Grainger, Poplar MT 5957 Road 75 33 28N 51E Trivian Grainger, Iva Poplar MT 5128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E							
Lockman, Lyle Poplar MT 5715 Road 75 16 28N 51B Four Bears, Poplar MT 5678 Road 75 17 28N 51B Charles Martell, Rene & Poplar MT 5666 Road 75 17 28N 51B Josi Ricker Sr., Poplar MT 5712 Road 75 17 28N 51B George & Helen Bleazard, Ross Poplar MT 5866 Road 150 29 28N 51E & Laura Whitmer, Warren Poplar MT 58702 Road 75 29 28N 51E & Donna Donna 5910 Road 150 29 28N 51E Kirn Sr., Jesse Poplar MT 5910 Road 150 29 28N 51E Grandchamp, Poplar MT 5947 Road 75 33 28N 51E Trivian Grainger, Poplar MT 5957 Road 75 33 28N 51E Ranf, Marie and Poplar MT	Trottier, Tim &	Poplar	MT	5713 Road 75	16	28N	51B
Four Bears, Charles Martell, Rene & Poplar MT	Donna						1
Charles Martell, Rene & Poplar MT 5666 Road 75 17 28N 51E Josi Ricker Sr., Poplar MT 5712 Road 75 17 28N 51E George & Helen Bleazard, Ross Poplar MT 5866 Road 150 29 28N 51E & Laura Whitmer, Warren Poplar MT 58702 Road 75 29 28N 51E & Donna Loegering, Poplar MT 5910 Road 150 29 28N 51E Mavis Kirn Sr., Jesse Poplar MT 6037 Road 150 32 28N 51E Grandchamp, Poplar MT 5947 Road 75 33 28N 51E Denise Grainger, Poplar MT 5957 Road 75 33 28N 51E Trivian Grainger, Iva Poplar MT 5128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	Lockman, Lyle	Poplar	MT	5715 Road 75	16	28N	51B
Martell, Rene & Poplar MT 5666 Road 75 17 28N 51E Josi Ricker Sr., Poplar MT 5712 Road 75 17 28N 51E George & Helen Bleazard, Ross Poplar MT 5866 Road 150 29 28N 51E & Laura Whitmer, Warren Poplar MT 58702 Road 75 29 28N 51E & Donna Loegering, Poplar MT 5910 Road 150 29 28N 51E Mavis Kirn Sr., Jesse Poplar MT 6037 Road 150 32 28N 51E Grandchamp, Poplar MT 5947 Road 75 33 28N 51E Denise Grainger, Poplar MT 5957 Road 75 33 28N 51E Trivian Grainger, Iva Poplar MT 5128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	Four Bears,	Poplar	MT	5678 Road 75	17	28N	51E
### Ricker Sr., Poplar MT	Charles			·			
Ricker Sr., Poplar MT 5712 Road 75 17 28N 51E George & Helen Bleazard, Ross Poplar MT 5866 Road 150 29 28N 51E & Laura Whitmer, Warren Poplar MT 58702 Road 75 29 28N 51E & Donna Loegering, Poplar MT 5910 Road 150 29 28N 51E Mavis Kirn Sr., Jesse Poplar MT 6037 Road 150 32 28N 51E Grandchamp, Poplar MT 5947 Road 75 33 28N 51E Denise Grainger, Poplar MT 5957 Road 75 33 28N 51E Trivian Grainger, Iva Poplar MT 5128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	Martell, Rene &	Poplar	MT	5666 Road 75	17	28N	51 E
George & Helen Bleazard, Ross Poplar MT 5866 Road 150 29 28N 51E & Laura Whitmer, Warren Poplar MT 58702 Road 75 29 28N 51E & Donna Loegering, Poplar MT 5910 Road 150 29 28N 51E Mavis Kirn Sr., Jesse Poplar MT 6037 Road 150 32 28N 51E Grandchamp, Poplar MT 5947 Road 75 33 28N 51E Denise Grainger, Poplar MT 5957 Road 75 33 28N 51E Trivian Grainger, Iva Poplar MT 5128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	Josi		:				
Bleazard, Ross Poplar MT 5866 Road 150 29 28N 51E & Laura Whitmer, Warren Poplar MT 58702 Road 75 29 28N 51E & Donna Loegering, Poplar MT 5910 Road 150 29 28N 51E Mavis Kirn Sr., Jesse Poplar MT 6037 Road 150 32 28N 51E Grandchamp, Poplar MT 5947 Road 75 33 28N 51E Denise Grainger, Poplar MT 5957 Road 75 33 28N 51E Trivian Grainger, Iva Poplar MT 5128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	Ricker Sr.,	Poplar	MT	5712 Road 75	17	28N	51B
& Laura Whitmer, Warren Poplar MT 58702 Road 75 29 28N 51E & Donna Loegering, Poplar MT 5910 Road 150 29 28N 51E Mavis Kirn Sr., Jesse Poplar MT 6037 Road 150 32 28N 51E Grandchamp, Poplar MT 5947 Road 75 33 28N 51E Denise Grainger, Poplar MT 5957 Road 75 33 28N 51E Trivian Grainger, Iva Poplar MT 5128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	George & Helen						
Whitmer, Warren Poplar MT 58702 Road 75 29 28N 51E & Donna Loegering, Poplar MT 5910 Road 150 29 28N 51E Mavis Kirn Sr., Jesse Poplar MT 6037 Road 150 32 28N 51E Grandchamp, Poplar MT 5947 Road 75 33 28N 51E Denise Grainger, Poplar MT 5957 Road 75 33 28N 51E Trivian Grainger, Iva Poplar MT 5128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	Bleazard, Ross	Poplar	MT	5866 Road 150	29	28N	51E.
& Donna Loegering, Poplar MT 5910 Road 150 29 28N 51E Mavis Kirn Sr., Jesse Poplar MT 6037 Road 150 32 28N 51E Grandchamp, Poplar MT 5947 Road 75 33 28N 51E Denise Grainger, Poplar MT 5957 Road 75 33 28N 51E Trivian Grainger, Iva Poplar MT 5128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	& Laura		٠ .				
Loegering, Poplar MT 5910 Road 150 29 28N 51E Mavis Kirn Sr., Jesse Poplar MT 6037 Road 150 32 28N 51E Grandchamp, Poplar MT 5947 Road 75 33 28N 51E Denise Grainger, Poplar MT 5957 Road 75 33 28N 51E Trivian Grainger, Iva Poplar MT 5128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	Whitmer, Warren	Poplar	MT :	58702 Road 75	29	28№::	51B^
Mavis Kirn Sr., Jesse Poplar MT 6037 Road 150 32 28N 51E Grandchamp, Poplar MT 5947 Road 75 33 28N 51E Denise Crainger, Poplar MT 5957 Road 75 33 28N 51E Trivian S128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	& Donna		. :				
Kirn Sr., Jesse Poplar MT 6037 Road 150 32 28N 51E Grandchamp, Poplar MT 5947 Road 75 33 28N 51E Denise Grainger, Poplar MT 5957 Road 75 33 28N 51E Trivian Grainger, Iva Poplar MT 5128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	Loegering,	Poplar	MT ·	5910 Road 150	29 .	28N	51 E //
Grandchamp, Poplar MT 5947 Road 75 33 28N 51E Denise Grainger, Poplar MT 5957 Road 75 33 28N 51E Trivian Trivian S128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	Mavis						1
Denise Carainger, Poplar MT 5957 Road 75 33 28N 51E Trivian Crainger, Iva Poplar MT 5128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	Kirn Sr., Jesse	Poplar	MT .	6037 Road 150	32	28N	51E
Grainger, Poplar MT 5957 Road 75 33 28N 518 Trivian Stainger, Iva Poplar MT 5128 Road 251 15 29N 518 Ranf, Marie and Poplar MT 5743 Road 251 13 28N 518	Grandchamp,	Poplar	MT	5947 Road 75	33	28N	51B
Trivian Grainger, Iva Poplar MT 5128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	Denise						
Grainger, Iva Poplar MT 5128 Road 251 15 29N 51E Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	Grainger,	Poplar	MT	5957 Road 75	33	28N	51B
Ranf, Marie and Poplar MT 5743 Road 251 13 28N 51E	Trivian						
	Grainger, Iva	Poplar	MT	5128 Road 251	15	29N	51B
Corne, Warren	Ranf, Marie and	Poplar	MT	5743 Road 251	13	28N	51B
	Corne, Warren						

There may be a need to supply domestic water to additional residents, including other residents or locations drawing domestic water from the Quaternary

East Poplar Oil Field Page 13 of 19

aquifer. Respondents, upon notification by EPA, shall deliver this water until such time as the local water source has been deemed by EPA as safe for consumptive use or a permanent alternative source of water is provided.

PREPARE AND SUBMIT WELL INFORMATION B. The Respondents shall provide a historical record for each well listed and any other wells drilled, completed, reworked, converted, operated or plugged by Respondents within the sections of Township 28N and Range 51B, Sections 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 15, 16, 21, 22, 23, and 24. As information becomes available to Respondents, each Respondent shall submit the information to the EPA. At the latest, all information required from all Respondents shall be submitted by March 31, 2000. Attached is a list of wells known by Section, Township, and Range, and by company, for which, at a minimum, the Respondents must provide the well information listed below (Attachment #2). The drilling, construction, well rework, conversion, plugging and other pertinent records submitted shall include but not be limited to the information listed below. In each case service company records associated with each well activity shall be included. Respondents shall include information on each instance of well integrity failures, that involved

i - .

27/105

East Poplar Oil Field Page 14 of 19

casing leaks, flow behind the casing and/or any fluids surfacing at or near the wellheads. Respondents shall include information listed below:

- Well Name and API Identification Number
- 2. Well location
- Current well status for each well.
 - a. Active, Shut-in, Temporarily Abandoned, Plugged
- 4. Well Construction Information
 - a. Date Well Drilled
 - b. Date Well Completed
 - c. Total Depth
 - d. Plug Back Depth
 - e. Drilling Record
 - f. Completion Record (include diagram)
 - g. Cementing Record (including estimated cement tops with assumptions for calculations and cement bond logs)
- 5. Well Rework Information
 - a. Date of Well Rework
 - b. Reason for Rework (If due to casing leak, location of leak if known)
 - c. Records of Well Logs and Tests Performed
 - d. Record of Rework
 - e. Date Well Recommenced Injection or Production
 - 6. Temporarily Abandoned (TA) or Shut-in Wells Information
 - a. Date(s) Well Shut-in or TA
 - b. Reason for TA or Shut-in of Well
 - c. Was Well Shut-in or TA'd With the Equipment in the Well?
 - d. If Not, What Equipment Was Removed and When, Provide a Record of Work if Possible
 - e. Is the Well Capable of Resuming Injection or Production Without a Rework?
 - 7. Well Conversion Information
 - a. Date(s) Well Converted from Production to Injection:
 - b. Date(s) Well Converted from Injection to Production
 - c. Record of Conversion Activity
 - 8. Plugging and Abandonment Information
 - a. Plug and Abandonment Plan
 - b. Plugging Record
 - c. Were Any Problems Experienced During the Plugging Process, Involving Such Things as Pulling of Equipment, Setting Plugs, Water Plow to Surface?

East Poplar Oil Field Page 15 of 19

- C. PREPARE AND SUBMIT TANK AND PIPELINE INFORMATION
 Respondents shall provide information on all current
 and past tanks, associated tank battery equipment,
 oil/water separators, and pipelines used in the East
 Poplar Oil Field for the production of oil and gas in
 the township, range, and sections listed Paragraph
 VI(1)(B) above, including but not limited to: Tank
 Batteries 8-D, 80-D, South Central, A, C, D, F, G, H,
 K, and R. As information becomes available to
 Respondents, each Respondent shall submit the
 information to the EPA. At the latest, all information
 required from all Respondents shall be submitted by
 March 31, 2000. Respondents shall provide the
 information listed below:
- 1. Location of tank
- 2. Tank size and construction
- .3. Duration of tank use
- Information on leaking tank bottoms or any other type of tank integrity failure(s)
- 5. Information on spill incidents at or near the tanks and tank batteries, including those from unloading transport trucks into the tanks.
- Location of all pipelines (identify as surface or subsurface)
- 7. Information on any leaks or spills from pipelines leading to and from the tanks and wells
- 8. Information on pipeline failures on the surface and subsurface.
- D. PROVIDE INFORMATION ON PIT(S) USED IN THE PRODUCTION OF OIL OR GAS

Respondents shall provide information on all current and abandoned pits used for well construction, oil and gas production, well workovers, product and waste

East Poplar Oil Field Page 16 of 19

storage, evaporation and disposal of fluid products and wastes in the sections listed for in the East Poplar Oil Field for the production of oil and gas in the township, range, and sections listed in Paragraph VI(1)(B) above. As information becomes available to Respondents, each Respondent shall submit the information to the EPA. At the latest, all information required from all Respondents shall be submitted by March 31, 2000.

Respondents shall include information on the construction for each pit, date pit constructed, duration of pit use, for what the pit was used, types of wastes placed in the pit, and, if abandoned, record of abandonment.

E. PROVIDE GEOLOGIC AND HYDROLOGIC FIELD INFORMATION Respondents shall provide a formation depth cross section for the portion of the field drilled, constructed, operated, and/or plugged well(s) by each Respondent. Respondents shall provide information on all formations found to contain water above the injection or production formation being used by their wells. Respondents shall provide information on formation pressures for production and/or injection formations, over a time line from well construction to well plugging. As information becomes available to Respondents, each Respondent shall submit the

East Poplar Oil Field Page 17 of 19

information to the EPA. At the latest, all information required from all Respondents shall be submitted by March 31, 2000.

2. Unless otherwise specified, all reports and notifications herein required shall be submitted to:

Nathan Wiser
U.S. Environmental Protection Agency
Office of Enforcement, Compliance
and Environmental Justice
Technical Enforcement Program (8ENF-T)
999 18th Street, Suite 500
Denver, Colorado 80202-2466
Telephone (303) 312-6211

VII: GENERAL PROVISIONS

- The provisions of this order shall apply to and be binding upon Respondents, their officers, directors, agents, successors and assigns. Notice of this Order shall be given to any successors in interest prior to transfer of any of the oil and gas facilities or their operation. Action or inaction of any persons, firms, contractors, employees, agents, or corporations acting under, through or for Respondents, shall not excuse any failure of Respondents to fully perform their obligations under this Order.
- 2. This Order does not constitute a waiver, suspension, or modification of the requirements of any federal statute, regulation, or condition of any permit issued thereunder, including the requirements of the Safe

East Poplar Oil Field Page 18 of 19

Drinking Water Act, which remain in full force and effect. Issuance of this Order is not a waiver by EPA to forgo any additional administrative, civil, or criminal action(s) otherwise authorized under the Act.

- Respondents to an administrative civil penalty of up to \$15,000 for each day in which such violation occurs or failure to comply continues pursuant to \$1431(b) of the Act, 42 U.S.C. §300i(b). In addition, actions or omissions which violate any requirements of the SDWA or its implementing regulations may subject Respondents to a civil penalty of not more than \$27,500 per day per violation pursuant to \$1423 of the Act, 42 U.S.C. §300h-2.
- 4. This Emergency Administrative Order is a final agency action by EPA.
- 5. This Emergency Administrative Order is binding on all Respondents, and each Respondent is jointly and severally liable hereunder.

East Poplar Oil Field Page 19 of 19

> 6. The effective date of this Order shall be the date of issuance.


Issued this 5th day of November, 1999.


Chily E. Mans

Connally E. Mears, Director
Technical Enforcement Program
Office of Enforcement, Compliance,
and Environmental Justice
United States Environmental Protection
Agency, Region 8

Michael T. Risner, Director
David J. Janik, Supervisory Attorney
Legal Enforcement Program
Office of Enforcement, Compliance,
and Environmental Justice
United States Environmental Protection
Agency, Region 8

ATTACHMENT 1





1

ATTACHMENT 2

WELL LIST BY COMPANY

Murphy Oil Corporation 200 E. Peach Street El Dorado, AR 70112

Murphy Oil USA, Inc. 200 Peach Street El Dorado, AR 70112

Murphy Exploration & Production Company 131 S. Robertson St. P.O. Box 61870 New Orleans, LA 70161

Provide the information required above for those wells listed below and all other wells constructed, operated, or plugged in the sections listed below:

East Poplar Oil Field Near Poplar, Montana in T28N R51E Sections 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 15, 16, 21, 22, 23, and 24.

LOCATION	WELL NAME
Sec 1 T28N R51E	
C SW NW	Murphy 3
C SW NE	Murphy 99
NE SE	Murphy 76
Sec 2 T28N R51E	
SW NE	Murphy 1
C SE NW	Murphy 18 Also known as: Zimmerman EPU #18 or the 7-B Well
SW NE	Murphy 2-D Also known as: EPU 2-D
SE SE	Zimmerman EPU 116 - New Well
C SW SW	Zimmerman EPU #5 Also known Murphy #5 or the 7- A Well
C SE SE	Murphy 17

Sec 3 T28N R51E	
SW NW	Murphy 80-D Also known as: Tribal Unit #80-D
	Murphy 82
C SW SE	Murphy 12
C SE SE	Murphy 14
SEC 4 T28N R51E	
SW NW	Murphy 59-D
C SW NE	Murphy 45
Sec 9 T28N R51E	
SE NE	Murphy 67
Sec 10 T28N R51E	
NW NW	Murphy 11
NW NE	Polumbus (Huber) 4
NW NE (50 feet east of Huber #4)	Polumbus (Huber) 4-A
NE	Polumbus (Huber) 1-W
NE NE	Polumbus (Huber) 3
SE NW	Murphy 13
SW NE	Polumbus (Huber) 2
SE SW NE	Murphy 5
SW NW	Polumbus (Huber) 1
C NW SE	Murphy 8-D
E SW NE	(Murphy) Huber 5 SWD Previously known as the Huber 5 (Production)
NE SE	Murphy 6
Sec. 11 T28N R51E	
мими	Murphy 15
SW NW	Murphy 7 . also known as EPU #7

SW NE	Murphy 68		
C SW SW -	Murphy 9		
SW SE	Murphy 100		
Sec. 12 T28N R51E			
SW SW	Murphy 24		
SW NE	Murphy 61		
Sec. 13 T28N R51E			
SE SW	Murphy 74		
Sec. 14 T28N R51E			
C NW	Murphy 101 Also called the Tribal 101		
SW SW NE	Murphy 20 Also called the Unit 20		
SW SE	Murphy 104 Also called the Tribal 104		
SW SW SW	Murphy 22 Also Known as the Tribal Unit 22 and EPU 22		
Sec. 15 T28N R51E			
C SW NE	Murphy 32 Also known as EPU32		
Sec. 22 T28N R51E			
C NW NE	TXO -1 Also Known as Buckles "B" #1		
NW SE NW	Buckles SWD #1		
	Also known as TXO-SWD-1		
C SE NW	Buckles A-1		

SW SE	Tribal Unit #72 Also known as Murphy 72
Sec. 23 T28N R51E	
C SW NE	Murphy 26 (Also known as Fed. Unit #26)
C NW SW	Fed. Unit 55 Also known as Murphy 55
NE NE SW	Fed. Unit 3-G Also known as Murphy 3-G
Sec. 24 T28N R51E	
SW SW	Murphy 44
Sec. 27 T28N R51E	
C SW NE	Federal unit #63 Also known as EPU 63 or Murphy 63

Pioneer Natural Resources Company for Mesa Petroleum Co. 1400 Williams Square West 5205 N. O'Connor Blvd. Irving, Texas 75039

Provide the information required above for those well(s) listed below and all other wells constructed, operated, or plugged in the sections listed below:

East Poplar Oil Field Near Poplar, Montana in T28N R51E Sections 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 15, 16, 21, 22, 23, and 24.

Respondent must also provide information on the relief well drilled near the Mesa Biere 1-22. Respondent must submit information on its location, depth, type of use, duration of use, and the plugging records.

Sec. 22 T28N R51E	
C NW SW	Biere 1-22 Also Know as: Mesa Biere 1-22
SW NW SW	Biere 1-W SWD Also Known as: Mesa 1-W(Biere)

AMARCO Resources Company c/o Westdale Inc. Highway 67 South Ballinger, Texas 76821

and/or

AMARCO Resources Company 2920 One Main Place Dallas, Texas 75250

Provide the information required above for those well(s) listed below and all other wells constructed, operated, or plugged in the sections listed below:

East Poplar Oil Field Near Poplar, Montana in T28N R51E Sections 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 15, 16, 21, 22, 23, and 24.

Respondent must also provide information on the relief well drilled near the Mesa Biere 1-22. Respondent must submit information on its location, depth, type of use, duration of use, and the plugging records.

Sec. 22 T28N R51E	
C NW SW	Biere 1-22 Also Know as: Mesa Biere 1-22
Sec. 27 T28N R51E	
C NW NW	Federal 1-27 Also known as: AMARCO Schmidt 1-27

Samson Investment Company and Samson Hydrocarbons Company 2 West Second Street Tulsa, Oklahoma 74103

For: Polumbus Corporation/Polumbus Company/Grace Petroleum Corporation

Provide the information required above for those well(s) listed below and all other wells constructed, operated, or plugged in the sections listed below:

East Poplar Oil Field Near Poplar, Montana in T28N R51E Sections 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 15, 16, 21, 22, 23, and 24.

Sec. 10 T28N R51E				
NW NE	Polumbus (Huber) 4			
NW NE (50 east of Polumbus 4)	Polumbus (Huber) 4-A			
NE	Polumbus (Huber) 1-W			
NE NE	Polumbus (Huber) 3			
SE NW	Polumbus 13 Also known as: Murphy 13			
SW NE	Polumbus (Huber) 2			
SE SW NE	Polumbus 5 Also known as: Murphy 5			
E SW NE	Huber 5 SWD Known as: Murphy 5 SWD Huber 5 Production well			
SE NE SE	Grace 110x Also known as: EPU 110x-D			

Marathon Oil Company 539 S. Main St. Findlay, OH 45840

For: Texas Oil & Gas Corp.
Trade name TXO Production Corp.

Provide the information required above for those well(s) listed below and all other wells constructed, operated, or plugged in the sections listed below:

East Poplar Oil Field Near Poplar, Montana in T28N R51E Sections 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 15, 16, 21, 22, 23, and 24.

Sec. 22 T28N R51E		
C NW NE	TXO -1 Also Known as Buckles "B" #1	
NW SE NW	Buckles SWD #1 Also known as TXO-SWD-1	
C SE NW	Buckles A-1	

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 89 MOV -5 AM 8: 03

IN THE MATTER OF

EPA REGION VIII HEARING CLERK

AMARCO Resources Corporation,

Marathon Oil Company,

Murphy Exploration and Production Company,

Pioneer Natural Resources USA)
Incorporated,

W.R. Grace & Company-Conn.,

Respondents

East Poplar Oil Field Fort Peck Indian Reservation Montana

Proceedings under Section 1431(a) of the Safe Drinking Water Act, 42 U.S.C. §300g-i(a) FIRST AMENDED EMERGENCY ADMINISTRATIVE ORDER

Docket No. SDWA-8-99-68

DESCRIPTION

This Order revokes and supercedes in its entirety the preceding Order Docket #SDWA-8-99-68 which was issued September 30, 1999.

I. STATUTORY AUTHORITY

The following Findings are made and Order issued under the authority vested in the Administrator of the U.S. Environmental Protection Agency (EPA) by Section 1431(a) of the Safe Drinking Water Act (the Act), 42

; 3033128191

East Poplar Oil Field Page 2 of 19

1-11-01; 2:31PM; 8ENF -

U.S.C. §300i(a). The authority to take this action has been properly delegated to the undersigned EPA program supervisors.

II. ENFORCEMENT RESPONSIBILITY

 EPA has primary enforcement responsibility for the Act on the Lands within the exterior boundary of the Fort Peck Indian Reservation in Roosevelt County in the State of Montana.

III. DESCRIPTION OF RESPONDENTS

- 1. AMARCO Resources Corporation is a Texas corporation and did business in the state of Montana and therefore is a "person" within the meaning of 40 CFR §141.2 and §144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12).

 AMARCO Resources Corp. is also using the trade name Westdale, Inc. in Texas.
- 2. Marathon Oil Company is an Ohio corporation and therefore a "person" within the meaning of 40 CFR §141.2 and §144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12). TXO Production Corp. a Delaware corporation merged with Marathon Oil Company. TXO Production Corp was a trade name for Texas Oil & Gas Corp. a Delaware corporation.
- 3. Murphy Exploration & Production Company is a Delaware corporation doing business in the State of Montana and

water the transfer of the control of

01/11/01 THU 16:40 [TX/RX NO 9362]

East Poplar Oil Field Page 3 of 19

> therefore is a "person" within the meaning of 40 CFR §141.2 and §144.2 and Section 1401(12) of the Act, 42 U.S.C. \$300f(12).

- Pioneer Natural Resources USA, Inc. is a Delaware 4. corporation and therefore a "person" within the meaning of 40 CFR §141.2 and §144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12). Pioneer Natural Resources USA, Inc. acquired the assets of Mesa Petroleum Co. Mesa Petroleum Co. did business in the state of. Montana.
- 5. W.R. Grace & Co. is a Connecticut corporation and . therefore a "person" within the meaning of 40 CFR §141.2 and §144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12). Polumbus Petroleum Corporation in its merger with W.R. Grace & Co. became Grace Petroleum Corporation. Polumbus Petroleum Corporation merged with W.R. Grace & Co. a Connecticut corporation in 1976. Polumbus did business in the state of Montana.
- 6. Respondents own and/or operate or did own and/or operate oil and gas production facilities, including but not limited to oil or gas production wells, produced brine disposal wells, secondary recovery injection wells, drilled and abandoned dry holes, production and waste pits, storage tanks, oil/water separators, and distribution pipelines and pumping facilities, in portions of the East Poplar Oil Field

East Poplar Oil Field Page 4 of 19

located within Township 28 North, Range 51 East on the Fort Peck Indian Reservation in Roosevelt County in the State of Montana.

IV. FINDINGS

The Quaternary Deposits are the most recent geologic. deposits of the Cenozoic Era, covering approximately the past 1.65 million years. These Quaternary Deposits in the East Poplar Oil Field area consist mainly of the Winota Gravel, Sprole Silt, glacial till, fan alluvium and colluvium, and alluvium. The analysis of Pleistocene Wiota Gravel, Sprole Silt, glacial till, and dune sand are referred to as "glacial deposits". Lithologic logs from the monitoring wells drilled in the area show depths ranging from of 55 to 100 feet. The Pleistocene and Holocene fan alluvium and colluvium and Holocene alluvium are referred to as "alluvium" and overlie the glacial deposits in many areas with depths ranging from 20 to 56 feet. The alluvium underlies flood plain deposits. Water in Quaternary deposits east of the Poplar River generally moves westward toward the river where it merges with southward-flowing ground water in the Poplar River valley. Downward movement of water from the Quaternary deposits is not a significant problem, the underlying Bearpaw Shale is relatively impermeable and forms a confining layer.

East Poplar Oil Field Page 5 of 19

- 2. These Quaternary glacial deposits and alluvium are the sole developed source of ground water for private resident wells in and around the East Poplar Oil Field and the Poplar, Montana and tribally-owned Poplar Head Start Center public water supply systems. Depth to the water table below land surface in this area generally ranges from about 5 to 44 feet in the alluvium and 7 to 139 feet in the glacial deposits.
- 3. The Quaternary Deposits form an unconfined aquifer which contains a sufficient quantity of ground water to supply a public water system. A public water system (PWS), as defined by 40 C.F.R. § 141.2, means a system for the provision to the public of piped water for human consumption, if such system has at least fifteen service connections or regularly serves an average of at least twenty-five individuals daily at least 60 days out of the year.
- 4. The Quaternary Deposits are an underground source of drinking water (USDW). A USDW, as defined under 40 C.F.R. § 144.3, means an aquifer or its portion which supplies any PWS or which contains a sufficient quantity of ground water to supply a public water system; and currently supplies drinking water for human consumption or contains fewer than 10,000 mg/L total dissolved solids. Past sampling from private ground water wells in the area showed total dissolved solids

The second second second second

::

East Poplar Oil Field . Page 6 of 19

content ranging from 427-2,680 mg/L (as discussed in the U.S. Geological Survey study below).

- 5. The United States Geological Survey (USGS) has conducted an extensive ground water investigation of saline-water contamination in and around the East Poplar Oil Field. The USGS reviewed ground water and surface water quality data from existing private water. wells, new monitoring wells, oil wells, brine-injection wells, and the Poplar River in the East Poplar Oil Field area. Additionally, the USGS completed an electromagnetic geophysical survey, by measuring the electromagnetic apparent conductivity corrected for local anomalies (wells, pipelines, etc.), over a 21.6 square mile area to assist in the delineating the extent of the saline-water contamination plumes. Uncontaminated ground-water in the area had total dissolved solids content ranging from 427-2,680 mg/L. The areas delineated by the ground water study as part of the brine contaminated plumes contained total dissolved solid levels as high as 91,100 mg/L. In July 1999, EPA took ground water samples from the wells at private homes within the area shown by the USGS study to have brine contamination. EPA found TDS levels at these homes to range from 1850 to 4890 mg/L.
- 6. EPA collected water samples at several of the home sites in the contamination area to determine if any

1-11-01; 2:31PM:BENF

East Poplar Oil Field - Page 7 of 19

contamination by hydrocarbons or volatile organic compounds (VOCs) was also a concern. Brine contamination plumes associated with oil and gas production operations will have remnants of hydrocarbons from the production formation. Samples taken by both EPA at the existing home sites and USGS at several monitoring wells showed benzene contamination. A sample taken at one home site had benzene contamination between 58-78 ug/L or 0.058-0.078 mg/L, while other samples taken at USGS monitoring wells in the field were between 1.58-4.86 ug/L or 0.00158-0.00486 mg/L.

- 7. Under the Primary Drinking Water Standards, the maximum contaminant level (MCL) for benzene, as set forth in 40 C.F.R. § 141.61, is 0.005 mg/L. Secondary Drinking Water Standards, as set out in 40 C.F.R. § 143.3, for dissolved-solids is 500 mg/L.
- 8. The presence and entry of benzene at levels as high as .078 mg/L in the Quaternary Deposits USDW may present an imminent and substantial endangerment to the health of persons.
- 9. Benzene is a known human carcinogen. A causal relationship between benzene exposure and leukemia has been clearly established. Benzene exposure has also been associated with cancer of the lymph system (lymphoma), lung cancer, and bladder (urothelial)

1-11-01: 2:31PM:BENF -

East Poplar Oil Field Page 8 of 19

cancer. Benzene may increase the risk of cancer in humans who are exposed at lower levels over a long period of time.

- 10. The presence and entry of dissolved-solids at levels between 10,000 and 91,100 mg/L where found in the Quaternary Deposits USDW may present an imminent and substantial endangerment to the health of persons.
- 11. Total dissolved solids in excess of 1,000-2,000 mg/L is unpalatable and will not be voluntarily consumed by individuals. If an individual has no other source of water and is forced to consume water with TDS levels over 10,000 mg/L, the adverse health effects include severe osmotic diarrhea and severe dehydration.

 Continued consumption after the onset of the above conditions may result in death.
- 12. Contaminants, including dissolved-solids and benzene are present in, entering, and are likely to continue to enter the Quaternary Deposits.
- 13. Based upon the data obtained regarding the geology in the affected area, the general direction of groundwater migration in the USDW and water quality assessments from monitoring and private wells, and review of historical land use in the area, EPA has determined that Respondents' oil production practices and/or equipment have caused or contributed and/or are continuing to cause or contribute to the endangerment

81.4

East Poplar Oil Field Page 9 of 19

of a USDW.

- 14. EPA has consulted with the Assiniboine and Sioux Tribes of the Fort Peck Reservation prior to issuing this Order. The Tribes notified EPA that they have not taken an action to protect the health of persons from the contaminants that are likely to be present in the Quaternary Deposits USDW.
- 15. To date, no governmental action has been taken to protect the health of persons from the contaminants that are likely to be present in the Quaternary Deposits USDW due to Respondents! operations of their oil production operations. The State of Montana, which does not have jurisdiction in this case, has been to be a contacted by EPA. The State notified EPA that it has not taken an action and does not intend to take an action in this case.
- 16. EPA, therefore, finds that the actions ordered below are authorized under Section 1431 of the Act, 42 U.S.C. §300(i), and are necessary in order to protect the health of persons.

V. PURPOSE

the state of the second

The purpose of this order is to describe actions which EPA believes necessary to remove the imminent and substantial endangerment to the health of persons located within the areas described in this order.

East Poplar Oil Field Page 10 of 19

believes that the actions necessary to remove the threat include, but may not be limited to, supplying permanent alternate water, identification of all the contaminant source(s), containment of the existing and on-going contaminants, and possible remediation of the existing and on-going contaminants.

2. EPA will approach the steps outlined in paragraph 1

(above) in a phased manner. Submission of the information required under paragraphs VI(1)(B) through VI(1)(E) of this Order is expected to provide EPA with more certainty regarding the specific sources of the contaminants and will allow for an opportunity under \$1431(a) of the Safe Drinking Water. Act: to issue a subsequent Order to the parties specifically found to be responsible for the historic and/or on-going Quaternary aquifer contamination in the East Poplar Oil Field. EPA will focus any subsequent Order to include only those parties who are found to have causation clearly established with the present and/or on-going contamination.

VI. EMERGENCY ADMINISTRATIVE ORDER

1. Based on the foregoing findings, taking into account the imminent and substantial endangerment to the health of persons and other such matters as justice may require, as shown by the administrative record, and 1-11-01: 2:31PM:8ENF

East Poplar Oil Field Page 11 of 19

under authority of §1431(i) of the Act, 42 U.S.C. §300(i), Respondents are ordered to perform the following actions:

A. PROVIDE TEMPORARY SAFE DRINKING WATER SOURCE TO IDENTIFIED RESIDENCES

The Respondents shall continue to provide an alternative source of water that meets the EPA drinking water standards (40 C.F.R. Part 142) for drinking and cooking to the residences of the contaminated area. A Comment of the The water shall be provided in the quantity of one and the 1.79 Land 1. 1.79 1.4 gallon per person per day in each residence. This The state of the s water is to be provided on a regular basis in an easily na katalan na katalan accessible manner to the residence. The residences. 化对抗性 医多性性 医多种抗性 医皮肤 化二氯化丁烷 known to have contaminated water or which have drinking. water which is threatened with contamination at this time are listed below and on the attached map (Attachment #1) :

Current Resident	City	State	Residence Address	Sec	Twn	Rge
Kohl, Danny	Poplar	MT	5097 Road 251	15	29N	51E
Lien, Birdell	Poplar	MT	4849 Road 2050	20	29N	51E
Zimmerman, Bill	Poplar	MT	5448 Road 251	01	28N	51B
Abbott, Joe	Poplar	MI	5540 Road 75	04	28N	51E
Kirn, Audrey	Poplar	MT	5584 Road 75	08	28N	51E
Kirn, Michael	Poplar	MI	5632 Road 75	08	28N	51E
Gray Hawk,	Poplar	MT	5647 Road 75	16	28N	51E
Rachel						

East Poplar Oil Field Page 12 of 19

Trottier, Tim &	Poplar	MT	5713 Road 75	16	28N	51E
Donna						
Lockman, Lyle	Poplar	MT	5715 Road 75	16	28N	51B
Four Bears;	Poplar	MT	5678 Road 75	17	28N	51B
Charles						٠
Martell, Rene &	Poplar	MT	5666 Road 75	17	28N ·	51B
Josi		:			i	
Ricker Sr.,	Poplar	MT	5712 Road 75	17.	28N.	51E
George & Helen						
Bleazard, Ross	Poplar	MT ⁻	5866 Road 150	29	28N .	51 E i
& Laura		. :	Medicare one		-	: !
Whitmer, Warren	Poplar	MT	58702 Road 75	29	28N	51B
& Donna	. <u>.</u> .		e estatut.		•	* :
Loegering,	Poplar	MT	5910 Road 150	29	28N	51E
Mavis						
Kirn Sr., Jesse	Poplar	MT :	6037 Road 150	32.	28N .	518
Grandchamp,	Poplar	MT	5947 Road 75	33	28N	51B
Denise		<u> </u>		_		
Grainger,	Poplar .	MT	5957 Road 75	33	28N	51B
Trivian						
Grainger, Iva	Poplar	MT	5128 Road 251	15	29N	51E
Ranf, Marie and	Poplar	MT	5743 Road 251	13	28N	51E
Corne, Warren			·			

There may be a need to supply domestic water to additional residents, including other residents or locations drawing domestic water from the Quaternary

East Poplar Oil Field Page 13 of 19

aquifer. Respondents, upon notification by EPA, shall deliver this water until such time as the local water source has been deemed by EPA as safe for consumptive use or a permanent alternative source of water is provided.

В. PREPARE AND SUBMIT WELL INFORMATION The Respondents shall provide a historical record for each well listed and any other wells drilled, completed, reworked, converted, operated or plugged by Respondents within the sections of Township 28N and Range 51E, Sections 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 15, 16, 21, 22, 23, and 24. As information becomes available to Respondents, each Respondent shall submit. the information to the EPA. At the latest, all information required from all Respondents shall be submitted by March 31, 2000. Attached is a list of wells known by Section, Township, and Range, and by company, for which, at a minimum, the Respondents must provide the well information listed below (Attachment The drilling, construction, well rework, conversion, plugging and other pertinent records submitted shall include but not be limited to the information listed below. In each case service company records associated with each well activity shall be Respondents shall include information on each instance of well integrity failures, that involved East Poplar Oil Field Page 14 of 19

-11-01; 2:31PM;8ENF

casing leaks, flow behind the casing and/or any fluids surfacing at or near the wellheads. Respondents shall include information listed below:

- Well Name and API Identification Number
- 2. Well location
- Current well status for each well.
 a. Active, Shut-in, Temporarily Abandoned, Plugged
- 4. Well Construction Information
 - a. Date Well Drilled
 - b. Date Well Completed
 - c. Total Depth
 - d. Plug Back Depth
 - e. Drilling Record
 - f. Completion Record (include diagram)
 - g. Cementing Record (including estimated cement tops with assumptions for calculations and cement bond logs)
- a. Date of Well Rework

 - b: Reason for Rework (If due to casing leak, location of leak if known)
 - c. Records of Well Logs and Tests Performed
 - d. Record of Rework
 - e. Date Well Recommenced Injection or Production
 - Temporarily Abandoned (TA) or Shut-in Wells Information
 - a. Date(s) Well Shut-in or TA
 - b. Reason for TA or Shut-in of Well
 - c. Was Well Shut-in or TA'd With the Equipment in the Well?
 - d. If Not, What Equipment Was Removed and When, Provide a Record of Work if Possible
 - e. Is the Well Capable of Resuming Injection or Production Without a Rework?
 - 7. Well Conversion Information
 - a. Date(s) Well Converted from Production to Injection:
 - b. Date(s) Well Converted from Injection to Production
 - c. Record of Conversion Activity
 - 8. Plugging and Abandonment Information
 - a. Plug and Abandonment Plan
 - b. Plugging Record
 - c. Were Any Problems Experienced During the Plugging Process, Involving Such Things as Pulling of Equipment, Setting Plugs, Water Flow to Surface?

The state of the s

East Poplar Oil Field Page 15 of 19

- C. PREPARE AND SUBMIT TANK AND PIPELINE INFORMATION
 Respondents shall provide information on all current
 and past tanks, associated tank battery equipment,
 oil/water separators, and pipelines used in the East
 Poplar Oil Field for the production of oil and gas in
 the township, range, and sections listed Paragraph
 VI(1)(B) above, including but not limited to: Tank
 Batteries 8-D, 80-D, South Central, A, C, D, F, G, H,
 K, and R. As information becomes available to
 Respondents, each Respondent shall submit the
 information to the EPA. At the latest, all information
 required from all Respondents shall be submitted by
 March 31, 2000. Respondents shall provide the
 information listed below:
 - 1. Location of tank.
 - 2. Tank size and construction
- .3. Duration of tank use
- Information on leaking tank bottoms or any other type of tank integrity failure(s)
- 5. Information on spill incidents at or near the tanks and tank batteries, including those from unloading transport trucks into the tanks.
- Location of all pipelines (identify as surface or subsurface)
- 7. Information on any leaks or spills from pipelines leading to and from the tanks and wells
- Information on pipeline failures on the surface and subsurface.
- D. PROVIDE INFORMATION ON PIT(S) USED IN THE PRODUCTION OF OIL OR GAS

Respondents shall provide information on all current and abandoned pits used for well construction, oil and gas production, well workovers, product and waste 1-11-01; 2:31PM; 8ENF

East Poplar Oil Field Page 16 of 19

storage, evaporation and disposal of fluid products and wastes in the sections listed for in the East Poplar Oil Field for the production of oil and gas in the township, range, and sections listed in Paragraph VI(1)(B) above. As information becomes available to Respondents, each Respondent shall submit the information to the RPA. At the latest, all information required from all Respondents shall be submitted by March 31, 2000.

Respondents shall include information on the constructed, constructed, date pit constructed, duration of pit use, for what the pit was used, types of wastes placed in the pit, and, if abandoned, records of abandonment.

E. PROVIDE GEOLOGIC AND HYDROLOGIC FIELD INFORMATION Respondents shall provide a formation depth cross section for the portion of the field drilled, constructed, operated, and/or plugged well(s) by each Respondent. Respondents shall provide information on all formations found to contain water above the injection or production formation being used by their wells. Respondents shall provide information on formation pressures for production and/or injection formations, over a time line from well construction to well plugging. As information becomes available to Respondents, each Respondent shall submit the

the regarder of the second states of the second

01/11/01 THU 16:40 [TX/RX NO 9362]

The state of the s

All the State of t

East Poplar Oil Field Page 17 of 19

information to the BPA. At the latest, all information required from all Respondents shall be submitted by March 31, 2000.

2. Unless otherwise specified, all reports and notifications herein required shall be submitted to:

Nathan Wiser
U.S. Environmental Protection Agency
Office of Enforcement, Compliance
and Environmental Justice
Technical Enforcement Program (8ENF-T)
999 18th Street, Suite 500
Denver, Colorado 80202-2466
Telephone (303) 312-6211

VII. GENERAL PROVISIONS

energy and a second

- The provisions of this order shall apply to and be binding upon Respondents, their officers, directors, agents, successors and assigns. Notice of this Order shall be given to any successors in interest prior to transfer of any of the oil and gas facilities or their operation. Action or inaction of any persons, firms, contractors, employees, agents, or corporations acting under, through or for Respondents, shall not excuse any failure of Respondents to fully perform their obligations under this Order.
 - This Order does not constitute a waiver, suspension, or modification of the requirements of any federal statute, regulation, or condition of any permit issued thereunder, including the requirements of the Safe

East Poplar Oil Field Page 18 of 19

Drinking Water Act, which remain in full force and effect. Issuance of this Order is not a waiver by EPA to forgo any additional administrative, civil, or criminal action(s) otherwise authorized under the Act.

- Respondents to an administrative civil penalty of up to \$15,000 for each day in which such violation occurs or failure to comply continues pursuant to \$1431(b) of the Act, 42 U.S.C. \$300i(b). In addition, actions or omissions which violate any requirements of the SDWA or its implementing regulations may subject Respondents to a civil penalty of not more than \$27,500 per day per violation pursuant to \$1423 of the Act, 42 U.S.C. \$300h-2.
- 4: This Emergency Administrative Order is a final agency action by EPA.
- 5. This Emergency Administrative Order is binding on all Respondents, and each Respondent is jointly and severally liable hereunder.

East Poplar Oil Field Page 19 of 19

6. The effective date of this Order shall be the date of issuance.


Issued this 5th day of November, 1999.


Camely E, prems

Connally E. Mears, Director
Technical Enforcement Program
Office of Enforcement, Compliance,
and Environmental Justice
United States Environmental Protection
Agency, Region 8

Michael T. Risner, Director
David J. Janik, Supervisory Attorney
Legal Enforcement Program
Office of Enforcement, Compliance,
and Environmental Justice
United States Environmental Protection
Agency, Region 8

ATTACHMENT 1





ATTACHMENT 2

WELL LIST BY COMPANY

Murphy Oil Corporation

Murphy Oil USA, Inc.

Murphy Exploration & Production Company

provide the information required above for those wells listed below and all other wells constructed, operated, or plugged in the sections listed below:

LOCATION	WELL NAME			
Sec 1 T28N R51B	A try to disk			
C SW NW	Murphy 3			
C SW NB	Murphy 99			
ME SE	Murphy 76			
A A MOON DETE				
SM NB	Murphy 1			
C SE NW	Murphy 18 Also known as: Zimmerman BPU #18 or the 7-B Well			
SM NE	Murphy 2-D Also known as: EPU 2-D			
SE SE	Zimmerman BPU 116 - New Well			
C SW SW	Zimmerman BPU #5 Also known as Murphy #5 or the 7-A Well			
C SE SE	Murphy 17			
Sec 3 T28N R51B				
SW NW	Murphy 80-D Also known as: Tribal Unit #80-D			
·	Murphy 82			
C SW SB	Murphy 12			

C SW NE M	urphy 59-D urphy 45 urphy 67
C SW NE MM Sec 9 T28N R51E SE NE MM	urphy 45 urphy 67 urphy 11
Sec 9 T28N R51E SE NE M	urphy 67
SE NE M	urphy 11
	urphy 11
Sec 10. T28N R51B	
M NW NW	• • • • • • • • • • • • • • • • • • • •
NW NB Po	olumbus (Huber) 4
NW NB (50 feet east of Huber Po	olumbus (Huber) 4-A
	olumbus (Huber) 1-W
NE NE	olumbus (Huber) 3
SB NW	urphy 13
	blumbus (Huber) 2
SE SW NE M	urphy 8 5
SW NW P	olumbus (Huber) 1
C NW SB M	urphy 8-D
P	Murphy) Huber 5 SWD reviously known as the Huber (Production)
NB SB . M	urphy 6
Sec. 11 T28N R51B	
MINIM	urphy 15
SW NW M	urphy 7 lso known as EPU #7
SW NE M	urphy 68
C SW SW M	turphy 9
SW SB M	turphy 100
Sec. 12 T28N R51B	
SW SW M	urphy 24
SW NE M	urphy 61

en julius and the second of th

Sec. 13 T28M R51E	
SE SW	Murphy 74
Sec. 14 T28N R51E	
C NW	Murphy 101 Also called the Tribal 101
SW SW NB	Murphy 20 Also called the Unit 20
SW SB	Murphy 104 Also called the Tribal 104
SW SW SW	Murphy 22 Also known as the Tribal Unit 22 and EPU 22
Sec. 15 T28N R51E	
C SW NE	Murphy 32
Sec. 22 T28N R51E	BPU32
C NW NE	TXO -1 Also known as Buckles "B" #1
NW SE NW	Buckles SWD #1 Also known as TXO-SWD-1
C SE NW	Buckles A-1
SM SE	Tribal Unit #72 Also known as Murphy 72
Sec. 23 T28W R51E	
C SW NB	Murphy 26 (Also known as Fed. Unit #26)
C NW SW	Fed. Unit 55 Also known as Murphy 55

in the Control property of the control of the contr

NE NE SW	Fed. Unit 3-G Also known as Murphy 3-G
Sec. 24 T28N R51E	
SW SW	Murphy 44
Sec. 27 T28N R51R	
C SW NE	Federal unit #63 Also known as EPU 63 or Murphy 63

Pioneer Natural Resources Company

for Mesa Petroleum Co.

Provide the information required above for those well(s) listed below and all other wells constructed, operated, or plugged in the sections listed below:

East Poplar Oil Field Near Poplar, Montana in T28N R51E Sections 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 15, 16, 21, 22, 23, and 24.

(Respondent must also provide information on the relief well drilled near the Mesa Biere 1-22. Respondent must submit information on its location, depth, type of use, duration of use, and the plugging records.)

Sec. 22 T2	N R51B	1
C NW SW		Biere 1-22 Also know as: Mesa Biere 1-22
SW NW SW		Biere 1-W SWD Also known as: Mesa 1-W(Biere)

AMARCO Resources Company

Provide the information required above for those well(s) listed below and all other wells constructed, operated, or plugged in the sections listed below:

East Poplar Oil Field Near Poplar, Montana in T28N R51E Sections 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 15, 16, 21, 22, 23, and 24.

(Respondent must also provide information on the relief well drilled near the Mesa Biere 1-22. Respondent must submit information on its location, depth, type of use, duration of use, and the plugging records.)

Sec. 22 T28N R51E	
C NW SW	Biere 1-22 Also known as: Mesa Biere 1-22
Sec. 27 T28N R51B	
C NW NW	Federal 1-27 Also known as: AMARCO Schmidt 1-27

W.R. Grace & Co.-Conn.

For: Polumbus Corporation/Polumbus Company

Provide the information required above for those well(s) listed below and all other wells constructed, operated, or plugged in the sections listed below:

Sec. 10 T28N R51B			
NW NE	Polumbus (Huber) 4		
NW NE (50 east of Polumbus 4)	Polumbus (Huber) 4-A		
NE	Polumbus (Huber) 1-W		
NE NE	Polumbus (Huber) 3		
SE NW	Polumbus 13 Also known as: Murphy 13		
SW NE	Polumbus (Huber) 2		
SE SW NE	Polumbus 5 Also known as: Murphy 5		
e sw me	Huber 5 SWD Known as: Murphy 5 SWD Huber 5 Production well		
SE NE SE	Grace 110x Also known as: EPU 110x-D		

Marathon Oil Company

For: Texas Oil & Gas Corp.
Trade name TXO Production Corp.

Provide the information required above for those well(s) listed below and all other wells constructed, operated, or plugged in the sections listed below:

Sec. 22 T28N R51R	
C NW NB	TXO -1 Also known as Buckles "B" #1
NW SE NW	Buckles SWD #1 Also known as TXO-SWD-1
C SB NW	Buckles A-1

EPEC-Altamont Corporation

For: Tenneco Oil Company Inc./ Tenneco-Altamont Corporation

Provide the information required above for those well(s) listed below and all other wells constructed, operated, or plugged in the sections listed below:

Sec. 25 T28N R51E	
	Tenneco 1 Also known as G. Morse #1

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION VIII 99 SEP 30 PM 12: 27

IN THE MATTER OF

EPA REGIÚN VIII HEARING CLERK Docket No. SDWA-8-99-68

FILED

Murphy Exploration &
Production Company,
Murphy Oil USA, Inc.,
Murphy Oil Corporation,
Pioneer Natural Resources
Company,
W.R. Grace & Company-Conn.,
AMARCO Resources Corporation,
EPEC-Altamount Corporation,
Marathon Oil Company

Respondents

East Poplar Oil Field Fort Peck Indian Reservation Montana

Proceedings under Section 1431(a) of the Safe Drinking Water Act, 42 U.S.C. §300g-i(a) EMERGENCY ADMINISTRATIVE ORDER

STATUTORY AUTHORITY

The following Findings are made and Order issued under the authority vested in the Administrator of the U.S. Environmental Protection Agency (EPA) by Section 1431(a) of the Safe Drinking Water Act (the Act), 42 U.S.C. §3001(a). The authority to take this action has been properly delegated to the undersigned EPA program supervisors. East Poplar Oil Field Page 2 of 20

ENFORCEMENT RESPONSIBILITY

2. EPA has primary enforcement responsibility for the Act on the Lands within the exterior boundary of the Fort Peck Indian Reservation in Roosevelt County in the State of Montana.

DESCRIPTION OF RESPONDENTS

- 3. Murphy Exploration & Production Company is a Delaware corporation doing business in the State of Montana and therefore is a "person" within the meaning of 40 CFR §141.2 and §144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12).
- 4. Murphy Oil USA, Inc. is a Delaware corporation and did business in the state of Montana until status was withdrawn in 1994, and therefore is a "person" within the meaning of 40 CFR §141.2 and §144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12).
- Murphy Oil Corporation is a Delaware corporation and did business in the state of Montana and therefore is a "person" within the meaning of 40 CFR \$141.2 and \$144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12). Murphy Oil Corporation was a publicly held corporation until 1991, at which time the parent company Murphy Oil Corporation acquired all of the company's stock. The acquisition was completed by forming a new subsidiary of the parent Murphy Oil Corporation known as Murphy

East Poplar Oil Field Page 3 of 20

Exploration & Production Company, which currently operates in the state of Montana.

- 6. Pioneer Natural Resources Company is a Delaware corporation and therefore a "person" within the meaning of 40 CFR §141.2 and §144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12). Also known as Pioneer Natural Resources USA, Inc. Pioneer Natural Resources Company acquired the assets of Mesa Petroleum Co. Mesa Petroleum Co. did business in the state of Montana.
- 7. W.R. Grace & Co. is a Connecticut corporation and therefore a "person" within the meaning of 40 CFR \$141.2 and \$144.2 and Section 1401(12) of the Act, 42 U.S.C. \$300f(12). Polumbus Petroleum Corporation in its merger with W.R. Grace & Co. became Grace Petroleum Corporation. Polumbus Petroleum Corporation merged with W.R. Grace & Co. a Connecticut corporation in 1976. Polumbus did business in the state of Montana.
- 8. AMARCO Resources Corporation is a Texas corporation and did business in the state of Montana and therefore is a "person" within the meaning of 40 CFR \$141.2 and \$144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12).

 AMARCO Resources Corp. is also using the trade name Westdale, Inc. in Texas.
- 9. EPEC-Altamont Corporation is a Delaware corporation and did business in the state of Montana and therefore is a

East Poplar Oil Field Page 4 of 20

"person" within the meaning of 40 CFR §141.2 and §144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12).

Tenneco Oil Company (Tenneco-Altamont Corporation)

merged with EPEC-Altamont Corporation and did business in the State of Montana.

- 10. Marathon Oil Company is an Ohio corporation and therefore a "person" within the meaning of 40 CFR \$141.2 and \$144.2 and Section 1401(12) of the Act, 42 U.S.C. §300f(12). TXO Production Corp. a Delaware corporation merged with Marathon Oil Company. TXO Production Corp was a trade name for Texas Oil & Gas Corp. a Delaware corporation.
- operate oil and gas production facilities, including but not limited to oil or gas production wells, produced brine disposal wells, secondary recovery injection wells, drilled and abandoned dry holes, production and waste pits, storage tanks, oil/water separators, and distribution pipelines and pumping facilities, in portions of the East Poplar Oil Field located within Township 28 North, Range 51 East on the Fort Peck Indian Reservation in Roosevelt County in the State of Montana.

East Poplar Oil Field Page 5 of 20

FINDINGS

- The Quaternary Deposits are the most recent geologic 12. deposits of the Cenozoic Era, covering approximately the past 1.65 millions years. These Quaternary Deposits in the East Poplar Oil Field area consist mainly of the Winota Gravel, Sprole Silt, glacial till, fan alluvium and colluvium, and alluvium. Pleistocene Wiota Gravel, Sprole Silt, glacial till, and dune sand are referred to as "glacial deposits". Lithologic logs from the monitoring wells drilled in the area show depths ranging from of 55 to 100 feet. The Pleistocene and Holocene fan alluvium and colluvium and Holocene alluvium are referred to as "alluvium" and overlie the glacial deposits in many areas with depths ranging from 20 to 56 feet. The alluvium underlies flood plain deposits. Water in Quaternary deposits east of the Poplar River generally moves westward toward the river where it merges with southward-flowing ground water in the Poplar River valley. Downward movement of water from the Quaternary deposits is not a significant problem, the underlying Bearpaw Shale is relatively impermeable and forms a confining layer.
- 13. These Quaternary glacial deposits and alluvium are the sole developed source of ground water for private resident wells in and around the East Poplar Oil Field

East Poplar Oil Field Page 6 of 20

> and the Poplar, Montana and tribally-owned Poplar Head Start Center public water supply systems. Depth to the water table below land surface in this area generally ranges from about 5 to 44 feet in the alluvium and 7 to 139 feet in the glacial deposits.

- 14. The Quaternary Deposits form an unconfined aquifer which contains a sufficient quantity of ground water to supply a public water system. A public water system (PWS), as defined by 40 C.F.R. § 141.2, means a system for the provision to the public of piped water for human consumption, if such system has at least fifteen service connections or regularly serves an average of at least twenty-five individuals daily at least 60 days out of the year.
- The Quaternary Deposits are an underground source of drinking water (USDW). A USDW, as defined under 40 C.F.R. § 144.3, means an aquifer or its portion which supplies any PWS or which contains a sufficient quantity of ground water to supply a public water system; and currently supplies drinking water for human consumption or contains fewer than 10,000 mg/L total dissolved solids. Past sampling from private ground water wells in the area showed total dissolved solids content ranging from 427-2,680 mg/L (as discussed in the U.S. Geological Survey study below).

East Poplar Oil Field - Page 7 of 20

- The United States Geological Survey (USGS) has 16. conducted an extensive ground water investigation of saline-water contamination in and around the East Poplar Oil Field. The USGS reviewed ground water and surface water quality data from existing private water wells, new monitoring wells, oil wells, brine-injection wells, and the Poplar River in the East Poplar Oil Field area. Additionally, the USGS completed an electromagnetic geophysical survey, by measuring the electromagnetic apparent conductivity corrected for local anomalies (wells, pipelines, etc.), over a 21.6 square mile area to assist in the delineating the extent of the saline-water contamination plumes. Uncontaminated ground-water in the area had total dissolved solids content ranging from 427-2,680 mg/L. The areas delineated by the ground water study as part of the brine contaminated plumes contained total dissolved solid levels as high as 91,100 mg/L. In July 1999, EPA took ground water samples from the wells at private homes within the area shown by the USGS study to have brine contamination. EPA found TDS levels at these homes to range from 1850 to 4890 mg/L.
- 17. EPA collected water samples at several of the home sites in the contamination area to determine if any contamination by hydrocarbons or volatile organic compounds (VOCs) was also a concern. Brine

East Poplar Oil Field Page 8 of 20

contamination plumes associated with oil and gas production operations will have remnants of hydrocarbons from the production formation. Samples taken by both EPA at the existing home sites and USGS at several monitoring wells showed benzene contamination. A sample taken at one home site had benzene contamination between 58-78 ug/L or 0.058-0.078 mg/L, while other samples taken at USGS monitoring wells in the field were between 1.58-4.86 ug/L or 0.00158-0.00486 mg/L.

- 18. Under the Primary Drinking Water Standards, the maximum contaminant level (MCL) for benzene, as set forth in 40 C.F.R. § 141.61, is 0.005 mg/L. Secondary Drinking Water Standards, as set out in 40 C.F.R. § 143.3, for dissolved-solids is 500 mg/L.
- 19. The presence and entry of benzene at levels as high as
 .078 mg/L in the Quaternary Deposits USDW may present
 an imminent and substantial endangerment to the health
 of persons.
- 20. Benzene is a known human carcinogen. A causal relationship between benzene exposure and leukemia has been clearly established. Benzene exposure has also been associated with cancer of the lymph system (lymphoma), lung cancer, and bladder (urothelial) cancer. Benzene may increase the risk of cancer in

East Poplar Oil Field Page 9 of 20

humans who are exposed at lower levels over a long period of time.

- 21. The presence and entry of dissolved-solids at levels between 10,000 and 91,100 mg/L where found in the Quaternary Deposits USDW may present an imminent and substantial endangerment to the health of persons.
- 22. Total dissolved solids in excess of 1,000-2,000 mg/L is unpalatable and will not be voluntarily consumed by individuals. If an individual has no other source of water and is forced to consume water with TDS levels over 10,000 mg/L, the adverse health effects include severe osmotic diarrhea and severe dehydration.

 Continued consumption after the onset of the above conditions may result in death.
- 23. Contaminants, including dissolved-solids and benzene are present in, entering, and are likely to continue to enter the Quaternary Deposits.
- 24. Based upon the data obtained regarding the geology in the affected area, the general direction of groundwater migration in the USDW and water quality assessments from monitoring and private wells, and review of historical land use in the area, EPA has determined that Respondents' oil production practices and/or equipment have caused or contributed and/or are continuing to cause or contribute to the endangerment of a USDW.

East Poplar Oil Field Page 10 of 20

- 25. EPA has consulted with the Assiniboine and Sioux Tribes of the Fort Peck Reservation prior to issuing this Order. The Tribes notified EPA that they have not taken an action to protect the health of persons from the contaminants that are likely to be present in the Quaternary Deposits USDW.
- 26. To date, no governmental action has been taken to protect the health of persons from the contaminants that are likely to be present in the Quaternary Deposits USDW due to Respondents' operations of their oil production operations. The State of Montana, which does not have jurisdiction in this case, has been contacted by EPA. The State notified EPA that it has not taken an action and does not intend to take an action in this case.
- 3. EPA, therefore, finds that the actions ordered below are authorized under Section 1431 of the Act, 42 U.S.C. §300(i), and are necessary in order to protect the health of persons.

EMERGENCY ADMINISTRATIVE ORDER

1. Based on the foregoing findings of fact, taking into account the imminent and substantial endangerment to the health of persons and other such matters as justice may require, including the administrative record, and under authority of \$1431(i) of the Act, 42 U.S.C. East Poplar Oil Field Page 11 of 20

§300(i), compliance with the following provisions is hereby ordered:

A. PROVIDE TEMPORARY SAFE DRINKING WATER SOURCE TO IDENTIFIED RESIDENCES

The Respondents shall immediately provide an alternative source of water that meets the EPA drinking water standards (40 C.F.R. Part 142) for drinking and cooking to the residences of the contaminated area. The water shall be provided in the quantity of one gallon per person per day in each residence. This water is to be provided on a regular basis in an easily accessible manner to the residence. The residences known to have contaminated water or which have drinking water which is threatened with contamination at this time are listed below and on the attached map (Attachment #1):

State Current Resident City Sec Twn Residence Address Rge Kohl, Danny Poplar MT 5097 Road 251 15 29N 51E Lien, Birdell MT 4849 Road 2050 Poplar 20 29N 51E Zimmerman, Bill Poplar MT 5448 Road 251 01 28N 51E Abbott, Joe Poplar MT 5540 Road 75 04 28N 51E Kirn, Audrey Poplar MT 5584 Road 75 08 28N 51B Kirn, Michael MT Poplar 5632 Road 75. 08 28N 51B 5647 Road 75 Gray Hawk, Poplar MT 16 28N 51B Rachel

East Poplar Oil Field Page 12 of 20

Poplar	MT	5713 Road 75	16	28N	51E
				-	
Poplar	MT	5715 Road 75	16	28N	51E
			·		
Poplar	MT	5678 Road 75	17	28N	51E
· .	٠.				
Poplar	MT	5666 Road 75	17	28N	51B
Poplar	MT	5712 Road 75	17	28N	51B
Poplar	MT	5866 Road 150	29	28N	51B
	·				
Poplar	Mt	58702 Road 75	29	28N	51E
Poplar	MT	5910 Road 150	29	28N	51E
Poplar	MT	6037 Road 150	32	28N	51B
Poplar	MT	5947 Road 75	33	28N	51E
		·			,
Poplar	MT	5957 Road 75	33	281	51B
	<u> </u>				
	Poplar Poplar Poplar Poplar Poplar Poplar Poplar	Poplar MT Poplar MT	Poplar MT 5715 Road 75 Poplar MT 5678 Road 75 Poplar MT 5666 Road 75 Poplar MT 5712 Road 75 Poplar MT 5866 Road 150 Poplar Mt 58702 Road 75 Poplar MT 5910 Road 150 Poplar MT 6037 Road 150 Poplar MT 5947 Road 75	Poplar MT 5715 Road 75 16 Poplar MT 5678 Road 75 17 Poplar MT 5666 Road 75 17 Poplar MT 5712 Road 75 17 Poplar MT 5866 Road 150 29 Poplar Mt 58702 Road 75 29 Poplar MT 5910 Road 150 29 Poplar MT 6037 Road 150 32 Poplar MT 5947 Road 75 33	Poplar MT 5715 Road 75 16 28N Poplar MT 5678 Road 75 17 28N Poplar MT 5666 Road 75 17 28N Poplar MT 5712 Road 75 17 28N Poplar MT 5866 Road 150 29 28N Poplar Mt 58702 Road 75 29 28N Poplar MT 5910 Road 150 29 28N Poplar MT 6037 Road 150 32 28N Poplar MT 5947 Road 75 33 28N

After further study there may be a need to supply other types of domestic water. Respondents, upon notification by EPA, shall deliver this alternative source of water until such time as the local water source has been deemed by EPA as safe for consumptive

East Poplar Oil Field Page 13 of 20

use or a permanent alternative source of water is provided. As the contamination plume moves through the aquifer, other residence(s) or municipalities may be added to the list above, and this Order will be amended.

B. SUBMIT CLEANUP AND PERMANENT ALTERNATIVE WATER SUPPLY PROPOSALS

Respondents shall submit to EPA within 120 days of the receipt of this order a proposal for cleaning up the contamination plume(s) and a proposed plan for a permanent alternative water supply. The proposed plan for clean up of the contamination plume(s) shall include, but not be limited to, the information listed below:

- Proposed method(s) to capture existing plume, to include:
 - a. Containment
 - b. Diversion of ground water
 - c. Monitoring of Plume
- Proposed method(s) to treat or dispose of captured plume, to include:
 - a. Extraction of contaminants
 - b. Disposal of contaminants
 - c. Clean-up levels
- 3. Determination of lateral and vertical extent of ground water contamination, to include:
 - a. Salinity determination
 - b. Benzene determination
 - c. Total organic carbon determination
 - c. Cl:Br ratio
 - d. Ground water flow direction
 - e. Ground water flow rate
- 4. Proposed method(s) to prevent further contamination, to include:
 - a. Containment at surface
 - b. Corrective action on leaking wells
 - c. Corrective action on leaking pits and ponds
 - d. Corrective actions on leaking tanks

East Poplar Oil Field Page 14 of 20

e. Corrective action on leaking transportation lines

The proposed plan for a permanent alternative water source shall be developed and approved by an independent engineer and shall take into consideration at least the factors listed below:

- 1. Water source
- 2. Source water yield
- Source water quality (meets all EPA Drinking Water standards and if it meets criteria as a public water supply, must follow PWS regulatory requirements)
- 4. Long-term management of alternative water source
- C. PREPARE AND SUBMIT WELL INFORMATION

The Respondents shall provide a historical record for each well listed and any other wells drilled, completed, reworked, converted, operated or plugged by Respondents within the sections of Township 28N and Range 51E, Sections 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 15, 16, 21, 22, 23, and 24. Attached is a noninclusive list of wells by Section, Township, and Range, and by company, for which the Respondents must provide the well information listed below (Attachment The drilling, construction, well rework, conversion, plugging and other pertinent records submitted should include but not be limited to the information listed below. In each case service company records associated with each well activity shall be Respondents shall include information on included.

East Poplar Oil Field Page 15 of 20

each instance of well integrity failures, that involved casing leaks, flow behind the casing and/or any fluids surfacing at or near the wellheads. Respondents shall include information listed below:

- 1. Well Name and API Identification Number
- 2. Well location
- 3. Current well status for each well.
 - a. Active, Shut-in, Temporarily Abandoned, Plugged
- 4. Well Construction Information
 - a. Date Well Drilled
 - b. Date Well Completed
 - c. Total Depth
 - d. Plug Back Depth
 - e. Drilling Record
 - f. Completion Record (include diagram)
 - g. Cementing Record (including estimated cement tops with assumptions for calculations and cement bond logs)
- 5. Well Rework Information
 - a. Date of Well Rework
 - Reason for Rework (If due to casing leak, location of leak if known)
 - c. Records of Well Logs and Tests Performed
 - d. Record of Rework
 - e. Date Well Recommenced Injection or Production
- 6. Temporarily Abandoned (TA) or Shut-in Wells Information
 - a. Date(s) Well Shut-in or TA
 - b. Reason for TA or Shut-in of Well
 - c. Was Well Shut-in or TA'd With the Equipment in the Well?
 - d. If Not, What Equipment Was Removed and When, Provide a Record of Work if Possible
 - e. Is the Well Capable of Resuming Injection or Production Without a Rework?
- 7. Well Conversion Information
 - a. Date(s) Well Converted from Production to Injection:
 - b. Date(s) Well Converted from Injection to Production
 - c. Record of Conversion Activity.

East Poplar Oil Field Page 16 of 20

- 8. Plugging and Abandonment Information
 - a. Plug and Abandonment Plan
 - b. Plugging Record
 - c. Were Any Problems Experienced During the Plugging Process, Involving Such Things as Pulling of Equipment, Setting Plugs, Water Flow to Surface?
- D. PREPARE AND SUBMIT TANK AND PIPELINE INFORMATION

 Respondents shall provide information on all current

 and past tanks, associated tank battery equipment,

 oil/water separators, and pipelines used in the East

 Poplar Oil Field for the production of oil and gas in

 the township, range, and sections listed Paragraph C

 above, including but not limited to: Tank Batteries 8
 D, 80-D, South Central, A, C, D, F, G, H, K, and R.

 Respondents shall provide the information listed below:
 - 1. Location of tank
 - 2. Tank size and construction.
 - 3. Duration of tank use
 - Information on leaking tank bottoms or any other type of tank integrity failure(s)
 - 5. Information on spill incidents at or near the tanks and tank batteries, including those from unloading transport trucks into the tanks.
 - Location of all pipelines (identify as surface or subsurface)
 - 7. Information on any leaks or spills from pipelines leading to and from the tanks and wells
 - 8. Information on pipeline failures on the surface and subsurface.
- E. PROVIDE INFORMATION ON PIT(S) USED IN THE PRODUCTION OF OIL OR GAS

Respondents shall provide information on all current and abandoned pits used for well construction, oil and gas production, well workovers, product and waste storage, evaporation and disposal of fluid products and

East Poplar Oil Field Page 17 of 20

wastes in the sections listed for in the East Poplar Oil Field for the production of oil and gas in the township, range, and sections listed in Paragraph C above.

Respondents shall include information on the construction for each pit, date pit constructed, duration of pit use, for what the pit was used, types of wastes placed in the pit, and, if abandoned, record of abandonment.

- F. PROVIDE GEOLOGIC AND HYDROLOGIC FIELD INFORMATION
 Respondents shall provide a formation depth cross
 section for the portion of the field drilled,
 constructed, operated, and/or plugged well(s) by each
 Respondent. Respondents shall provide information on
 all formations found to contain water above the
 injection or production formation being used by their
 wells. Respondents shall provide information on
 formation pressures for production and/or injection
 formations, over a time line from well construction to
 well plugging.
- 2. Unless otherwise specified, all reports and notifications herein required shall be submitted to:

East Poplar Oil Field Page 18 of 20

Carol Bowden
U.S. Environmental Protection Agency
Office of Enforcement, Compliance
and Environmental Justice
Technical Enforcement Program (8ENF-T)
999 18th Street, Suite 500
Denver, Colorado 80202-2466
Telephone (303) 312-6485

Respondents shall contact Ms. Carol Bowden at the above address and telephone number to advise her of their intentions to comply with this Order. If that 48 hour time period occurs on a weekend or holiday, Respondents shall contact Ms. Bowden by 10:00 a.m. on the first EPA work day (Monday through Friday) after said holiday or weekend.

GENERAL PROVISIONS

- the provisions of this order shall apply to and be binding upon Respondents, their officers, directors, agents, successors and assigns. Notice of this Order shall be given to any successors in interest prior to transfer of any of the oil and gas facilities or their operation. Action or inaction of any persons, firms, contractors, employees, agents, or corporations acting under, through or for Respondents, shall not excuse any failure of Respondents to fully perform their obligations under this Order.
- 2. This Order does not constitute a waiver, suspension, or modification of the requirements of any federal

East Poplar Oil Field Page 19 of 20

statute, regulation, or condition of any permit issued thereunder, including the requirements of the Safe Drinking Water Act, which remain in full force and effect. Issuance of this Order is not an election by EPA to forgo any civil or any criminal action otherwise authorized under the Act.

- Respondents to an administrative civil penalty of up to \$15,000 for each day in which such violation occurs or failure to comply continues pursuant to \$1431(b) of the Act, 42 U.S.C. \$3001(b). In addition, actions or omissions which violate any requirements of the SDWA or its implementing regulations may subject Respondents to a civil penalty of not more than \$27,500 per day per violation pursuant to \$1423 of the Act, 42 U.S.C. \$300h-2.
- 4. This Emergency Administrative Order is a final agency action by EPA.
- 5. This Emergency Administrative Order is binding on all Respondents, and each Respondent is jointly and severally liable hereunder.

East Poplar Oil Field . Page 20 of 20

6. The effective date of this Order shall be the date of issuance.


Issued this 30th day of September, 1999.

Canally E. Wears


Connally E. Mears, Director
Technical Enforcement Program
Office of Enforcement, Compliance,
and Environmental Justice
United States Environmental Protection
Agency, Region 8

Michael T. Riener, Director
David J. Janix, Senior Attorney
Legal Enforcement Program
Office of Enforcement, Compliance,
and Environmental Justice
United States Environmental Protection
Agency, Region 8

A. TACHMENT



#1



ATTACHMENT 2

WELL LIST BY COMPANY

Murphy Oil Corporation

Murphy Oil USA, Inc.

Murphy Exploration & Production Company

Provide the information required above for those wells listed below and all other wells constructed, operated, or plugged in the sections listed below:

LOCATION	WELL NAME
Sec 1 T28N R51E	
C SW NW	Murphy 3
C SW NE	Murphy 99
NE SE	Murphy 76
Sec 2 T28N R51E	
SW NE	Murphy 1
C SE NW	Murphy 18 Also known as: Zimmerman EPU #18 or the 7-B Well
SW NE	Murphy 2-D Also known as: EPU 2-D
SE SE	Zimmerman EPU 116 - New Well
C SW SW	Zimmerman EPU #5 Also known as Murphy #5 or the 7-A Well
C SE SE	Murphy 17
Sec 3 T28N R51B	·
SW NW	Murphy 80-D Also known as: Tribal Unit #80-D
	Murphy 82
C SW SE	Murphy 12

C SE SE	Murphy 14
SEC 4 T28N R51E	
SW NW	Murphy 59-D
C SW NE	Murphy 45
Sec 9 T28N R51B	
SE NE	Murphy 67
Sec 10 T28N R51E	
NW NW	Murphy 11
NW NE	Polumbus (Huber) 4
NW NE (50 feet east of Huber #4)	Polumbus (Huber) 4-A
NE	Polumbus (Huber) 1-W
NE NE	Polumbus (Huber) 3
SB NW	Murphy 13
SW NE	Polumbus (Huber) 2
SE SW NB	Murphy 5
SW NW	Polumbus (Huber) 1
C NW SE	Murphy 8-D
E SW NB	(Murphy) Huber 5 SWD Previously known as the Huber 5 (Production)
NE SE	Murphy 6
Sec. 11 T28N R51E	·
NWNW	Murphy 15
SW NW	Murphy 7 also known as EPU #7
SW NE	Murphy 68
C SW SW	Murphy 9
SM SB	Murphy 100
Sec. 12 T28N R51E	
sw sw	Murphy 24
SW NE	Murphy 61

Sec. 13 T28N R51E	
SE SW	Murphy 74
Sec. 14 T28N R51E	
C NW	Murphy 101 Also called the Tribal 101
SW SW NE	Murphy 20 Also called the Unit 20
SW SB	Murphy 104 Also called the Tribal 104
SW SW	Murphy 22 Also known as the Tribal Unit 22 and EPU 22
Sec. 15 T28N R51E	
C SW NE	Murphy 32 Also known as EPU32
Sec. 22 T28N R51E	
C NW NE	TXO -1 Also known as Buckles "B" #1
NW SE NW	Buckles SWD #1
	Also known as
C SE NW	Buckles A-1
SW SE	Tribal Unit #72 Also known as Murphy 72
Sec. 23 T28N R51E	
C SW NE	Murphy 26 (Also known as Fed. Unit #26)
C NW SW	Fed. Unit 55 Also known as Murphy 55

NE NE SW	Fed. Unit 3-G Also known as Murphy 3-G
Sec. 24 T28N R51E	
SW SW	Murphy 44
Sec. 27 T28N R51E	
C SW NE	Federal unit #63 Also known as EPU 63 or Murphy 63

Pioneer Natural Resources Company

for Mesa Petroleum Co.

Provide the information required above for those well(s) listed below and all other wells constructed, operated, or plugged in the sections listed below:

East Poplar Oil Field Near Poplar, Montana in T28N R51E Sections 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 15, 16, 21, 22, 23, and 24.

(Respondent must also provide information on the relief well drilled near the Mesa Biere 1-22. Respondent must submit information on its location, depth, type of use, duration of use, and the plugging records.)

Sec. 22 T28N R51E	
C NW SW	Biere 1-22 Also know as: Mesa Biere 1-22
SW NW SW	Biere 1-W SWD Also known as: Mesa 1-W(Biere)

AMARCO Resources Company

Provide the information required above for those well(s) listed below and all other wells constructed, operated, or plugged in the sections listed below:

East Poplar Oil Field Near Poplar, Montana in T28N R51E Sections 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 15, 16, 21, 22, 23, and 24.

(Respondent must also provide information on the relief well drilled near the Mesa Biere 1-22. Respondent must submit information on its location, depth, type of use, duration of use, and the plugging records.)

Sec. 22 T28N R51E	
C NW SW	Biere 1-22 Also known as: Mesa Biere 1-22
Sec. 27 T28N R51E	
C NW NW	Federal 1-27 Also known as: AMARCO Schmidt 1-27

W.R. Grace & Co.-Conn.

For: Polumbus Corporation/Polumbus Company

Provide the information required above for those well(s) listed below and all other wells constructed, operated, or plugged in the sections listed below:

Sec. 10 T28N R51E	
NW NE	Polumbus (Huber) 4
NW NE (50 east of Polumbus 4)	Polumbus (Huber) 4-A
NE	Polumbus (Huber) 1-W
NE NE	Polumbus (Huber) 3
SE NW	Polumbus 13 Also known as: Murphy 13
SW NB	Polumbus (Huber) 2
SE SW NE	Polumbus 5 Also known as: Murphy 5
E SW NE	Huber 5 SWD Known as: Murphy 5 SWD Huber 5 Production well
SE NE SE	Grace 110x Also known as: EPU 110x-D

Marathon Oil Company

For: Texas Oil & Gas Corp.
Trade name TXO Production Corp.

Provide the information required above for those well(s) listed below and all other wells constructed, operated, or plugged in the sections listed below:

Sec. 22 T28N R51E	
C NW NE	TXO -1 Also known as Buckles "B" #1
NW SE NW	Buckles SWD #1 Also known as TXO-SWD-1
C SE NW	Buckles A-1

EPEC-Altamont Corporation

For: Tenneco Oil Company Inc./ Tenneco-Altamont Corporation

Provide the information required above for those well(s) listed below and all other wells constructed, operated, or plugged in the sections listed below:

Sec. 25 T28N R51E	
1 2111	Tenneco 1 Also known as G. Morse #1

CERTIFICATE OF SERVICE Docket No. SDWA-8-99-68

I hereby certify that the original and a true copy of this Emergency Administrative Order was hand-carried to the Regional Hearing Clerk, EPA Region 8, 999 18th Street, Denver, Colorado, and that a true copy of the same was sent via Certified Mail Return Receipt Requested mail to:

Murphy Exploration & Production Company
CT Corporation System
40 West Lawrence, Suite A
Post Office Box 1166
Helena, Montana 59624-1166;

Murphy Oil USA, Inc.
CT Corporation System
40 West Lawrence, Suite A
Post Office Box 1166
Helena, Montana 59624-1166;

Murphy Oil Corporation
Corporation Trust Company
Corporation Trust Center
1209 Orange Street
Wilmington, Delaware 19801;

Pioneer Natural Resources Company 1400 Williams Square West 5205 North O'Connor Blvd. Irving, TX 75039;

Pioneer Natural Resources Company c/o Pioneer Natural Resources USA, Inc. CT Corporation System 40 West Lawrence, Ste A Post Office Box 1166 Helena, Montana 59624-1166;

W.R. Grace & Company- Conn.
Prentice-Hall Corporation System Inc.
Post Office Box 1691
Helena, Montana 59624-1691;

CERTIFICATE OF SERVICE Docket No. SDWA-8-99-68

AMARCO Resources Corporation S.O.S. 2920 One Main Place Dallas, TX 75250;

EPEC-Altamont Corporation
CT Corporation System
40 West Lawrence, Suite A
Post Office Box 1166
Helena, Montana 59624-1166; and

Marathon Oil Company
CT Corporation System
40 West Lawrence, Suite A
Post Office Box 1166
Helena, Montana 59624-1166

Dated: September 30, 1999

By: Qudith Me Tenen

Jedith McTernan